Experimental Data References

References

[1] P.L. Anthony *et al.*, Phys. Rev. Lett. **71**, 959 (1993).
Determination of the Neutron Spin Structure Function.

[2] Y. Roblin, Nucl. Phys. B (Proc. Suppl.) 39B, 95, 1995.
Measurement of the spin structure function g_1^n of the neutron.

[3] K. Abe *et al.*, Phys. Rev. Lett. **74,** 346, 1995, SLAC-PUB-6508. August 1994.
Precision Measurement of the Proton Spin Structure Function g_1^p

[4] K. Abe *et al.* Report No. SLAC-PUB-6734 1995, Phys. Rev. Lett. **75,** 25, (1995)
Precision Measurement of the Deuteron Spin Structure Function g_1^d.

[5] K. Abe *et al.,* Phys. Rev. Lett. **76,** 587, 1996, Report No. SLAC-PUB-6982, Sept. 5, 1995.
Measurements of the Proton and Deuteron Spin Structure Function g_2 and Asymmetry A_2.

[6] K. Abe *et al.,* Phys. Lett. **B364** 61, 1995, Report No. SLAC-PUB-6997, Sept. 1995.
Measurements of the Q^2 Dependence of the Proton and Deuteron Spin Structure Functions g_1^p and g_1^d.

[7] H. Borel, P. Grenier, J. Le Meur, R.M. Lombard-Nelsen, J.C. Lugol, J. Marroncle, J. Morgenstein, J.P. Mouly, B. Paul, F. Staley, Y. Terrien, V. Breton, C. Comptour, M. Crouau, H. Fontvielle, Y. Roblin, G. Savinel, and R. Gearhart, IEEE TRANS. on Nucl. Sci., 42, 529, 1995, Erratum, 42, 2347, 1995.
Shower counters for SLAC experiments E142/E143.

[8] C. Y. Prescott, SLAC-PUB-6998, Mar. 1996.
Physics results with polarized electrons at SLAC.

[9] E143 Coll. (Linda M. Stuart, et al.), SLAC-PUB-7101. Jan. 1996.
Spin structure measurements from E143 at SLAC.

[10] C.Y. Prescott, SLAC-PUB-7040, Mar. 1996, ERICE,3-10 Aug. 1995.
An overview of the SLAC results.

[11] M. Kuriki, SLAC-482, Mar. 1996 (Ph.D. Thesis).
Study of deep inelastic scattering of polarized electrons off polarized deuterons.

[12] E142 Collaboration, P.L. Anthony, *et al.,* Sept. 1996, SLAC-PUB-7103. Phys. Rev. **D54,** 6620, 1996.
Deep inelastic scattering of polarized electrons by He^3 and the study of the neutron spin structure.

[13] E143 Collaboration, K. Abe *et al.,* Phys. Rev. Lett. 78, 815, 1997. SLAC-PUB-7242, Sept. 1996.
Measurement of the proton and deuteron spin structure function g_1 in the resonance region.

[14] E154 Collaboration, K. Abe *et al.,* SLAC-PUB-7459, HEP-PH/9705012, May 1997, Phys. Rev. Lett. 79, 26, 1997
Precision measurement of the structure functions g_1^n.

[15] E154 Collaboration, K. Abe *et al.,* SLAC-PUB-7460, May 1997, HEP-EX/9705017, Phys. Lett. **B404,** 377, 1997.
Measurement of the spin structure function g_2^n and Asymmetry A_2^n.

[16] E154 Collaboration, K. Abe *et al.,* SLAC-PUB-7461. May 1997, HEP-EX/9705344, Phys. Lett. **B405,** 180, 1997.
Next-to-leading order QCD analysis of polarized deep inelastic scattering data.

[17] E143 Collaboration, K. Abe *et al.,* SLAC-PUB-7753, Feb. 1998, HEP-PH/9802357, Phys. Rev. **D58,** 112003, 1998.

Measurements of the proton and deuteron spin structure function g_1 and g_2.

[18] E143 Collaboration, K. Abe *et al.,* HEP-PH/9808028, Aug. 1998, SLAC-PUB-7927, Phys. Lett. **B452,** 194, 1999.
Measurements oF $R = \sigma(L)/\sigma(T)$ for $0.03 < X < 0.1$ and fit to world data.

[19] E155 Collaboration, (H. Borel *et al.,*) DAPNIA-SPHN-98-32, May 1998.
SLAC E155; A precision measurement of polarized structure function g_1 of proton and deuteron.

[20] E155 Collaboration, P.L. Anthony *et al.,* Jan. 1999, SLAC-PUB-7983, Phys. Lett. **B 458,** 529, 1999, HEP-PH/9901006.
Measurement of the proton and deuteron spin structure functions g_2 and asymmetry A_2.

[21] E155 Collaboration, P.L. Anthony *et al.,* Jan. 1999, SLAC-PUB-8049, Phys. Lett. **B 458,** 536, 1999, HEP-PH/9902412.
Inclusive hadron photoproduction from longitudinally polarized protons and deuterons.

[22] E155 Collaboration, P.L. Anthony *et al.,* Nov. 1998, SLAC-PUB-xxxx, to be submitted to Phys. Lett.
Measurement of the Q^2-dependence of the proton and neutron spin structure functions g_1^p and g_1^n.

[23] E155 Collaboration, P.L. Anthony *et al.,* Mar. 1999, SLAC-PUB-8041, Phys. Lett.**B 463,**339, 1999, HEP-PH/9904002
Measurement of the deuteron spin structure function g_1^d (x) for $1(Gev/c)^2 < Q^2 < 40(Gev/c)^2$.

[24] F. Sabatie, Oct. 1998 , DAPNIA-SPHN-98-03T.
Study of the spin structure function of the nucleon: SLAC experiment E154.

[25] E155 Collaboration, G. S. Mitchell, *et al.,* Apr. 1999, SLAC-PUB-8104, HEP-EX/993055.

Spin structure functions G(1) and G(2) for the proton and the neutron.

[26] SMC, V. W. Hughes *et al.,* Preprint CERN SPSC-88-47, Dec. 1988.
Measurement of the spin dependent structure function of the neutron and the proton.

[27] J. Ashman *et al.,* Phys. Lett. **B206**, 364 (1988).
A measurement of the spin asymmetry and determination of the structure function g_1 in deep inelastic muon-proton scattering.

[28] J. Ahsman *et al.,* Nucl. Phys. **B328,** 1, (1989).
An investigation of the spin structure of the proton in deep inelastic scattering of polarized muons on polarized protons.

[29] B. Adeva *et al.,*, Phys. Lett. **B302**, 533 (1993).
Measurement of the spin-dependent structure function $g_1(x)$ of the deuteron.

[30] B. Adeva *et al.,* Phys. Lett. **B320,** 400, 1994.
Combined analysis of world data on nucleon spin structure functions.

[31] B. Adams *et al.,* Phys. Lett. **B329** 399, 1994.
Measurement of the spin dependent structure function $g_1(x)$ of the proton.

[32] B. Adeva *et al.,* Santiagio de Compostela-1994 in Madrid 1993. Proc. Phys. at Hera 1-15.
Polarized deep inelastic scattering by SMC.

[33] D. Adams *et al.,* Preprint CERN-PPE-94-76, July 1994. Phys. Lett. **B336** , 125, 1994, CERN-PPE-94-116 (94/07) Spin asymmetry in muon proton deep inelastic scattering on a transversely polarized target.

[34] M.J. Alguard *et al.*, Phys. Rev. Lett. **37** 1261 (1976); **41**, 70 (1978); G. Baum *et al.*, Phys. Rev. Lett. **51,** 1135 (1983) ; **45,** 2000 (1980).

[35] L. Klosterman, Preprint RX-1519 (DELFT), February 1995.
The spin dependent structure function G_1 of the deuteron and the proton

[36] D. Adams *al.,* Preprint CERN-PPE-95-097, Jun 1995, Phys. Rev. Lett. **B357,** 248, 1995.
A new measurement of the spin dependent structure function G1(X) of the deuteron.

[37] SMC Coll., V.W. Hughes, *et al.,* CERN-PPE-95-178, Dec. 1995.
Nucleon spin structure from polarized deep inelastic muon-nucleon scattering atCERN.

[38] SMC coll., B. Adeva *et al.,* CERN-PPE-95-187, Dec. 1995. Phys. Lett. **B369,** 93, 1996.
Polarization of valence and nonstrange sea quarks in the nucleon from semi-inclusive asymmetries.

[39] SMC Coll. B. Adeva *et al.,* Phys. Lett. **B412,** 414, 1997,
The spin-dependent structure function $g_1(x)$ of the proton from polarized deep-inelastic muon scattering.

[40] SMC Coll. B. Adeva *et al.,* HEP-EX/9711008, Phys. Lett. **B420,** 180, 1998.
Polarized quark distributions in the nucleon from semi-inclusive spin asymmetries.

[41] SMC Coll. D. Adams *et al.,* Phys. Rev. **D56,** 5330, 1997, HEP-EX/9702005.
Spin structure of the proton from polarized inclusive deep inelastic muon-proton scattering.

[42] SMC Coll. B. Adeva *et al.,*, Phys. Rev. **D58,** 112001, 1998, CERN-EP 98-085.
Spin asymmetries A_1 and structure functions g_1 of the proton and deuteron from polarized high energy muon scattering.

[43] SMC Coll. (T.J. Ketel, *et al.,*) Acta. Polon. **B29,** 1265, 1998.
Experimental results on polarized nucleon structure functions.

[44] SMC Collaboration, CERN-EP-98-086, Phys. Rev. **D58,** 112002,1998.
A next-to-leading order QCD analysis of the spin structure function g_1.

[45] SMC Collaboration, J.M. Le Goff, DAPNIA/SPhN-98-68, Protvino, Sept. 8-12, 1998
A next-to-leading order QCD analysis of the spin structure function g_1 in the nucleon.

[46] SMC Coll. (G. Radel *et al,.*) Acta Phys. Polon. **B29 ,** 1295, 1998.
A NLO QCD analysis of the polarized structure function g1.

[47] SMC Collaboration, B. Adeva *et al.,* Phys. Lett. **B420,** 180, 1998.
Polarized quark distributions in the nucleon from semi-inclusive spin-asymmetries

[48] B.Badelek,J. Kiryluk, J. Kwiecinski, HEP-PH/9907569, Jul. 1999.Phys. Rev. **D61,** :014009, 2000.
Spin dependent structure function g_1 at low x and low Q^2.

[49] B.Badelek, J. Kwiecinski, HEP-PH/9812297, Dec. 1998.
Spin dependent structure function g_1 at small x and small Q^2.

[50] SMC Coll. B. Adeva *et al.,* CERN-EP-99-061, Phys. Rev. D60 : 072004, 1999.
Spin asymmetries A(1) of the proton and the deuteron in the low x and low Q^2 region from polarized high-energy muon scattering.

[51] M.F. Litmaath, RX-1562 (Amsterdam), Doctoral thesis (Amsterdam U.)
Experimental study of the nucleon spin structure.

[52] D.G. Underwood, Preprint ANL-HEP-96-10, Aug. 1995.
Spin physics at E-704 and RHIC.

[53] A. Yokosawa, ANL-HEP-CP-96-22, Adriatico Conf. on trends in collider spin physics, Trieste, Italy,5-8 Dec. 1995.
Collider spin physics at RHIC and STAR.

[54] P. Taxil, J.M. Virey, SPIN96, Amsterdam, Netherland, 10-14 Sept. 1996, HEP-PH/9610378.
Spin asymmetries from nonstandard physics with polarized proton beams at RHIC.

[55] S.M. Troshin, N.E. Tyurin, HEP-PH/9611403, Nov. 1996.
Issues of spin physics at RHIC.

[56] R.D. Ball, A. Deshpande, S. Forte, V.W. Hughes, J. Lichtenstadt, G. Ridolfi, Workshop on future physics at HERA, Hamburg, Germany, 25-26 Sept. 1995, HEP-PH/9609515. Sept 1996
Measurement of the polarized structure functions $g_1(p)(x, Q^2)$ at HERA.

[57] HERMES Collaboration (E.E.W. Bruins *et al.,*) HEP-PH/9611010.
Semi-inclusive asymmetries in polarized deep inelastic electron scattering.

[58] HERMES Coll. (K. Ackerstaff, *et al.,*) Phys. Lett. **B404,** 383, 1997, HEP-EX/9703005.
Measurement of the neutron spin structure g_1^n with a polarized ^3He internal target.

[59] HERMES Coll. (A. Airapetian, *et al.,*) HEP-PH/9807015, Jul. 1998. DESY-98-072. Phys. Lett. **B442,** 484, 1998.
Measurement of the proton spin structure function g_1^p with a pure hydrogen target.

[60] HERMES Coll. (M. Ruh, *et al.,*) Acta Phys. Polon. **B29,** 1275, 1998.
Recent results from HERMES.

[61] HERMES Coll. (K. Ackerstaff, *et al.,*) HEP-EX/9807013. Jul. 1998, DESY-98-078.
The flavor asymmetry of the light quark sea from semiinclusive deep inelastic scattering.

[62] A. Gute, DESY-THESIS-1999-017, May 1999.
Measurement of the proton spin structure function G**P(1) at HERMES.

[63] COMPASS Collaboration, G.K. Mallot, *et al.,* HEP-EX/9611016.
Spin Physics with COMPASS.

[64] J.P. Nassalski, Acta Phys. Polon. **B29,** 1315, 1998.
Determination of $\Delta(g)/g$ in COMPASS experiment at CERN.

[65] J. Edelman, G. Piller, W. Weise, HEP-PH/9709455, Sept. 1997.
Deuteron spin structure function at small x.

[66] The Hermes Collaboration, K. Ackerstaff *et al.,* HEP-EX/9906035,Jun. 1999. Phys. Lett.**B464.** 123, 1999.
Flavor decomposition of the quark distributions in the nucleon from inclusive and semi-inclusive deep-inelastic scattering.

[67] The Hermes Collaboration, A.Airapetian, *et al.,* HEP-EX/9907020, Jul. 1999. Phys. Rev. Lett. 84, 2584, 2000.
Measurement of the spin asymmetry in the photoproductions of pairs of high P(T) hadrons at HERMES.

[68] Yu Arestov, HELION 97, Kobe, Japan, 20-24 Jan. 1997, HEP-PH/9802006.
RAMPEX: a new spin experiment.

[69] S. Hino, *et al.,* HEP-PH/9806276, DIS 98, Brussel, Belgium, 4-8 April. 1998.
Spin asymmetries at RHIC and polarized parton distributions.

[70] N. Hayashi, Y. Goto, N. Saito, HEP-PH/9807033, Jul. 1998.
RHIC spin physics.

[71] L.C. Bland, HEP-EX/9908003, Apr. 1999
Plans for spin physics at RHIC.

[72] G.P. Skoro, M.V. Tokarev, Nuovo Cim. **11D,** 353, 1998, JINR-E2-98-50.
Asymmetry of jet production in polarized P P collision at RHIC.

[73] A. Schafer, EPIC 99, Bloomington, IN, 8-11 Apr. 1999, HEP-PH/9906532.
Physics for a polarized electron-nucleon/nucleus collider.