

# Heavy FLavor AVeraging group (HFLAV) - December 2017

Compilation of  $B_s^0$  Branching Fractions ( $\times 10^{-6}$ ) - UL at 90% CL

**Preliminary      Updated results not included in PDG Live as of Dec. 31, 2017**

RPP#	Mode	PDG2017 Avg.	Belle	CDF	D0	LHCb	CMS	ATLAS	Our Avg.
85	$\pi^+\pi^-$	$0.68 \pm 0.08$	$< 12$	[1]	$0.60 \pm 0.17 \pm 0.04$ <sup>†</sup> [2]		$0.691 \pm 0.083 \pm 0.044$ <sup>‡</sup> [3]		$0.671 \pm 0.083$
90	$\eta'\eta'$	$33 \pm 7$				$33.1 \pm 7.0 \pm 1.2$ <sup>†</sup> [4]			$33.1 \pm 7.1$
91	$\phi f_0(980)$ , $f_0(980) \rightarrow \pi^+\pi^-$	$1.12 \pm 0.21$				$1.12 \pm 0.18 \pm 0.11$ [5]			$1.12 \pm 0.21$
92	$\phi f_2(1270)$ , $f_2(1270) \rightarrow \pi^+\pi^-$	$0.61^{+0.18}_{-0.15}$				$0.61^{+0.18}_{-0.14} \pm 0.06$ [5]			$0.61^{+0.19}_{-0.15}$
93	$\phi\rho^0(770)$	$0.27 \pm 0.08$				$0.27 \pm 0.07 \pm 0.02$ [5]			$0.27 \pm 0.07$
94	$\phi\pi^+\pi^-$	$3.5 \pm 0.5$				$3.48 \pm 0.29 \pm 0.35$ <sup>§</sup> [5]			$3.48 \pm 0.46$
95	$\phi\phi$	$18.7 \pm 1.5$				$18.4 \pm 0.5 \pm 1.8$ <sup>§</sup> [7]			$18.6 \pm 1.6$
96	$\pi^+K^-$	$5.6 \pm 0.6$	$< 26$	[1]	$5.3 \pm 0.9 \pm 0.3$ <sup>†</sup> [8]		$5.6 \pm 0.6 \pm 0.3$ <sup>†</sup> [9]		$5.5 \pm 0.5$
97	$K^+K^-$	$25.4 \pm 1.6$	$38^{+10}_{-9} \pm 7$	[1]	$25.9 \pm 2.2 \pm 1.7$ <sup>†</sup> [10]		$23.7 \pm 1.6 \pm 1.5$ <sup>†</sup> [9]		$24.8 \pm 1.7$
98	$K^0\bar{K}^0$	$20 \pm 6$	$19.6^{+5.8}_{-5.1} \pm 1.0 \pm 2.0$ <sup>‡</sup> [11]						$19.6^{+6.2}_{-5.6}$
99	$K^0\pi^+\pi^-$	$15 \pm 4$				$9.5 \pm 1.3 \pm 1.5 \pm 0.4$ <sup>§</sup> [12]			$9.5 \pm 2.0$
100	$K^0K^-\pi^+$ ¶	$77 \pm 10$				$84.3 \pm 3.5 \pm 7.4 \pm 3.4$ <sup>§</sup> [12]			$84.3 \pm 8.9$
101	$K^-\pi^+$	$3.3 \pm 1.2$				$3.3 \pm 1.1 \pm 0.5$ [13]			$3.3 \pm 1.2$
102	$K^{\pm}K^{\mp}$	$12.5 \pm 2.6$				$12.7 \pm 1.9 \pm 1.9$ [13]			$12.7 \pm 2.7$
103	$K^0\bar{K}^0$ ¶	$16 \pm 4$				$16.4 \pm 3.4 \pm 2.3$ [14]			$16.4 \pm 4.1$
104	$K^0K^+K^-$	$< 3.5$				$< 2.5$ [12]			$< 2.5$
106	$K^+\bar{K}^0$	$11.1 \pm 2.7$				$10.8 \pm 2.1 \pm 1.4 \pm 0.6$ <sup>§</sup> [15]			$10.8 \pm 2.6$
107	$\phi\bar{K}^0$	$1.14 \pm 0.3$				$1.13 \pm 0.29 \pm 0.06$ <sup>†</sup> [16]			$1.13 \pm 0.30$
108	$p\bar{p}$	$0.028^{+0.022}_{-0.017}$				$< 0.015$ [17]			$< 0.015$
111	$\gamma\gamma$	$< 3.1$	$< 3.1$	[18]					$< 3.1$
112	$\phi\gamma$	$35.2 \pm 3.4$	$36 \pm 5 \pm 7$	[18]					$35.2 \pm 3.4$
113	$\mu^+\mu^-$	$0.0024^{+0.0009}_{-0.0007}$			$0.013^{+0.009}_{-0.007}$ [20]	$< 0.012$ [21]			$0.0031 \pm 0.0007$
114	$e^+e^-$	$< 0.28$			$< 0.28$ [25]				$< 0.28$
	$\tau^+\tau^-$								
115	$\mu^+\mu^+\mu^-$	$< 0.012$				$< 5200$ [26]			$< 5200$
117	$\phi\mu^+\mu^-$	$0.83 \pm 0.12$				$< 0.0025$ <sup>1</sup> [27]			$< 0.0025$ <sup>1</sup>
118	$\pi^+\pi^-\mu^+\mu^-$	$0.084 \pm 0.017$				$0.797^{+0.045}_{-0.043} \pm 0.068$ [29]			$0.797^{+0.082}_{-0.080}$
120	$e^+\mu^{\mp}$	$< 0.011$			$< 0.20$ [25]				$0.086 \pm 0.015 \pm 0.010$ <sup>2</sup> [30]
	$p\bar{\lambda}K^- + \bar{p}\lambda K^+$					$< 0.0054$ [31]			$< 0.0054$
	$p\bar{p}K^+K^-$					$5.46 \pm 0.61 \pm 0.57 \pm 0.50 \pm 0.32$ <sup>4</sup> [32]			$5.46 \pm 1.02$
	$p\bar{p}K^+\pi^-$					$4.2 \pm 0.3 \pm 0.2 \pm 0.3 \pm 0.2$ <sup>4</sup> [33]			$4.2 \pm 0.5$
	$p\bar{p}\pi^+\pi^-$					$1.30 \pm 0.21 \pm 0.11 \pm 0.09 \pm 0.08$ <sup>4</sup> [33]			$1.30 \pm 0.27$
	$\eta'\phi$					$< 0.66$ [33]			$< 0.66$
						$< 0.82$ [34]			$< 0.82$

Channels with no RPP# are not reported by PDG.

Results for CDF, D0, LHCb, CMS and ATLAS are relative BFs converted to absolute BFs.

† The first error is experimental, and the second is from the reference BF.

‡ Last error represents the uncertainty due to the total number of  $B_s^0\bar{B}_s^0$  pairs.

§ Last error takes into account error the reference BF and  $f_d/f_s$ .

¶ Includes two distinct decay processes:  $\mathcal{B}(B_s^0 \rightarrow f) + \mathcal{B}(B_s^0 \rightarrow \bar{f})$ .

<sup>1</sup> UL at 95% CL.

<sup>2</sup> Muon pairs do not originate from resonances and  $0.5 < m(\pi^+\pi^-) < 1.3$  GeV/ $c^2$ .

<sup>3</sup> In the mass range  $400 < m(\pi^+\pi^-) < 1600$  GeV/ $c^2$ .

<sup>4</sup> The third error is due to the reference BF and the fourth to  $f_d/f_s$ .

# Heavy FLavor AVeraging group (HFLAV) - December 2017

## Compilation of $B_s^0$ Relative Branching Fractions

**Preliminary      Updated results not included in PDG Live as of Dec. 31, 2017**

RPP#	Mode	PDG2017 Avg.	CDF	LHCb	Our Avg.
85/257	$f_s \mathcal{B}(B_s^0 \rightarrow \pi^+ \pi^-)/f_d \mathcal{B}(B_d^0 \rightarrow K^+ \pi^-)$	$0.008 \pm 0.002 \pm 0.001$ [2]	$0.00915 \pm 0.00071 \pm 0.00083$ [3]	$0.00880 \pm 0.00090$	
85/387	$f_s \mathcal{B}(B_s^0 \rightarrow \pi^+ \pi^-)/f_d \mathcal{B}(B_d^0 \rightarrow \pi^+ \pi^-)$		$0.050^{+0.011}_{-0.009} \pm 0.004$ [9]	$0.050^{+0.012}_{-0.010}$	
95/46	$\mathcal{B}(B_s^0 \rightarrow \phi\phi)/\mathcal{B}(B_s^0 \rightarrow J/\psi\phi)$	$0.0178 \pm 0.0014 \pm 0.0020$ [6]			$0.0180 \pm 0.0020$
95/343	$\mathcal{B}(B_s^0 \rightarrow \phi\phi)/\mathcal{B}(B_s^0 \rightarrow \phi K^*)$		$1.84 \pm 0.05 \pm 0.13$ [30]	$1.84 \pm 0.14$	
96/257	$f_s \mathcal{B}(B_s^0 \rightarrow K^+ \pi^-)/f_d \mathcal{B}(B_d^0 \rightarrow K^+ \pi^-)$	$0.071 \pm 0.010 \pm 0.007$ [8]	$0.074 \pm 0.006 \pm 0.006$ [9]	$0.073 \pm 0.007$	
97/257	$f_s \mathcal{B}(B_s^0 \rightarrow K^+ K^-)/f_d \mathcal{B}(B_d^0 \rightarrow K^+ \pi^-)$	$0.347 \pm 0.020 \pm 0.021$ [10]	$0.316 \pm 0.009 \pm 0.019$ [9]	$0.327 \pm 0.017$	
99/291	$\mathcal{B}(B_s^0 \rightarrow K^0 \pi^+ \pi^-)/\mathcal{B}(B_s^0 \rightarrow K^0 \pi^+ \pi^-)$		$0.191 \pm 0.027 \pm 0.031 \pm 0.011$ [12]	$0.191 \pm 0.043$	
100/322	$\mathcal{B}(B_s^0 \rightarrow K^0 K^- \pi^+)/\mathcal{B}(B_s^0 \rightarrow K^0 K^- \pi^+)^\dagger$		$1.70 \pm 0.07 \pm 0.11 \pm 0.10$ [12]	$1.70 \pm 0.16$	
101/294	$\mathcal{B}(B_s^0 \rightarrow K^{*-} \pi^+)/\mathcal{B}(B_s^0 \rightarrow K^{*-} \pi^-)$		$0.39 \pm 0.13 \pm 0.05$ [13]	$0.39 \pm 0.14$	
102/294	$\mathcal{B}(B_s^0 \rightarrow K^{*-} K^+)/\mathcal{B}(B_s^0 \rightarrow K^{*-} \pi^-)$		$1.49 \pm 0.22 \pm 0.18$ [13]	$1.49 \pm 0.28$	
103/291	$\mathcal{B}(B_s^0 \rightarrow K_S^0 K^{*0})/\mathcal{B}(B_s^0 \rightarrow K_S^0 \pi^+ \pi^-)^\dagger$		$0.33 \pm 0.07 \pm 0.04$ [14]	$0.33 \pm 0.08$	
104/329	$\mathcal{B}(B_s^0 \rightarrow K^0 K^+ K^-)/\mathcal{B}(B_s^0 \rightarrow K^0 K^+ K^-)$		$< 0.051$ [12]	$< 0.051$	
106/294	$\mathcal{B}(B_s^0 \rightarrow K^{*0} \bar{K}^{*0})/\mathcal{B}(B_s^0 \rightarrow K^{*+} \pi^-)$		$1.11 \pm 0.22 \pm 0.13$ [15]	$1.11 \pm 0.26$	
107/343	$\mathcal{B}(B_s^0 \rightarrow \phi \bar{K}^{*0})/\mathcal{B}(B_s^0 \rightarrow \phi K^{*0})$		$0.113 \pm 0.024 \pm 0.016$ [16]	$0.113 \pm 0.029$	
112/371	$\mathcal{B}(B_s^0 \rightarrow \phi \gamma)/\mathcal{B}(B_s^0 \rightarrow K^{*0} \gamma)$		$0.81 \pm 0.04 \pm 0.07$ [19]	$0.81 \pm 0.08$	
117/46	$\mathcal{B}(B_s^0 \rightarrow \mu^+ \mu^-)/\mathcal{B}(B_s^0 \rightarrow J/\psi \phi) \times 10^3$	$0.76 \pm 0.09$	$1.13^{+0.19}_{-0.07}$ [35]	$0.741^{+0.042}_{-0.040} \pm 0.029$ [29]	$0.876 \pm 0.041$
	$\mathcal{B}(B_s^0 \rightarrow p\bar{p} K^+ \pi^-)/\mathcal{B}(B_s^0 \rightarrow p\bar{p} K^+ \pi^-)$			$0.22 \pm 0.04 \pm 0.02 \pm 0.01$ [33]	$0.22 \pm 0.05$
	$\mathcal{B}(B_s^0 \rightarrow p\bar{p} K^+ \pi^-)/\mathcal{B}(B_s^0 \rightarrow p\bar{p} K^+ K^-)$			$0.31 \pm 0.05 \pm 0.02$ [33]	$0.31 \pm 0.05$

Channels with no RPP# are not reported by PDG.

<sup>†</sup> Numerator includes two distinct decay processes:  $\mathcal{B}(B_s^0 \rightarrow f) + \mathcal{B}(B_s^0 \rightarrow \bar{f})$ .

## References

- [1] C. C. Peng *et al.*, (Belle collaboration), Phys. Rev. **D82**, 072007, (2010), arXiv:1006.5115 [hep-ex].
- [2] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **108**, 211803, (2012), arXiv:1111.0485 [hep-ex].
- [3] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **118**, 081801, (2017), arXiv:1610.08288 [hep-ex].
- [4] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **115**, 051801, (2015), arXiv:1503.07483 [hep-ex].
- [5] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. **D95**, 012006, (2017), arXiv:1610.05187 [hep-ex].
- [6] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **107**, 261802, (2011), arXiv:1107.4999 [hep-ex].
- [7] R. Aaij *et al.*, (LHCb collaboration), JHEP **10**, 053, (2015), arXiv:1508.00788 [hep-ex].
- [8] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **103**, 031801, (2009), arXiv:0812.4271 [hep-ex].
- [9] R. Aaij *et al.*, (LHCb collaboration), JHEP **10**, 037, (2012), arXiv:1206.2794 [hep-ex].
- [10] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **106**, 181802, (2011), arXiv:1103.5762 [hep-ex].
- [11] B. Pal *et al.*, (Belle collaboration), Phys. Rev. Lett. **116**, 161801, (2016), arXiv:1512.02145 [hep-ex].
- [12] R. Aaij *et al.*, (LHCb collaboration), JHEP **11**, 027, (2017), arXiv:1707.01665 [hep-ex].

- [13] R. Aaij *et al.*, (LHCb collaboration), New J. Phys. **16**, 123001, (2014), arXiv:1407.7704 [hep-ex].
- [14] R. Aaij *et al.*, (LHCb collaboration), JHEP **01**, 012, (2016), arXiv:1506.08634 [hep-ex].
- [15] R. Aaij *et al.*, (LHCb collaboration), JHEP **07**, 166, (2015), arXiv:1503.05362 [hep-ex].
- [16] R. Aaij *et al.*, (LHCb collaboration), JHEP **11**, 092, (2013), arXiv:1306.2239 [hep-ex].
- [17] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **119**, no. 23, 232001, (2017), arXiv:1709.01156 [hep-ex].
- [18] D. Dutta *et al.*, (Belle collaboration), Phys. Rev. **D91**, 011101, (2015), arXiv:1411.7771 [hep-ex].
- [19] R. Aaij *et al.*, (LHCb collaboration), Nucl. Phys. **B867**, 1, (2013), arXiv:1209.0313 [hep-ex].
- [20] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. **D87**, 072003, (2013), arXiv:1301.7048 [hep-ex].
- [21] V. M. Abazov *et al.*, (D0 collaboration), Phys. Rev. **D87**, 072006, (2013), arXiv:1301.4507 [hep-ex].
- [22] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **118**, no. 19, 191801, (2017), arXiv:1703.05747 [hep-ex].
- [23] S. Chatrchyan *et al.*, (CMS collaboration), Phys. Rev. Lett. **111**, 101804, (2013), arXiv:1307.5025 [hep-ex].
- [24] M. Aaboud *et al.*, (ATLAS collaboration), Eur. Phys. J. **C76**, 513, (2016), arXiv:1604.04263 [hep-ex].
- [25] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **102**, 201801, (2009), arXiv:0901.3803 [hep-ex].
- [26] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **118**, no. 25, 251802, (2017), arXiv:1703.02508 [hep-ex].
- [27] R. Aaij *et al.*, (LHCb collaboration), JHEP **03**, 001, (2017), arXiv:1611.07704 [hep-ex].
- [28] V. M. Abazov *et al.*, (D0 collaboration), Phys. Rev. **D74**, 031107, (2006), arXiv:hep-ex/0604015 [hep-ex].
- [29] R. Aaij *et al.*, (LHCb collaboration), JHEP **09**, 179, (2015), arXiv:1506.08777 [hep-ex].
- [30] R. Aaij *et al.*, (LHCb collaboration), Phys. Lett. **B743**, 46, (2015), arXiv:1412.6433 [hep-ex].
- [31] R. Aaij *et al.*, (LHCb collaboration), (2017), arXiv:1710.04111 [hep-ex].
- [32] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **119**, no. 4, 041802, (2017), arXiv:1704.07908 [hep-ex].
- [33] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. **D96**, no. 5, 051103, (2017), arXiv:1704.08497 [hep-ex].

- [34] R. Aaij *et al.*, (LHCb collaboration), JHEP **05**, 158, (2017), arXiv:1612.08110 [hep-ex].
- [35] T. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **107**, 201802, (2011), arXiv:1107.3753 [hep-ex].