

PHYSICS OF GRAVITATIONAL WAVE DETECTION: RESONANT AND INTERFEROMETRIC DETECTORS

Peter R. Saulson*

Department of Physics

Syracuse University, Syracuse, NY 13244-1130

ABSTRACT

I review the physics of ground-based gravitational wave detectors, and summarize the history of their development and use. Special attention is paid to the historical roots of today's detectors.

*Supported by the National Science Foundation, under grant PHY-9602157.

1 The nature of gravitational waves

1.1 What is a gravitational wave?

There is a rich, if imperfect, analogy between gravitational waves and their more familiar electromagnetic counterparts. A nice heuristic derivation of the necessity for the existence of electromagnetic waves and of some of their properties can be found in, for example, Purcell's *Electricity and Magnetism*.¹ A key idea from special relativity is that no signal can travel more quickly than the speed of light. Consider the case of an electrically charged particle that is subject to a sudden acceleration of brief duration. It is clear that the electric field can not be everywhere oriented in a precisely radial direction with respect to its present position; otherwise information could be transmitted instantaneously to arbitrary distances simply by modulating the position of the charge. What happens instead is that the field of a charge that has been suddenly accelerated has a kink in it that propagates away from the charge at the speed of light. Outside of the kink, the field is the one appropriate to the charge's position and velocity before the sudden acceleration, while inside it is the field appropriate to the charge subsequent to the acceleration. In each of those regions, the field looks like a radial field for the appropriate charge trajectory, but the kink itself has a transverse component, necessary to link the field lines outside and inside. The transverse field propagating at the speed of light away from the accelerating charge is the electromagnetic wave.

Heuristically, we can use similar reasoning to think about the case of gravitational fields. If the gravitational field of a mass were radial under all circumstances, then instantaneous communication would be possible. The transmitter could be a mass whose position could be modulated, and the receiver would be a device that determined the orientation of its gravitational field. In order that gravity not be able to violate relativity, it must be the case that the gravitational field of a recently accelerated body contains a transverse kink that propagates away from it at the speed of light. This transverse kink is the gravitational wave that carries the news that the body was recently accelerated.

It is helpful to consider the radiation from an extended system, a more realistic description than the point particle moved by prescription assumed in the foregoing paragraphs. In the electromagnetic case the lowest order moment of a charge distribution involved in radiation is the dipole moment, radiation by a time varying monopole moment (i.e. electric charge itself) being forbidden by the law of conservation of charge. The law of conservation of energy plays a similar role in forbidding monopole gravi-

tational radiation, since that would require the total mass of an isolated system to vary. In addition, though, there can be no time-varying mass dipole moment of an isolated system; conservation of linear momentum forbids this. The difference between the gravitational case and the electromagnetic one is that the “gravitational charge-to-mass ratio” is the same for all bodies, by the Principle of Equivalence; the equal and opposite reaction that accompanies any action on a given body precisely cancels second time derivatives of the mass dipole moment of any isolated system. Similarly, the law of conservation of angular momentum forbids the gravitational equivalent of the magnetic dipole moment from varying in time. The lowest order moment of an isolated mass distribution that can accelerate is its quadrupole moment

$$I_{\mu\nu} \equiv \int dV \left(x_\mu x_\nu - \frac{1}{3} \delta_{\mu\nu} r^2 \right) \rho(\mathbf{r}).$$

The second time derivative of the mass quadrupole moment plays the same role in gravitational radiation as does the first time derivative of the charge dipole moment in electromagnetic radiation, that of leading term in typical radiation problems.

But what is the analog of the electric field in gravitational wave problems, that is to say the wave field amplitude itself? An answer comes from study of the Einstein field equations in the weak field limit. Specifically, one considers the case where the space-time metric can be approximated as $g^{\mu\nu} = \eta^{\mu\nu} + h^{\mu\nu}$, where $h^{\mu\nu}$ is a small perturbation of the Minkowski metric $\eta^{\mu\nu}$. Then, if one chooses a particular coordinate condition (the so-called “transverse traceless gauge”), the Einstein equations become a wave equation for the perturbation $h^{\mu\nu}$. Furthermore, the perturbation takes on a particular form: for a solution to the wave equation corresponding to a wave travelling along the z axis, h must be a linear combination of the two basis tensors

$$h_+ = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$$

and

$$h_\times = \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}.$$

Notice that for this wave along the z axis, the effects of the wave are only in the x and y components. In other words, the wave is transverse.

1.2 The effect of gravitational waves on test bodies

The statement that the gravitational wave amplitude is the metric perturbation tensor h is probably hard to visualize without considering some examples. Imagine a plane in space in which a square grid has been marked out by a set of infinitesimal test masses (so that their mutual gravitational interaction can be considered negligible compared to their response to the gravitational wave.) This is a prescription for embodying a section of the transverse traceless coordinate system mentioned earlier, marking out coordinates by masses that are freely-falling (i.e. that feel no non-gravitational forces).

Now imagine that a gravitational wave is incident on the set of masses, along a direction normal to the plane. Take this direction to be the z axis, and the masses to be arranged along the x and y axes. Then, if the wave has the polarization called h_+ , it will cause equal and opposite shifts in the formerly equal x and y separations between neighboring masses in the grid. That is, for one polarity of the wave, the separations of the masses along the x direction will decrease, while simultaneously the separations along the y direction will increase. When the wave oscillates to opposite polarity, the opposite effect occurs.

If, instead, a wave of polarization h_\times is incident on the set of test masses, then there will be (to first order in the wave amplitude) no changes in the distances between any mass and its nearest neighbors along the x and y directions. However, h_\times is responsible for a similar pattern of distance changes between a mass and its next-nearest neighbors along the diagonals of the grid.

There are several other aspects of the gravitational wave's deformation of the test system that are worth pondering. Firstly, the effect on any pair of neighbors in a given direction is identical to that on any other pair. The same *fractional* change occurs between other pairs oriented along the same direction, no matter how large their separation. This means that a larger *absolute* change in separation occurs, the larger is the original separation between two test masses. This property, that we can call "tidal" because of its similarity to the effect of ordinary gravitational tides, is exploited in the design of interferometric detectors of gravitational waves.

Another aspect of this pattern that is worthy of note is that the distortion is uniform throughout the coordinate grid. This means that any one of the test masses can be considered to be at rest, with the others moving in relation to it. In other words, a gravitational wave does not cause any absolute acceleration, only relative accelerations between masses. This, too, is fully consistent with other aspects of gravitation




Fig. 1. An array of free test masses. The open squares show the positions of the masses before the arrival of the gravitational wave. The filled squares show the positions of the masses during the passage of a gravitational wave of the plus polarization.

as described by the general theory of relativity: a single freely-falling mass can not tell whether it is subject to a gravitational force. Only a measurement of relative displacements between freely-falling test masses (the so-called “geodesic deviation”) can reveal the presence of a gravitational field.

1.3 A *gedanken* experiment to detect a gravitational wave

In the discussion in the preceding section, we took it for granted that the perturbations h_+ and h_\times to the flat-space metric were, in some sense, real. But it is only by considering whether such effects are measurable that one can be convinced that a phenomenon like a gravitational wave is meaningful, rather than a mathematical artifact that could be transformed away by a suitable choice of coordinates.

To demonstrate the physical reality of gravitational waves, consider the example system of the previous section. We will concentrate our attention on three of the test masses, one chosen arbitrarily from the plane, along with its nearest neighbors in the $+x$ and $+y$ directions. Imagine that we have equipped the mass at the vertex of this “L” with a lamp that can be made to emit very brief pulses of light. Imagine also that the two masses at the ends of the “L” are fitted with mirrors aimed so that they will return the flashes of light back toward the vertex mass.

First, we will sketch how the apparatus can be properly set up, in the absence of a gravitational wave. Let the lamp emit a train of pulses, and observe when the reflected flashes of light are returned to the vertex mass by the mirrors on the two end masses. Adjust the distances from the vertex mass to the two end masses until the two reflected flashes arrive simultaneously.

Once the apparatus is nulled, let the lamp keep flashing, and wait for a burst of gravitational waves to arrive. When a wave of \hat{h}_+ polarization passes through the apparatus along the z axis, it will disturb the balance between the lengths of the two arms of the “L”. Imagine that the gravitational wave has a waveform given by

$$h^{\mu\nu} = h(t)\hat{h}_+.$$

To see how this space-time perturbation changes the arrival times of the two returned flashes, let us carefully calculate the time it takes for light to travel along each of the two arms.

First, consider light in the arm along the x axis. The interval between two neigh-




Fig. 2. A schematic diagram of an apparatus that can detect gravitational waves. It has the form of a Michelson interferometer.

boring space-time events linked by the light beam is given by

$$\begin{aligned}
ds^2 = 0 &= g_{\mu\nu} dx^\mu dx^\nu \\
&= (\eta_{\mu\nu} + h_{\mu\nu}) dx^\mu dx^\nu \\
&= -c^2 dt^2 + (1 + h_{11}(2\pi ft - kz)) dx^2.
\end{aligned} \tag{1}$$

This says that the effect of the gravitational wave is to modulate the square of the distance between two neighboring points of fixed coordinate separation dx (as marked, in this gauge, by freely-falling test particles) by a fractional amount h_{11} .

We can evaluate the light travel time from the beam splitter to the end of the x arm by integrating the square root of Eq. 1

$$\int_0^{\tau_{out}} dt = \frac{1}{c} \int_0^L \sqrt{1 + h_{11}} dx \approx \frac{1}{c} \int_0^L \left(1 + \frac{1}{2} h_{11}(2\pi ft - kz)\right) dx, \tag{2}$$

where, because we will only encounter situations in which $h \ll 1$, we've used the binomial expansion of the square root, and dropped the utterly negligible terms with more than one power of h . We can write a similar equation for the return trip

$$\int_{\tau_{out}}^{\tau_{rt}} dt = -\frac{1}{c} \int_L^0 \left(1 + \frac{1}{2} h_{11}(2\pi ft - kz)\right) dx. \tag{3}$$

The total round trip time is thus

$$\tau_{rt} = \frac{2L}{c} + \frac{1}{2c} \int_0^L h_{11}(2\pi ft - kz) dx - \frac{1}{2c} \int_L^0 h_{11}(2\pi ft - kz) dx. \tag{4}$$

The integrals are to be evaluated by expressing the arguments as a function just of the position of a particular wavefront (the one that left the beam-splitter at $t = 0$) as it propagates through the apparatus. That is, we should make the substitution $t = x/c$ for the outbound leg, and $t = (2L - x)/c$ for the return leg. Corrections to these relations due to the effect of the gravitational wave itself are negligible.

A similar expression can be written for the light that travels through the y arm. The only differences are that it will depend on h_{22} instead of h_{11} and will involve a different substitution for t .

If $2\pi f_{gw} \tau_{rt} \ll 1$, then we can treat the metric perturbation as approximately constant during the time any given flash is present in the apparatus. There will be equal and opposite perturbations to the light travel time in the two arms. The total travel time difference will therefore be

$$\Delta\tau(t) = h(t) \frac{2L}{c} = h(t) \tau_{rt0}, \tag{5}$$

where we have defined $\tau_{rt0} \equiv 2L/c$.

If we imagine replacing the flashing lamp with a laser that emits a coherent beam of light, we can express the travel time difference as a phase shift by comparing the travel time difference to the (reduced) period of oscillation of the light, or

$$\Delta\phi(t) = h(t)\tau_{rt0}\frac{2\pi c}{\lambda}. \quad (6)$$

Another way to say this is that the phase shift between the light that traveled in the two arms is equal to a fraction h of the total phase a light beam accumulates as it traverses the apparatus. This immediately says that the longer the optical path in the apparatus, the larger will be the phase shift due to the gravitational wave.

Thus, this *gedanken* experiment has demonstrated that gravitational waves do indeed have physical reality, since they can (at least in principle) be measured. Furthermore, it suggests a straightforward interpretation of the dimensionless metric perturbation h . The gravitational wave amplitude gives the fractional change in the difference in light travel times along two perpendicular paths whose endpoints are marked by freely-falling test masses.

1.4 Another way to picture the effect of a gravitational wave on test bodies

In standard laboratory practice, it is not customary to define coordinates by the world-lines of freely-falling test masses. Instead, rigid rulers usually are used to do the job. The forces that make a rigid ruler rigid are something of a foreign concept in relativity, appearing ugly and awkward after the gravitational force has been made to disappear by expressing it as the curvature of space-time. On the other hand, non-gravitational forces are not only a fact of nature, but part of the familiar world of the laboratory. For many purposes, it is convenient to retreat from a purely relativistic picture and instead use a Newtonian picture in which gravity is treated as force on the same level as other forces.

What we are seeking is not a different theory of gravitational waves, but a translation of the theory discussed in the previous section into more familiar language. So let us reconsider the same *gedanken* experiment as before, but imagine that we have augmented the equipment with a rigid ruler along each axis. We saw that when a gravitational wave passed through our set of test masses, the amount of time it took for light to travel from the vertex mass to the end mass and back was made to vary. How can we

describe how this came about in the standard language of the laboratory? If we imagine (notwithstanding their fixed coordinates in the transverse traceless gauge) that the test masses have moved in response to the gravitational wave, we can have a consistent picture of the effect. What is necessary is that the gravitational wave give a tidal force across the pair of masses that will cause them to move apart by the amount necessary to account for the change in light travel time through the system. It is as if the far masses felt forces whose magnitude were given by

$$F_{gw} = \frac{1}{2}mL\frac{\partial^2 h_{11}}{\partial t^2}, \quad (7)$$

where m is the mass of each of the two test bodies, and L is the separation between their centers of mass.

There are several features of this expression that are worthy of note. The force is proportional to the mass of the test bodies, as required by the Principle of Equivalence. The force is also proportional to the separation between the two test masses, making it akin to conventional gravitational tidal forces. The dependence of the gravitational wave force on the second time derivative of h is reminiscent of Newton's Second Law $F = m\ddot{x}$. A natural interpretation follows: in a conventional laboratory coordinate system, free masses actually change their separation by an amount $\Delta L = hL/2$.

Note how in two different coordinate systems the same phenomenon (and particularly the same measurement) is described in completely different language. In transverse traceless coordinates, the free test masses still just fall freely, each marking out its own coordinate (by definition) under any gravitational influence, but the light travel time between them changes as the metric of space-time varies. In standard laboratory coordinates, light travel time changes because the test masses move. Neither of these pictures is more "correct" than the other. The laboratory-coordinate picture is markedly more convenient for seeing how to combine the effect of a gravitational wave with the effects of noise forces of various kinds. The transverse traceless coordinates offer the most clarity when one wants to consider extreme cases, such as test masses separated by distances comparable to or longer than the gravitational wave's wavelength.

2 Generating gravitational waves

As mentioned above, the second time derivative of the mass quadrupole moment I plays the same role in gravitational wave emission as does the first derivative of the charge

dipole moment in electromagnetic radiation problems, that of strongest source term in most situations. More specifically, the expression for gravitational wave generation is

$$h_{\mu\nu} = \frac{2G}{Rc^4} \ddot{I}_{\mu\nu}, \quad (8)$$

usually referred to as the “quadrupole formula”.²

Something about this expression should immediately give one pause — the prefactor of $2G/c^4$. In SI units, this has the value $1.6 \times 10^{-44} \text{ sec}^2\text{kg}^{-1}\text{m}^{-1}$. It will take tremendously large values of \ddot{I}/R in order for even modest values of h to be generated. *A priori*, one can think of two strategies that might work: make R small, or make \ddot{I} large.

2.1 Laboratory generators of gravitational waves

To construct a source of gravitational waves in the laboratory would allow one to have the benefit of placing it as close as possible to one’s detector, thus exemplifying the first strategy in the previous paragraph. Of course, it would have other benefits as well. Control of the waveform, polarization, and other features would enable the detector to be carefully optimized to match the signal. At an even deeper level, confidence in the detection of gravitational waves could be assured by the requirement that they must be seen when, and only when, they were being emitted.

What one would really like to do is to replicate for gravitational waves what Hertz was able to accomplish for electromagnetic ones. His experiments of 1886-91 not only conclusively demonstrated the existence of electromagnetic waves, they validated Maxwell’s theory of electromagnetic radiation by exploring the rich phenomenology of polarization, reflection, and interference. They also began the process of harnessing the phenomenon for practical use. Marconi’s work started by his following closely in Hertz’s footsteps, and real long-distance communication via radio was not long in coming.

Unfortunately, no practicable way has been conceived to replicate Hertz’s success in the gravitational domain. Assume we could construct a dumbbell consisting of two masses of 1 ton each, at either end of a rod 2 meters long. Spin this quadrupole about an axis orthogonal to the connecting rod passing through its midpoint, at an angular frequency $f_{rot} = 1 \text{ kHz}$. Neglecting for simplicity the contribution of the connecting rod, we have a system very similar to a binary star system. The amplitude of the

gravitational waves generated by this device will be

$$h_{lab} = 2.6 \times 10^{-33} \text{ m} \times \frac{1}{R}. \quad (9)$$

Before we rush to plug in a distance R of a few meters, as Hertz was able to do for his experiment, we need to remember that wave phenomena are only distinguishable from near-field effects in the “wave zone”, that is at distances from the source comparable to or larger than one wavelength. With $\omega_{rot} = 2\pi \times 1 \text{ kHz}$, we have $\lambda = 300 \text{ km}$! The receiver for our Hertzian experiment must be at least that far away from the transmitter. Hertz’s electromagnetic experiments involved waves of 6 meters down to 60 cm in length, so the distance across the lab was fine for him.

At a distance of one wavelength, our laboratory generator gives gravitational waves of amplitude

$$h_{lab} = 9 \times 10^{-39}. \quad (10)$$

This is pretty small.

Even creating such a strong source as this may not be practicable. Consider the stress in the connecting rod of the dumbbell. It must supply the centripetal force necessary for the masses to move in a circle. If the rod were made of good steel, it would need a cross-sectional area substantially greater than that of a 1 ton sphere in order not to fail under the stresses in a device with the parameters we have assumed. So we’d have to reduce the rotation frequency to keep the generator from flying apart, with a consequent reduction in the transmitted wave amplitude.

2.2 Astrophysical sources of gravitational waves

Even if a gravitational version of the Hertz experiment is not feasible, all is not lost for the detection of gravitational waves. The best reason for optimism that detectable levels of gravitational radiation exist comes from the presence in the universe of objects with truly remarkable values of \ddot{I} . These systems are so extreme that even though their distances from our detectors are quite large, they still generate gravitational waves with amplitudes that exceed by almost twenty orders of magnitude the signal strengths from laboratory generators of the type described above.

It would be beyond the scope of this review to describe in detail all of the many astronomical objects that might be important sources of gravitational waves. Readers are urged to consult the article by Finn in these proceedings for further information on the variety of possible sources. But for the sake of a self-contained treatment, we show

here how to estimate the magnitude of the strongest gravitational waves arriving at the Earth.

For the case of a binary star, there is an elegant way (due to Kafka³) of writing the amplitude of the quasi-sinusoidal gravitational wave strain. We can massage the quadrupole formula into a manifestly dimensionless form by recognizing that the mass dependence can be rewritten as a proportionality to the product of the Schwarzschild radii $R_s = 2GM/c^2$ of the stars. The frequency dependence and all of the stray factors remaining collect nicely as the separation r of the two stars. The gravitational wave amplitude is

$$h_{ns} = R_{s1}R_{s2}/rR. \quad (11)$$

If the binary consists of two neutron stars, then the Schwarzschild radii are both about 4 km. Astronomers estimate that within a sphere of radius 200 Mpc, roughly one of these systems will coalesce each year. When the stars have a separation of 10 diameters (or around 200 km), then the signal we would receive from that distance will have an amplitude of almost 10^{-23} . The stars can probably approach closer still before the system is destroyed.

A glance at this expression shows why a neutron star binary is a good choice as a strong source of gravitational waves. The substantial masses of the two stars make the numerator large. The fact that they are compact objects means that their separation r can be quite small. We could always wish that the distance R to the nearest example of such a system were smaller, but even so our estimated signal strength, while small in absolute terms, is certain dramatically larger than we were able to produce in our model laboratory generator.

Perhaps the only sort of astronomical system we can imagine that might generate stronger gravitational waves would be a binary system consisting of two black holes. Although it may be hazardous to treat such dramatically relativistic objects with the quasi-Newtonian physics used to derive Eq. 11, it will probably still give a good order of magnitude estimate. The possible advantages of black holes as sources of gravitational waves are twofold. Firstly, it is possible that the masses of black holes may be substantially in excess of the $1.4 M_\odot$ typical of neutron stars. Secondly, black holes can approach to a separation r as close as their Schwarzschild radius R_s without disruption; instead the two will coalesce into a single larger black hole. Thus we guess that the gravitational signal from a black hole coalescence could be as large as

$$h_{bh} \sim R_s/R. \quad (12)$$

For a pair of $10 M_{\odot}$ black holes at 200 Mpc, this expression would indicate a signal of $h \sim 5 \times 10^{-21}$.

Of course, we do not have nearly such secure knowledge of the existence of such binary systems as we do for the neutron star case. There is strong evidence for the existence of $10 M_{\odot}$ -class individual black holes in binary systems with main sequence stars.⁴ The abundance of black hole binaries in this mass range is unknown, so the validity of our choice of 200 Mpc as a fiducial distance is uncertain at best.

One weakness of the elegant expressions Eqs. 11 and 12 is that they do not explicitly refer to the frequency of the gravitational wave. As we will see later, the various kinds of detectors of gravitational waves will each function best only in a certain band of frequencies. For reference, we anticipate the results of that discussion with the following summary: resonant-mass detectors work best in the vicinity of 1 kHz, interferometric detectors from around 10 Hz to a few kHz, and space interferometers between around 10^{-4} and 10^{-1} Hz. The strongest black hole signal will come at the frequency f_{qnm} of the lowest quasi-normal mode of the resulting combined black hole,

$$f_{qnm} \approx 0.7 \frac{c^3}{2GM}.$$

This makes resonant-mass detectors best suited for looking for black holes with masses of $10 M_{\odot}$. Terrestrial interferometers will look for $3 M_{\odot}$ to $1000 M_{\odot}$ objects, while interferometers in space will search for black holes in the range near $10^6 M_{\odot}$.

2.3 Summary

The contrast between terrestrial and astronomical sources of gravitational waves is striking. In spite of the fact that astronomical generators will only be found at distances far beyond the optimum, their other physical parameters are such that they will provide the strongest available gravitational wave signals. The contrast is so strong that this advantage alone must outweigh the ability to control the character and timing of the signal that would be inherent in a laboratory generator. Instead, even the most basic experiments on the nature of gravitational waves will necessarily involve astronomical observations.

3 Weber and the birth of gravitational wave detection

3.1 Weber's original vision

It is reasonable to ask the question whether even the astronomical signals are large enough to be detected by any conceivable device. On the face of it, the odds are daunting. A strain of 10^{-20} , for example, only generates relative motion of 10^{-20} meters between two test masses separated by one meter. Compare this with other characteristic length scales, and the challenge is clear: wavelength of visible light of 10^{-6} meter, atomic diameter of 10^{-10} meter, nuclear diameter of 10^{-15} meter. Nevertheless, it appears that gravitational wave signals from astronomical sources will probably soon be detected. It is the purpose of the rest of this review to show how this is possible.

There are at least two questions that might be raised by consideration of the numbers listed in the previous paragraph. The first is whether measurements of a macroscopic body can be capable of resolving motions substantially smaller than nuclear diameters. The second question that one might ask is whether success might be easier if the scale of the apparatus were made substantially larger than a meter, in order to take advantage of the fact that test masses separated by a larger distance will move by a proportionally larger amount in response to a gravitational wave of a given strength. Pondering the answers to these questions will lead to understanding of the most promising techniques for gravitational wave detection.

The postwar atmosphere of optimism about astronomical progress must have swept up Joseph Weber in the late 1950s. Weber became convinced that the time was right to try to extend the astronomical revolution beyond the electromagnetic spectrum. At that time, it was not obvious that strain sensitivities of 10^{-22} should be the goal. It was equally plausible that objects such as we discussed above might possibly be abundant enough that their typical distance might be the few kpc associated with galactic dimensions instead of 200 Mpc. So strains of 10^{-17} or perhaps even stronger might have been the proper goal to aim for. (Weber knew of a very optimistic estimate of wave strength by Wheeler,⁵ which would allow an energy density of order the cosmological closure density.) Weber's thinking showed the way to achieve such strain sensitivities; indeed, devices following directly in a line of development from his first instrument have in the past few years approached rms sensitivities of 10^{-19} , with the prospect of extension to a new generation of detectors sensitive to waves with amplitudes of order 10^{-20} or better.

Weber's early thinking is described in his *Physical Review* article of 1960,⁶ and placed in the larger context of his thinking about general relativity in a small monograph published in 1961.⁷ He describes a conceptual detector, in reciprocal relationship to a gravitational wave emitter, as a simple "mass quadrupole", sketched as two masses connected by a spring. Weber extends the general relativistic equation of geodesic deviation to include the non-gravitational forces applied by the elastic restoring force and the mechanical dissipation in the spring. The equation of motion of the system then becomes that of a simple harmonic oscillator, with the driving term given by the effective force from the gravitational wave (our Eq. 7).

Weber next shows how an extended elastic body behaves in such a way that each of its normal modes of vibration can be studied independently. (The gravest mode of a cylinder has a large quadrupole moment, and is the one that is usually used for detection.) He focuses attention on the use of a piezoelectric crystal as the detecting body, partly because he hopes that the electric field will make it a detector with effective size larger than half an acoustic wavelength, but also in large measure because the electric fields generated by the gravitational-wave-induced stress will give an integrated voltage between its ends that may be "large enough to be observed with a low-noise radio receiver." Weber calculates the amount of mechanical power that a sinusoidal gravitational wave can dissipate in the resonant detector as a function of frequency, then invokes the standard electrical network theorems to show what fraction of this power can be transferred to the input impedance of an amplifier.

A simple discussion of sensitivity follows. Weber first remarks that "in microwave spectroscopy it has been found that all spurious effects other than random fluctuations can be recognized." Then Weber states that the excitation of the detector must exceed the noise power associated with its thermal excitation.

Finally, Weber discusses possible practical experimental arrangements. In most of the discussion the devices are supposed to be made of large blocks of piezoelectric material. But in a footnote Weber states that the experimental work he is carrying out with David Zipoy and Robert L. Forward will probably make use of a large block of metal instead. (This is justified on the grounds that a half-wavelength at the 1 kHz frequency being contemplated is already large; thus the piezoelectric length-enhancement effect may not be necessary, and in any case such a large block of piezoelectric material "may not be obtainable as a single crystal".)

Two experimental strategies are foreseen: use of a single detector with examination of its output for a diurnal cycle associated with the scanning of its sensitivity pattern

across the sky, and the cross-correlation of a pair of detectors so that external influences (presumably gravitational waves) can be distinguished from “internal fluctuations”. He notes the necessity of preventing the excitation of the detector by “earth vibrations”, and discusses an “ingenious” idea of Zipoy’s for what is now called active vibration isolation.

Weber’s very concise discussion is remarkable for the prescience with which it foreshadowed not only his own work, but that of so many others. It also marks a watershed in the history of general relativity. In a single blow, Weber wrested consideration of gravitational waves from theorists concerned about issues such as exact solutions, and appropriated the subject instead for experimentalists trained in issues of radio engineering. The boldness and brilliance of this move are remarkable.

3.2 The logic of Weber’s idea

Weber sweeps quickly over a variety of issues that are worthy of more leisurely consideration. We’ll give an overview of the important issues in this section, then devote the rest of this review to discussing their implications.

The detector Weber outlined can be divided into several subsystems: a set of test masses that respond to the gravitational wave, a transduction system that converts this mechanical response to a convenient electrical signal, a low-noise pre-amplifier, and post-amplification averaging and recording mechanism. Notwithstanding the cleverness of Weber’s original version, many variations on his basic scheme are possible, and indeed are responsible for much of the progress since he first announced the results of gravitational wave observations in 1969.⁸

Let’s see how to analyze the original Weber design into these canonical subsystems. Weber explicitly pointed out how one could construct an analog of a pair of lumped test masses by monitoring an internal mode of vibration of an extended block of elastic material. In the version where this block is made of piezoelectric material, the same material serves both as test masses and as transducer from mechanical to electrical signal form. In the version in Weber’s footnote (the one he actually built) a large aluminum cylinder serves as the set of test masses; piezoelectric strain gauges glued about the girth of the cylinder perform the transduction. The pre-amplifier is Weber’s low-noise radio receiver. No averaging filter is shown in Weber’s diagrams, but is implicit in his discussion.

Perhaps the most interesting choice that Weber made was to connect his test masses

in a resonant system. It appears that Weber, at least in 1961, thought this was a necessity. In a footnote, he cites previous work by Pirani⁹ in which the latter considered “measurement of the Riemann tensor by comparing accelerations of free test particles”, but Weber continues, “The results of this chapter indicate that interacting particles must be used, in practice.” In fact, it is not required either in principle or in practice, but it is interesting to consider why Weber may have thought so then, and what advantages still accrue to the use of resonant masses.

Weber couches a good deal of his discussion in terms of steady sinusoidal signals, still a common practice in much of engineering and even more so around 1960. If a gravitational wave did have this form, then masses connected by a spring give a resonant amplification of the response to a signal at the resonant frequency. The amount of this amplification is given by the resonator’s quality factor Q , and can be substantial; Weber quotes an estimated $Q \sim 10^6$, still not a bad ballpark number.

On the other hand, there is essentially no resonant amplification if one has a sinusoidal signal whose frequency does not closely match the resonant frequency of the detector, or if the signal has a broad-band frequency content, as it would if it were a brief burst. Resonant amplification only comes about when the input force drives the resonant system with the proper phase for a substantial number of cycles; this can only occur when there is a good match between the signal frequency and the mechanical resonant frequency.

But even though the search for gravitational waves has come to focus mostly on burst-like signals, the resonant-mass configuration can still give a powerful advantage, albeit one not discussed by Weber in his 1961 book. A weak signal must compete for visibility against the noise in the pre-amplifier stage. This is why Weber made a point of calling for the lowest noise levels possible in this component. The noise in such amplifiers is generally of a broad-band character, best characterized by its power spectral density $S_v(f)$ which is typically roughly constant (or “white”) over a wide range of frequencies. Usually there is an additional $1/f$ component that dominates at low frequencies.

The extent to which this noise competes with a signal depends in an essential way on the duration of the signal. We use the term “burst” to refer to a signal of limited duration in time; call its length τ_s . A fundamental theorem of signal detection states that the optimum contrast between a given signal and white noise can be attained when the time series containing the noise plus any possible signals is convolved with a template of the same form as the signal. This is called the *matched filter* when it is implemented

in real time by an analog device. The heuristic idea behind such an optimum is that the matched filter rejects all components of the noise that do not “look like” the signal for which one is searching. Still, some noise passes through the matched filter. How much? If the Fourier transform of the signal waveform $v(t)$ is given by $V(f)$, then it passes noise power of

$$N^2 = \int_{-\infty}^{\infty} |V(f)|^2 S_v(f) df.$$

Another very general theorem of Fourier analysis takes the form of a classical “uncertainty relation”. It states that there is an inverse relationship between the duration of a signal in the time domain and its width in the frequency domain:

$$\Delta f \Delta \tau \approx 1.$$

See what this implies for the question at hand. If we are looking for a brief signal, then its matched filter passes noise of a wide bandwidth. Thus, brief signals compete much less well against broad-band pre-amplifier noise than does a long-duration signal of the same amplitude.

Here is where a resonant detector of gravitational waves can make a difference even when one is looking for a broad-band signal. If the gravitational wave signal $h(t)$ contains substantial power in the vicinity of the detector’s resonant frequency, then it will excite the motion of the detector’s mode at an amplitude $\Delta L \sim hL$, not much different than if the test masses were free. But the subsequent behavior of the resonant detector is quite different than if the detector were made of free masses. The motions of free test masses only persist for the duration τ_s of the gravitational wave signal. But the resonant detector “rings” for a time of order the damping time of the resonance,

$$\tau_d = \frac{Q}{\pi f_0} \gg \tau_s,$$

where f_0 is the resonant frequency of the detector.

It is the motion of this resonant system, converted to electrical form by the transducer, that is presented to the input terminals of the pre-amplifier. So it is an electrical signal of long duration τ_d that competes with the amplifier noise. As a long duration deterministic signal, its matched filter has a much narrower width in frequency than had the original signal $h(t)$, and so passes a much smaller proportion of the amplifier noise. Thus, the resonant response of the test mass system allows a weak signal to compete more effectively against amplifier noise than would be the case with free masses.

3.3 The cost of resonant detection

This advantage of resonant-mass detectors is substantial; it is responsible for the continued vitality of the Weber style of detector over thirty years after it was first proposed. Still, it comes with a price that is not negligible. Implementing the matched filter described above, which is essential to attaining the advantage of the resonance, is tantamount to averaging the output of the amplifier for times of order τ_d . In the jargon of the field, such a system has a low *post-detection bandwidth* (usually shortened simply to “bandwidth”.) The averaging washes out any details of the waveform $h(t)$ on time scales short compared to τ_d . What one gains in signal-to-noise ratio, one gives up in temporal resolution. Whether this is a price one ought to be willing to pay or not depends on the stakes: if it is absolutely necessary even to detect the signal, averaging with a matched filter is certainly worthwhile. If the signal could be detected anyway, averaging simply throws away information, and should be avoided. In the high signal-to-noise case, the resonance does not help, but neither does it hurt much either – a simple filtering operation could remove the resonant signature and allow reconstruction of the original signal waveform.

(N.B.: As we will show below, the actual choice of matched filter for a resonant detector is more subtle than that just described. Instead of τ_d , a shorter averaging time is almost always the optimum choice. Nevertheless, the qualitative thrust of the argument given in the previous paragraph still applies.)

3.4 Free-mass detectors as an alternative

Given the trade-off between sensitivity and bandwidth that resonant systems tempt one to make, it is worth exploring whether there are other entirely non-resonant detection schemes that can achieve high sensitivity to gravitational waves without sacrificing signal bandwidth. In fact, such free-mass detectors have been developed by a variety of workers, including the same Robert Forward who worked with Weber on the original resonant detector.^{10,11} The essential advantage of free-mass detectors comes from the fact that the farther apart their test masses are placed, the larger is the relative displacement between them caused by a given gravitational wave amplitude $h(t)$. (This scaling relation holds true up to the point that the light travel time between the masses becomes comparable to the period of the wave, that is when separation of the masses becomes comparable to the wavelength of the wave.) But the resonance in a resonant detector comes roughly when the sound travel time across the bar matches the period of the

wave. That is to say, resonant detectors reach their optimum sensitivity when the separation of the test masses is of order the acoustic wavelength at the gravitational wave frequency. Since the speed of sound in materials is of order 10^{-5} of the speed of light, a free-mass detector at its optimum length can have an advantage in signal size of 10^5 over a resonant-mass detector at its optimum length.

Another advantage is that no resonance is used to boost the signal. Thus, in principle a free-mass detector can have a completely white frequency response. This ideal can not be completely achieved in practice, since some of the noise sources discussed below have strong frequency dependences of their own. Still, it is possible to achieve useful bandwidths measured in decades rather than in fractions of an octave.

This signal size advantage would be a hollow one if there were no sensitive way to measure the relative displacement of test masses separated by many kilometers. Fortunately, there are such ways. As we saw above, the travel time of electromagnetic signals between the test masses can be measured with great precision. Interferometry using visible or near-infrared light to measure the separation of free masses has become a well developed technology that now is completely competitive with the best resonant-mass detectors, and which is about to undergo a great leap in sensitivity as new instruments of multi-kilometer scale come on line in the next couple of years. Radio ranging between interplanetary space probes separated by many millions of kilometers has been used for some time; optical interferometers in solar orbit, with million kilometer baselines, are now being planned.

The conceptually simpler free-mass detectors are in practice substantially more complicated devices; the freedom of the test masses must be tamed by servo systems to keep them operating properly. This is in part what is responsible for the time lag in their development, even though they were conceived not much later than resonant-mass detectors. In the remainder of the review, we will discuss both styles of gravitational wave detector.

4 Noise sources

In this section, we will focus our attention on understanding the most fundamental noise sources with which the practice of gravitational wave detection has to contend. Perhaps not surprisingly, the list will seem to have little to do with general relativity or with gravitational waves, as such. The chief concerns of gravitational wave detector designers are those that would confront anyone attempting to measure the effect of a

very weak force on a mechanical system: Brownian motion (also known as thermal noise), and noise from the readout system (both in its direct influence on the output of the system and through its “back-reaction” on the mechanical front end). A ubiquitous but non-fundamental noise source, seismically-induced vibration, is treated as well.

It is pedagogically simpler to introduce the topics first in the context of interferometers. Then, we will describe how similar considerations apply to resonant-mass detectors, where the signal processing issues are a bit more subtle.

4.1 Thermal noise

The first recognition of a classical physical limit to measurement precision occurred when thermal noise was discovered in galvanometers, in the early 1930's.¹² The premier current-measuring instrument of their day, galvanometers typically consist of a coil of wire suspended from a fine fiber so that it rests between the poles of a strong permanent magnet. Leads from the coil are attached to the external source of current, which generates a torque about the vertical axis. The resulting angular displacement of the coil can be read through an optical lever arrangement that uses a small mirror fixed to the coil.

From our point of view as students of mechanical instruments, the components of a galvanometer that make it function as a current-measuring device are less interesting than its basic mechanical features as a single degree-of-freedom oscillator: an inertia element (characterized by the moment of inertia I of the coil, mirror, and connecting fixtures), an elastic element (represented by the torsional spring constant κ of the fiber from which the coil was suspended), mechanical damping (from some combination of air friction, electrical resistance, and internal friction in the suspension), and a means of observing the angular coordinate θ (the optical lever).

Attempts to make current measurements of the highest precision confronted the fact that, scrutinized carefully, the angle of the coil was not strictly fixed, but instead jittered about its mean position. At first, it seemed natural to attribute the motion to seismic excitation of the galvanometer and its surroundings. But careful mounting of galvanometers to rigid piers isolated from excess building vibrations only went so far in minimizing the noise. Furthermore, seismic noise is typically strongly variable with time, depending on the violence of the weather and on the diurnal cycle of human activity. But well-constructed galvanometers exhibit a noise whose amplitude does not vary in time.

It was not long after Einstein's explanation of Brownian motion as the result of random impacts upon the observed object by molecules from the surrounding fluid that physicists recognized that galvanometers were exhibiting the same phenomenon. According to the Equipartition Theorem, each degree of freedom of a system in thermodynamic equilibrium at temperature T should have an energy whose expectation value is $k_B T/2$. Applying this to the potential energy $\frac{1}{2}I\omega_0^2\theta^2$ associated with the angular displacement θ of the galvanometer, one finds

$$\theta_{rms} = \sqrt{\frac{k_B T}{I\omega_0^2}}, \quad (13)$$

where $\omega_0 = \sqrt{\kappa/I}$ is the resonant frequency of the galvanometer. The heuristic explanation of this theorem is the essentially atomic nature of all mechanisms of dissipation; in this case by the random impact of air molecules on the coil (in cases where air friction dominates the damping) or the random motion of electrons through the coil driving a noisy magnetic torque (if electrical dissipation dominates.)

Because it is rooted in thermodynamics, this result has a generality far beyond the details of any particular system. There is a natural analogy between the galvanometer's torsional oscillator and the fundamental longitudinal mode of a Weber-style resonant-mass detector of gravitational waves. Note one striking feature of Eq. 13: even though the origin of the fluctuations lies in the mechanism that is responsible for the dissipation, the rms displacement does not depend on the magnitude (let alone on the mechanism) of the dissipation.

Subsequent work brought recognition of analogous phenomena in other systems. Perhaps the most important was the discovery of the electrical analog of Brownian motion by Johnson and Nyquist in 1928.^{13,14} But full recognition of the essential unity of all thermodynamic fluctuation phenomena awaited the formulation of the Fluctuation-Dissipation Theorem. A particularly useful form was established in 1951 and 1952 by Callen and co-workers.¹⁵ We will quote it in a form most directly applicable to mechanical systems, but the derivations in the original papers make it clear how it can be applied to any linear system in thermodynamic equilibrium.

In Callen's formulation, it is convenient to describe the dynamics of a physical system in terms of the network functions called the impedance and admittance, as measured at the point of interest in the system. These are defined in terms of the steady-state response of the system to sinusoidal excitation. The impedance Z is defined as the complex ratio of the force applied at the point of interest to the resulting velocity

at that point. That is, if the system is driven with a force $F_0 e^{i\omega t}$ and it responds in the steady state with $v = v_0 e^{i(\omega t + \phi)}$, then the impedance is

$$Z(\omega) = \frac{F_0}{v_0} e^{-i\phi}.$$

A point mass has an impedance $Z_m(\omega) = i\omega m$, a Hooke's Law spring has $Z_k(\omega) = k/i\omega$, and a dashpot that supplies a force $F = bv$ thus has an impedance $Z_b = b$. The related concept called the admittance Y is defined by

$$Y(\omega) \equiv Z^{-1}(\omega) = \frac{v_0}{F_0} e^{i\phi}.$$

With these preliminaries, Callen's Fluctuation-Dissipation Theorem can be succinctly stated. The thermodynamic fluctuations analogous to Brownian motion have a magnitude given by the application at the point of interest of a random force with a power spectrum

$$S_F(\omega) = 4k_B T \text{Re}(Z). \quad (14)$$

The strength of the applied force power spectrum is proportional to the dissipative (real) part of the impedance; hence the name "fluctuation-dissipation" theorem. Note that this expression has the same form as the more familiar power spectrum for the Johnson noise voltage, $S_V(\omega) = 4k_B T R$, where the resistance R is the real part of the electrical impedance. The similarity is not accidental, but is only one example of the many phenomena unified by the theorem.

An alternative form of the theorem, more useful in some situations, directly gives the displacement fluctuation power spectrum instead of the equivalent applied noise force. It states

$$S_x(\omega) = \frac{4k_B T}{\omega^2} \text{Re}(Y). \quad (15)$$

Again, the power spectrum scales with the amount of dissipation in the system.

Clearly, this description of fluctuation phenomena is richer than the Equipartition Theorem, since here we have expressions for the entire power spectrum of the fluctuations, not just their rms amplitude. But are the two descriptions even consistent? The rms fluctuation, such as for example the expression in Eq. 13, has no dependence on the magnitude of the dissipation. But Eq. 15 shows that the fluctuation power spectrum is proportional at each frequency to the amount of dissipation at that frequency. How can both be true? An oscillator with low dissipation shows a very pronounced peak in its response at the resonance frequency, while one with larger dissipation exhibits a less dramatic peak. So, although the driving noise force is smaller when the dissipation

is smaller, the response on resonance is greater. The two effects precisely cancel, as can be verified by direct integration, thus guaranteeing that the integral of the power spectrum Eq. 15 is equal to what one would predict from the Equipartition Theorem.

These two faces of thermal noise, rms magnitude and power spectrum, are each important in the appropriate context. In a broad-band gravitational wave detector, such as one using an interferometer, the power spectrum carries the most valuable information.

This insight is embodied in the universal choice to suspend the test masses as pendulums. Pendulums are chosen because they are the best way known to create a low frequency oscillator with very low dissipation. Heuristically, most of the restoring force in a pendulum comes from the tension in its wires (due in turn to the gravitational force on the mass); this process has no dissipation associated with it. The only unavoidable dissipation is that associated with the flexure of the wires, but in a properly designed pendulum the fraction of restoring force associated with flexure is small. Hence, the internal friction in the wires is “diluted” by a large factor (perhaps of order 10^3 .)

Similarly, one wants to minimize the thermal noise associated with internal vibrations of the test masses. This can be achieved only by making the masses out of a material with very low dissipation. Fortuitously, fused silica has very low mechanical dissipation at acoustic frequencies at room temperature.

A standard design rule in those devices is to attempt to place all resonances (such as those associated with the pendulum suspension of the test masses or those involving internal vibrations of the test masses themselves) outside of the frequency band in which signals will lie. When this is done, only the off-resonance amplitude of the power spectrum is important. The off-resonance transfer function of an oscillator to a given force is controlled by the compliance of the resonator in the low frequency limit, and by the inertia of the oscillator above resonance. If the dissipation that sets the driving force can be made low, so can the power spectrum of thermal noise at the frequencies of interest.

4.2 Readout noise and the quantum limit

All experiments need readout and recording systems to register the effects for which we are searching. If the effect is large enough, then these functions can be carried out essentially perfectly. But in the case of the tiny mechanical effects we expect from gravitational waves, even to make the mechanical system’s response large enough to record requires very carefully designed readout systems. It is not possible in all cases

to ensure that the noise in the readout system is small compared to the mechanical noise in the test masses.

Readout noise has two faces, either one of which may dominate depending on the circumstances. The most familiar is additive noise that competes with a fair copy of the mechanical signal in the output of the measuring system. But measurement systems also unavoidably add mechanical noise to the front end; this “back reaction” noise must also be kept small if the highest possible precision is to be attained.

The trade-off between additive noise and back-reaction noise is most familiar to physicists from discussions of the quantum mechanical Uncertainty Principle. And, indeed, the Uncertainty Principle governs the ultimate precision of a large class of measurements.

4.2.1 The Heisenberg Microscope as a prototype measuring instrument

It is convenient to make a mental division of a gravitational wave interferometer into two parts. Call the nearly freely-falling mirrored test masses (and the space-time between them) the “system to be measured”, and the laser, light beams, and photodetector the “measuring apparatus”. There is a deep analogy here with the archetypal quantum mechanical measurement problem called the “Heisenberg microscope” Bohr gave a particularly clear description of it, using a semi-classical treatment. In his 1928 essay “The Quantum Postulate and the Recent Development of the Quantum Theory”, Bohr wrote:¹⁶

In using an optical instrument for determinations of position, it is necessary to remember that the formation of the image always requires a convergent beam of light. Denoting by λ the wave-length of the radiation used, and by ϵ the so-called numerical aperture, that is, the sine of half the angle of convergence, the resolving power of a microscope is given by the well-known expression $\lambda/2\epsilon$. Even if the object is illuminated by parallel light, so that the momentum h/λ of the incident light quantum is known both as regards magnitude and direction, the finite value of the aperture will prevent an exact knowledge of the recoil accompanying the scattering. Also, even if the momentum of the particle were accurately known before the scattering process, our knowledge of the component of momentum parallel to the focal plane after the observation would be affected by an uncertainty amounting to $2\epsilon h/\lambda$. The product of the least inaccuracies with which the positional

co-ordinate and the component of momentum in a definite direction can be ascertained is just given by [the uncertainty relation].

In a gravitational wave interferometer, we are hardly dealing with a microscopic system: the test masses will have masses of 10 kg or more. Yet because we aspire to such extreme precision of measurement, it is crucial to consider the sort of quantum effects usually relevant only for processes on the atomic scale. Note that we are not satisfied to know our test masses' precise positions at one moment only; we want to know the history of the path length difference of the interferometer. Perturbations of the momenta of the masses cannot be ignored, therefore, since the value of the momentum at one time affects the position later.

In the Heisenberg microscope, the phenomenon conjugate to the registration of the arrival of a photon that has bounced off an atom is the recoil of the atom caused by the change in the photon's momentum upon reflection. In a gravitational wave interferometer we register an arrival rate of photons that depends on the difference in phase between electromagnetic fields returning from the two arms. We can recognize the conjugate phenomenon by looking for a fluctuating recoil that can affect the same degree of freedom that we measure. Fluctuating radiation pressure on the test masses causes them to move in a noisy way. The resulting fluctuation in the length difference between the two arms shows how this effect can alter the phase difference between light arriving from the two arms; this identifies it as the conjugate phenomenon.

4.2.2 Shot noise in an interferometer

The general principles discussed above can be made much clearer by consideration of specific cases. In an interferometer, all of the physics involved in the fundamental noise limits can be made explicit.

First, consider the question of the direct or "additive" noise, which sets the limit to how small a strain can be recognized. A Michelson interferometer with free mirrors can be described as a transducer from gravitational wave strain to output light power. Part of the reason for its good sensitivity comes from the fact that the output power changes from zero to its maximum and back again with a change in path length difference of only one optical wavelength, of order $1 \mu\text{m}$. But it would clearly not be sufficient to only register the difference between one fringe and the next; with a precision of one optical wavelength, even if the arm lengths were as long as useful (of order half the gravitational wavelength, or 150 km for waves of frequency 1 kHz) one could only

register strains of about 10^{-11} .

The key to reaching strain sensitivities of 10^{-21} lies in determining the path length difference to a tiny fraction of a fringe, say 1 part in 10^{10} . Is this possible?

First, recall that the output power is given by

$$P_{out} = P_{in} \cos^2(k_x L_x - k_y L_y). \quad (16)$$

Consider in particular the behavior of the interferometer near an operating point at which half of the maximum possible power exits the output port. At this point, the change in output power is maximized for a given change in path length difference. If we want to observe a very small change in arm length difference, then we must be able to recognize a very small change in the output power of the interferometer. In other words, the readout precision of an interferometer is limited by the precision with which we can measure optical power.

The fundamental limit to this power measurement is the so-called “shot noise” in the light. We can model the light flux at the photodetector as a set of discrete photons whose arrival times at the photodetector are statistically independent, although with a deterministic mean rate \bar{n} . Whenever we count a number of discrete independent events characterized by a mean number \bar{N} per counting interval, the set of outcomes is characterized by a probability distribution $p(N)$ called the *Poisson distribution*,

$$p(N) = \frac{\bar{N}^N e^{-\bar{N}}}{N!}. \quad (17)$$

(This is also colloquially referred to as “counting statistics”.) When $\bar{N} \gg 1$, the Poisson distribution can be approximated by a Gaussian distribution with a standard deviation σ equal to $\sqrt{\bar{N}}$.

We are trying to determine the rate of arrival of photons \bar{n} (with units of sec^{-1}), by making a set of measurements each lasting τ seconds. The mean number of photons in each measurement interval is $\bar{N} = \bar{n}\tau$. The Poisson fluctuations of the measurement process mean that the fractional precision of a single measurement of the photon arrival rate (or, equivalently, of the power) is given by

$$\frac{\sigma_{\bar{N}}}{\bar{N}} = \frac{\sqrt{\bar{n}\tau}}{\bar{n}\tau} = \frac{1}{\sqrt{\bar{n}\tau}}. \quad (18)$$

This says that if we were to try to estimate \bar{n} from measurements for which $\bar{n}\tau \sim 1$, then the fluctuations from instance to instance will be of order unity. If $\bar{n}\tau$ is very large, then the fractional fluctuations are small.

Let's carry through the calculation for the power fluctuations, and thence to the noise in measurements of h . Each photon carries an energy of $\hbar\omega = 2\pi\hbar c/\lambda$. If there is a power P_{out} at the output of the interferometer then the mean photon flux at the output will be

$$\bar{n} = \frac{\lambda}{2\pi\hbar c} P_{out}. \quad (19)$$

At the half-power operating point,

$$\frac{dP_{out}}{dL} = \frac{2\pi}{\lambda} P_{in}. \quad (20)$$

We can also consider this to be the sensitivity to the test mass position *difference* δL , since the interferometer is equally sensitive (with opposite signs) to shifts in the length of either arm.

Now consider the fluctuations in the mean output power $P_{out} = P_{in}/2$, averaged over an interval τ . The mean number of photons per interval is $\bar{N} = (\lambda/4\pi\hbar c)P_{in}\tau$. Thus we expect a fractional photon number fluctuation of $\sigma_{\bar{N}}/\bar{N} = \sqrt{4\pi\hbar c/\lambda P_{in}\tau}$. Since we are using the output power as a monitor of test mass position difference, we would interpret such statistical power fluctuations as equivalent to position difference fluctuations of a magnitude given by the fractional photon number fluctuation divided by the fractional output power change per unit position difference, or

$$\sigma_{\delta L} = \frac{\sigma_N}{N} / \frac{1}{P_{out}} \frac{dP_{out}}{dL} = \sqrt{\frac{\hbar c \lambda}{4\pi P_{in} \tau}}. \quad (21)$$

Recall that we can describe the effect of a gravitational wave of amplitude h as equivalent to a fractional length change in one arm of $\Delta L/L = h/2$, along with an equal and opposite change in the orthogonal arm. The net change in test mass position difference is $\delta L = Lh$, so if we interpret brightness fluctuations in terms of the equivalent gravitational wave noise σ_h , we have $\sigma_h = \sigma_{\delta L}/L$, or

$$\sigma_h = \frac{1}{L} \sqrt{\frac{\hbar c \lambda}{4\pi P_{in} \tau}}. \quad (22)$$

There is no preferred frequency scale to this noise; the arrival of each photon is independent of the arrival of each of the others. Note also that the error in h scales inversely with the square root of the integration time. These facts can be summarized by rewriting Eq. 22 as the statement that the *photon shot noise* in h is described by a white amplitude spectral density of magnitude

$$h_{shot}(f) = \frac{1}{L} \sqrt{\frac{\hbar c \lambda}{2\pi P_{in}}}. \quad (23)$$

4.2.3 Radiation pressure noise in an interferometer

A hint at where quantum mechanics might have some deep relevance comes when we consider how shot noise scales with the optical power used in the interferometer. As shown in Eq. 23 above, the shot noise readout precision improves as the square root of the optical power. Taken at face value, this would suggest that we could achieve arbitrarily good measurement precision, so long as we were able to use an arbitrarily powerful laser to illuminate the interferometer.

That conclusion is encouraging, but ought to cause some unease. After all, didn't Einstein fail to find a way to defeat the Uncertainty Principle's limit to the precision of mechanical measurements?¹⁷ Or did he just blunder not to consider using an interferometer to make the measurements?

Of course not. An interferometer is in fact very much like the "Heisenberg microscope" of Bohr. The lesson we should draw from that example is that we must not neglect the effects of recoil in an interferometer. In effect, an interferometer with free masses is a Heisenberg "macroscope": the role of the small object whose position is to be determined is played by the set of macroscopic test masses. Their large size gives an obvious advantage against recoil, but can't make the effect vanish entirely.

The recoil effect does have one extra bit of subtlety, though. Recall that the measurement we make in a Michelson interferometer has to do with the difference in length of the two arms. So the recoil force we need to calculate is not the common mode force (the component that is equal in the two arms), but only the noise in the difference of the recoil forces in the two arms. If we use a naive picture in which photons independently choose which arm to enter, then the origin of a differential recoil force noise is clear. Each photon enters either one arm or the other; whenever one arm gains a photon, the other loses one.

To estimate the size of this effect, first recall that the force exerted by an electromagnetic wave of power P reflecting normally from a lossless mirror is

$$F_{rad} = \frac{P}{c}. \quad (24)$$

The fluctuation in this force is due to shot noise fluctuation in P . That is

$$\sigma_F = \frac{1}{c} \sigma_P, \quad (25)$$

or, in terms of an amplitude spectral density

$$F(f) = \sqrt{\frac{2\pi\hbar P_{in}}{c\lambda}} \quad (26)$$

independent of frequency.

This noisy force is applied to each mass in an arm. For now, let us consider a simple “one-bounce” interferometer. We will allow the mirrors at the ends of the arms to be free masses, but in this example assume that the beam splitter is much more massive than the other mirrors. The fluctuating radiation pressure from the power $P_{in}/2$ causes each mass to move with a spectrum

$$x(f) = \frac{1}{m(2\pi f)^2} F(f) = \frac{1}{mf^2} \sqrt{\frac{\hbar P_{in}}{8\pi^3 c \lambda}}. \quad (27)$$

The power fluctuations in the two arms will be anti-correlated. The radiation pressure noise is then

$$h_{rp}(f) = \frac{2}{L} x(f) = \frac{1}{mf^2 L} \sqrt{\frac{\hbar P_{in}}{2\pi^3 c \lambda}}. \quad (28)$$

4.2.4 The standard quantum limit

Thus we have two different sources of noise associated with the quantum nature of light. Note that they have opposite scaling with the light power – shot noise declines as the power grows, but radiation pressure noise grows with power.

If we choose to, we can consider these two noise sources to be two faces of a single noise that we can call optical readout noise, given by the quadrature sum

$$h_{o.r.o.}(f) = \sqrt{h_{shot}^2(f) + h_{rp}^2(f)}. \quad (29)$$

At low frequencies, the radiation pressure term (proportional to $1/f^2$) will dominate, while at high frequencies the shot noise (which is independent of frequency, or “white”) is more important. We could improve the high frequency sensitivity by increasing P_{in} , at the expense of increased noise at low frequency. At any given frequency f_0 , there is a minimum noise spectral density; clearly, this occurs when the power P_{in} is chosen to have the value P_{opt} that yields $h_{shot}(f_0) = h_{rp}(f_0)$.

When we solve for P_{opt} and insert it into our formula for $h_{o.r.o.}$ we find

$$h_{QL}(f) = \frac{1}{\pi f L} \sqrt{\frac{\hbar}{m}}. \quad (30)$$

We have renamed this locus of lowest possible noise $h_{QL}(f)$, for “quantum limit”, to emphasize its fundamental relationship to quantum mechanical limits to the precision of measurements. Note that the expression does not depend on P_{in} or λ , or any other

feature of the readout scheme, even though such details were useful for our derivation. Thus, this examination of the workings of our Heisenberg microscope provides an instrument-specific derivation of Heisenberg Uncertainty Principle. And it reminds us of the truth Bohr's remarks expressed, that in any measurement the Uncertainty Principle emerges from the specific mechanism of the measurement.

There was a moment when some physicists believed, on seemingly sound physical grounds, that this picture of how photons interact with a beam splitter was so flawed that interferometers could perhaps evade the Uncertainty Principle.¹⁸ The argument can be made based on quotation from quantum mechanical Scripture, Dirac's *The Principles of Quantum Mechanics*.¹⁹ There one can read that photons in an interferometer travel down both arms simultaneously; furthermore, it is written that interference can only take place between a photon and itself, so the very existence of interference in a quantum mechanical world is proof of this picture. If this were taken as absolute and literal truth, then it would appear to rule out any differential radiation pressure at all, since the number of photons, and hence the recoil forces, would be identical in the two arms. Without the resulting differential recoil of the test masses, there is no quantum limit. Gravitational waves could in principle be measured with arbitrary precision. Some physicists defended this as gospel, despite the fact that the argument appeared to use quantum mechanical reasoning to disprove quantum mechanics.

The stubbornly naive were untroubled by this argument, and expected the Uncertainty Principle to hold. Some physicists read a few pages farther in Dirac's book, to the passage explaining that allowing the possibility of energy measurements, say by observation of recoil of the mirrors, causes collapse of the wave function in such a way that photons end up either in one arm or the other. (Dirac's first discussion refers to an interferometer with rigidly fixed mirrors.) The learned were saved from error by the work of Caves,²⁰ who invoked the concept of vacuum fluctuations to explain the quantum mechanical behavior of photons at a beam splitter. A vacuum electromagnetic field with zero-point fluctuations enters the interferometer through the output port; its superposition with the field from the laser causes the light to behave in the way expected from semi-classical reasoning.

4.3 Seismic noise

We have neglected to consider above another source of noise in gravitational wave detectors that is so common and important as to be essentially ubiquitous. This is what is

commonly called seismic noise, the continual shaking of the terrestrial environment due to a variety of contingent causes, ranging from small earthquakes to ocean waves driven by large weather systems to automobiles striking potholes in poorly paved streets. Such a complex phenomenon can have no simple explanation from basic physics, yet dealing with it forms a substantial part of the challenge to designers of gravitational wave detectors. (Only moving the whole detector into space suffices to remove it entirely from consideration.)

At a reasonably quiet location, the spectrum of seismic noise from 1 Hz to several hundred Hz can be approximated as

$$x(f) = \begin{cases} 10^{-7} \text{ cm}/\sqrt{\text{Hz}}, & \text{from 1 to 10 Hz} \\ 10^{-7} \text{ cm}/\sqrt{\text{Hz}}(10\text{Hz}/f)^2, & \text{for } f > 10 \text{ Hz.} \end{cases} \quad (31)$$

The magnitude of this mechanical noise background is distressingly large. The rms amplitude of the noise over this interval is of order 1 μm . The good news is that the spectrum falls with increasing frequency f . But even so, throughout the range of frequencies of interest to gravitational wave detectors it involves motions many orders of magnitude larger than would be driven by any conceivable incident gravitational wave. There is no possibility of success unless the effects of seismic noise can be strongly attenuated.

It is straightforward to see the way in which seismic noise mimics a gravitational wave signal in an interferometer. As long as the separation between the mirrors is not very small, then the seismic inputs to each mirror are effectively independent; the difference in arm lengths is driven by quadrature sum of the noise at all mirrors. The situation is a bit more subtle for a resonant mass detector. If it is suspended at its midpoint, it would appear that its internal modes should not be excited by any motion of the suspension point. However, this argument assumes perfect symmetry of the resonator about the suspension. The approximate symmetry of real systems may give several orders of magnitude of effective isolation, but the seismic spectrum is so large that additional isolation is always required.

Fortunately, the design of seismic isolators is a well-developed art. One can construct mechanical multi-pole low-pass filters that provide outstanding attenuation at frequencies well above those of the filter poles. The art of doing so was introduced to the field of gravitational wave detection by the founder, Weber.²¹

4.3.1 A simple two-pole isolator

The essence of vibration isolation can be understood using only ideas from freshman physics. Imagine that the object to be isolated has mass m . Assume that it is a rigid body, and that we are only interested in its motion x_m in a single direction. Then we can treat the object as a point mass. If it rests on the ground, it shares the ground's motion x_g , so $x_m = x_g$. To isolate the mass, replace the rigid connection to the ground with a compliant connection, that is attach it to the ground through a spring with spring constant k . Then the equation of motion of the mass is

$$m\ddot{x}_m = -k(x_m - x_g). \quad (32)$$

With the usual frequency domain ansatz $x_m(t) = x_m \exp(i\omega t)$, $x_g(t) = x_g \exp(i\omega t)$, Eq. 32 can be solved for the vibration transfer function

$$\frac{x_m}{x_g} = \frac{\omega_0^2}{\omega_0^2 - \omega^2}, \quad (33)$$

where $\omega_0^2 \equiv k/m$. The asymptotic behavior of Eq. 33 reveals the essential features of an isolator – although for low frequencies $\omega \ll \omega_0$, $x_m/x_g \approx 1$ (the mass moves rigidly with the ground), at high frequencies $\omega \gg \omega_0$, $x_m/x_g \approx \omega_0^2/\omega^2$ (the amplitude of the mass's motion falls steeply with increasing frequency.)

(The transfer function of Eq. 33 has the unphysical feature that it predicts an infinite response at the resonant frequency ω_0 . This problem is remedied if we add a damping force to our oversimplified model. Even so, an isolator does have the unfortunate feature that it gives a resonant amplification of the input noise for frequencies near ω_0 .)

So, a strategy for isolation is as follows: to isolate an experiment for signal frequency ω , construct an isolator with a low enough resonant frequency ω_0 so that the isolation factor ω_0^2/ω^2 is sufficiently small to reduce the seismically driven value of x_m to a tolerable level.

4.3.2 Isolation stacks

If it proves difficult to make ω_0 sufficiently low (it often does), another straightforward idea can often be made to work instead. Make two or more isolators with resonant frequencies as low as is convenient, then cascade them with the system you want to isolate farthest from the noisy ground. Solving for the resonant frequencies of the

coupled chain of isolators is a normal mode problem that may get complicated. But the high frequency limit of a chain of N isolators, each with resonant frequency ω_0 by itself, has the simple form

$$\frac{x_m}{x_g} \approx \left(\frac{\omega_0^2}{\omega^2} \right)^N. \quad (34)$$

In Weber’s original experiment, a vibration isolation “stack” of alternating steel plates and rubber sheets was used. No details are given in the text of his papers, but the idea was clear, and was adopted by those who followed Weber as well. Among the nice features of this isolator are: rough equality of the isolation in all degrees of freedom (since the rubber is compliant in both compression and in shear), and a small level of resonant amplification (since the rubber is rather lossy).

4.3.3 Isolation for interferometers

The pendulum that provides a low-dissipation suspension for the test mass in an interferometer also provides two poles of seismic isolation. Typically, the resonant frequency is close to 1 Hz. This single stage might almost provide enough isolation for gravitational wave measurements in the vicinity of 1 kHz, but certainly requires substantial augmentation for good sensitivity at lower frequencies. This additional isolation needs to be at least roughly isotropic, since there are a variety of cross-coupling mechanisms that can make vertical noise couple to the phase of the light beam.

The simplest way to add isolation is to suspend the pendulum from a stack of the sort used to isolate a resonant-mass detector. Since interferometers are usually aimed at having good sensitivities down to the lowest possible frequencies, there is a strong incentive to make a stack with the lowest possible resonant frequencies.

More dramatic re-engineering of the basic stack concept can yield greater rewards. The strongest effort in this direction has been made by the VIRGO group in Pisa.²² The basic idea is to build a stack based on many cascaded pendulums, but to build enough vertical compliance into each pendulum stage to give effective vertical resonant frequencies comparable to the 1 Hz resonances of the pendulum stages. In its original version, the vertical springs were air springs made of flexible bellows. This yielded impressive performance, which was improved even further when the vertical compliance was enhanced by magnetic anti-springs arranged to cancel some of the vertical stiffness. The original version would have made seismic noise negligible (compared with shot noise) for all frequencies above 10 Hz, while the enhanced version would work down to 4 Hz. The air springs did suffer from one serious drawback; the temperature

coefficient of the spring force is determined by the ideal gas law, a much stronger sensitivity than elastic springs. Drifts proved very hard to control. To remedy this problem, the system was completely redesigned, with the air springs replaced by pre-stressed steel cantilevers in the form of narrow triangular blades, supplemented with magnetic anti-springs.

4.4 Noise in resonant-mass detectors

Key features The essential complication in understanding resonant-mass detectors (as compared to interferometric detectors) is that the degree of freedom of interest is that of a simple harmonic oscillator (or a collection of them, as we'll see in the next section.) So in addition to any intrinsic frequency dependence in the noise, there is a deliberately constructed resonant transfer function in the detector itself. As we saw earlier in this review, the resonance was introduced as part of a strategy for overcoming wide-band noise in the amplifier.

The use of this strategy involves different heuristic concepts than are appropriate for interferometers. In particular, optimizing the sensitivity of a resonant detector to short bursts almost always involves choosing to average the output over times that are long compared with the length of the burst itself. Then, the measurable quantity is no longer $h(t)$, but is instead net change in the vector amplitude (magnitude and phase) of the resonator's oscillation. This in turn can be expressed in terms of the energy that the wave would have deposited in a resonator at rest.²³ If the gravitational waveform $h(t)$ has a Fourier transform $H(f)$, then that excitation energy E is (for an optimal orientation between bar and wave)²⁴

$$E = \frac{Mv_s^4}{L^2} |H(f_0)|^2, \quad (35)$$

where M is the total mass of the bar, v_s is the speed of sound in the material, L is the overall length of the bar, and f_0 is the resonant frequency.

The distinctive features are twofold: characterization of all candidate events by a single number (usually its "energy" or else $T \equiv E/k_B$), and a signal-to-noise optimization that involves choosing the right averaging time (or bandwidth).

Resonant transducers The second generation of resonant-mass detectors replaced Weber's piezoelectric transducer with a kind of a bridge circuit, in which the mechanical motion unbalanced the bridge by modulating the inductance or capacitance of one

leg of the bridge. As with piezoelectric transducers, achieving a high level of coupling has proven difficult to achieve. A standard measure of the coupling is the Gibbons-Hawking parameter β , defined as “the proportion of elastic energy of the detector that can be extracted electrically from the transducer in one cycle.”²⁵ In principle, the excitation of the bridge could be increased without limit, but in practice large fields usually lead to excess dissipation in the transducer even before electrical breakdown occurs. Transducers have been limited to working values of β of around 10^{-2} .

A heuristic way of understanding the design problem is to think of the issue as an attempt to design a transducer that makes a reasonable electrical impedance at its output appear to the mechanical system as a mechanical resistance sufficient to supply appreciable damping to the bar. With bar masses in excess of 1 ton, this may seem inordinately difficult. The good values mentioned in the previous paragraph avoided this problem by making use of so-called resonant transducers, which have been adopted almost universally since the idea was proposed by Paik in 1976.²⁶

Paik’s design called for a smaller mechanical resonator to be attached to the main resonant mass M . The resonant frequency of the smaller resonator itself (i.e. with the larger resonator “clamped”) is chosen to match that of the main resonator. The actual coupled system then has two normal modes. If the mass ratio $m/M \equiv \alpha \ll 1$, then it is easy to show that the ratio of the amplitude of motion of the small mass, compared with that of the main resonator, is

$$\left| \frac{x}{X} \right| = \frac{2}{\sqrt{\alpha}}.$$

When a gravitational wave burst interacts with such a resonant system, it will at first mainly excite the vibration of the large bar. (The Paik resonator is a small device at one end of the bar, so the gravitational wave strain has only a small baseline for creating a stretch in its spring.) The free motion of this two-mode system then exhibits “beats”, during which the mechanical energy of the main resonator’s original motion is transferred into excitation of the small resonator. During this phase of the beat cycle, the effect of the gravitational wave has been transformed into a motion $2/\sqrt{\alpha}$ times larger than in a detector without the resonant transducer. The electro-mechanical transducer is mounted so as to measure the motion of the small mass with respect to the end of the main resonator, thus presenting this larger motion to the rest of the signal processing system.

The advantage this offers in detecting weak signals is probably obvious. The larger motion generates a comparably larger electrical output from the transducer, reducing

the importance of a given level of electrical amplifier noise. Another way of seeing the advantage is to recognize the much smaller mechanical impedance required to damp the motion of the smaller mass, which means that β is increased by a factor of order α^{-1} . In present day designs, the mass ratio α is typically of order a few times 10^{-3} . The value is set in an optimization that involves not only thermal noise and additive amplifier noise but the back-action noise as well.

4.4.1 Thermal noise in resonant-mass detectors

Even though resonant-mass detectors work in a rather different way than free-mass detectors, they still benefit from low levels of dissipation. Here, one makes exactly the opposite design choice in regard to the resonant frequency – rather than trying to put all resonances outside the signal band of interest, the whole detection strategy is based on placing the resonance at a frequency where one expects signal power to be large. So, on the face of it, all of the $\frac{1}{2}k_B T$ of energy contributes to the rms scatter of the instrument's output. But it would be too hasty to conclude that there is no dependence of the effective thermal noise on the dissipation level. The typical resonant-mass detector can have a damping time of order 1000 sec, while the resonant frequency is near 1 kHz (i.e., a quality factor Q of order 10^6 .) The signal being sought might be a brief burst of radiation, lasting only a millisecond. In this brief interval, the bar's amplitude and/or phase of oscillation are altered. The characteristic time for such changes due to thermal noise is the damping time. So only a small fraction of the thermal noise power is relevant in the detection process. For this reason, low dissipation can be as valuable in resonant-mass detectors as in interferometers.

To make the analogy with free-mass detectors clearer, we can make a frequency domain version of the argument in the previous paragraph. It is most convenient to consider the comparison between the thermal noise driving force, Eq. 14, and the force exerted by the gravitational wave on the detector. A brief burst of gravitational waves will have a broad spectrum; its matched filter will admit power over a wide band. The thermal noise force power spectrum that may obscure the effect of the gravitational wave is broad-band as well; if the dissipation in the bar has the form of velocity damping, then the spectrum is white. The amplitude of this broad band noise spectrum is proportional to the amount of dissipation. So the signal to noise ratio will be better, the smaller is the amount of dissipation.

An expression for the minimum detectable noise ΔE_{\min} (at the 1σ level) is²⁷

$$\Delta E_{\min} \approx 2k_B T \frac{\tau_s}{\tau_d}, \quad (36)$$

where T is the temperature, τ_s is the averaging time, and τ_d is the damping time of the bar. In this case (where we assume only thermal noise is important), it is clear that the shorter the averaging time the better the sensitivity.

4.4.2 Readout noise in a resonant-mass detector

Most of the issues of readout noise discussed above for interferometers were first faced in the context of resonant-mass detectors. We have inverted the historical order solely for pedagogical reasons; the physical origin of readout noise in an interferometer is transparent, and nominally free masses make a more straightforward analogy to the Heisenberg microscope than does the complex amplitude of a resonant mode. A key role was played by Braginsky²⁸ in calling attention to necessity of understanding these issues in resonant-mass gravitational wave detectors.

Transducer model The transducer is treated as a black box, in the form of a two-port network, emphasizing the fact that the system has a single input port and a single output port. Unlike the two-ports usually studied in electrical engineering classes, the transducer changes the dimensions of the signal: a mechanical motion at the input is converted to an electrical signal at the output.

One such device is a seismometer pickup: a permanent magnet attached to the end of the bar, arranged so that it moves back and forth in the vicinity of a conducting coil whenever the bar vibrates. Motion of the mechanical system generates an electromotive force in the coil that can be electrically amplified and recorded.

In gravitational wave detectors, the transducers usually involve a reactance (i.e. an inductance or a capacitance) whose value is modified by relative motion between the transducer mass and the end of the bar. This generates an electrical signal by virtue of the fact that the reactive component is placed in one leg of a bridge circuit. This kind of transducer is a passive device. It can add noise if its level of dissipation is large enough so that thermal noise is important.

There has also been development of parametric transducers, in which a balanced bridge (two counter-varying reactances) is excited at microwave frequencies. This is the kind of transducer used on the UWA detector.²⁹ There is a deep analogy between

this kind of transducer and an interferometer.³⁰ This means that there are both extra benefits (gain in the transducer) and extra complications (such as noise in the oscillator that excites the bridge.)

Pre-amplifier The remaining essential part of the readout system is the low noise pre-amplifier, whose job is to transform the tiny electrical output of the transducer into a signal large enough so that it can be recorded. One needs the noise to be as low as possible. To describe the noise, and to understand how it affects the detection process, is valuable to consider a general black box representation of a noisy amplifier as a kind of a two-port network, just as we did for the transducer. Other than the trivial difference that this two-port is an all-electric device, there are two key differences between this kind of two-port and the model transducers discussed above. One is the fact that the amplifier has gain, i.e. it can supply more energy at its output than is supplied by its input. The other is the existence of two sources that represent the generation of noise. They are usually represented as a voltage source and a current source at the input of the two-port network; this is especially convenient, and has wide generality, but is only one of several equivalent ways of representing the noise. More on the general theory of noisy two-port networks can be found in the pioneering paper by Rothe and Dahlke.³¹

It is interesting to pause to inquire why two noise sources are necessary. Recall the Helmholtz theorem, often known in specialized forms as Thévenin's theorem or Norton's theorem.³² The essence of the theorem is that an arbitrary network of sources and passive components can be represented, as far as its behavior at a given port is concerned, by a single source and a single impedance. But we are dealing here with a network in which two ports are relevant. At each port, one needs an impedance and a source, or their equivalents elsewhere in the circuit. It is traditional to replace the source at the output with an equivalent noise source at the input, whose strength is smaller than the output noise by a factor of the amplifier gain.

These two noise sources play different roles in the measurement process. There is one noise source that is physically present at the input, causing an influence on the system (here the electromechanical transducer) that is attached to the amplifier input. In the jargon of gravitational wave detection, this noise is responsible for "back action", since noise at the input of the pre-amp is thereby applied to the output end of the transducer, where it can cause a mechanical noise force at the transducer input; this is in turn attached to the resonant-mass detector proper. More on this below.

The second noise source (the one replacing the output noise source) is usually re-

ferred to as “additive noise”: it is added to the amplified signal by the time it appears at the output, without causing any physical effect on the system hooked up to the input.

Amplifier noise in resonant-mass gravitational wave detectors, and the “amplifier limit” In contrast to our discussion of detection strategies in the case where thermal noise dominates, we here discuss the case when additive amplifier noise is the only important noise source. Then, we can best search for a brief burst of gravitational radiation by performing a cross-correlation between the system output and a template consisting of a sinusoid at the mechanical resonant frequency that is damped with the same time constant as the resonance itself. In other words, we look for responses that look like the test mass system suddenly set into resonance. The signal can arrive with any phase of course, so we need to keep track of both sine and cosine components with the bar’s damping time. A two-phase lock-in amplifier can be set up to perform exactly this form of averaging.

In this case the energy sensitivity of the detector is given by²⁷

$$\Delta E_{\min} \approx k_B T_n \frac{\lambda + \lambda^{-1}}{\pi \beta \tau_s f_0}, \quad (37)$$

where T_n is the noise temperature of the amplifier, λ is the ratio of the transducer output impedance to the amplifier noise impedance, β is the Gibbons-Hawking coupling parameter, and τ_s is the averaging time.

Consider the post-detection bandwidth implied by this prescription. The output of the cross-correlation described above is hardly affected if we displace the template with respect to the signal time series by one or even several cycles of oscillation. For there to be a substantial change in the value of the cross-correlation, the template must be displaced by a duration of order the damping time of the mechanical resonance. This means that, if the signal-to-noise ratio is not large, the arrival time of the impulsive gravitational wave signal will be uncertain by of order the damping time. In other words, the post-detection bandwidth Δf of such a signal extraction system is narrow, of order

$$\Delta f \approx 1/\tau_d.$$

For a a quality factor of 10^6 , this bandwidth is very narrow indeed. Increased bandwidth could be achieved, of course, at the expense of the signal-to-noise ratio, by averaging the output time series for a shorter time than the bar’s damping time τ_d .

Combined optimum in the presence of thermal noise and additive amplifier noise

When both kinds of noise are present at substantial levels, the best strategy is neither the rapid readout appropriate to thermal noise nor the long averaging time that would be best for amplifier noise. A broad-band output filter will admit too much amplifier noise. Using the narrow-band prescription appropriate to the amplifier-dominated case filters out much thermal noise, but also most of the signal power. Obviously, the optimum in the combined noise case lies somewhere between the extremes, where the net noise contributions from thermal noise and amplifier noise are equal. Then, the energy sensitivity of the detector is given by²⁷

$$\Delta E_{\min} \approx 2k_B T \frac{\tau_s}{\tau_d} + k_B T_n \frac{\lambda + \lambda^{-1}}{\pi \beta \tau_s f_0}, \quad (38)$$

where the averaging time is now to be chosen in such a way as to minimize the sum of the two terms.

The larger is the transducer's coupling β , the smaller is the importance of amplifier noise in units of gravitational wave strength. In the limit of large β , the bandwidth of resonant-mass gravitational wave detector can approach that given by the thermal noise limit, where the matched template is the signal waveform itself.

For detectors with resonant transducers, bandwidth is also limited by the splitting between the coupled modes of the bar-transducer system. There is a competition between two effects: a small transducer mass gives a large mechanical amplification but a small mode splitting. In the time domain, this would be described as a long beat period; after a signal excites the bar one has to wait for a substantial fraction of the beat period for energy to be transferred to the motion of the transducer mass. This competition could be evaded by the construction of multi-mass transducers with a gradation from intermediate to tiny masses.³³

Resonant-mass gravitational wave detectors built to date have almost always been substantially under-coupled to their amplifiers. First-generation bars of Weber's type, in which the transduction was performed by piezoelectric transducers glued around the belly of the cylindrical mass, could only achieve coupling factors of order 5×10^{-6} . One variant constructed by the Glasgow group did achieve a large β .³⁴ It consisted of a cylindrical bar that had been split in half, then reassembled with a layer of piezoelectric material in effect forming the spring attaching the masses at either end. This design is the closest approach ever to Weber's original vision of a single massive piezoelectric mass as an antenna. In spite of these impressive parameters, the Glasgow bar was never even the most sensitive gravitational wave detector of its day, because the poor

mechanical Q of the piezoelectric material gave a large amount of thermal noise.

4.4.3 The quantum limit in resonant-mass detectors

One of the key features of Rothe and Dahlke's model of a noisy two-port network is the necessity to describe the noise with two generators, one directly limiting measurement precision and the other disturbing the system being measured. This is reminiscent of concepts most students of physics learn about in the context of quantum mechanics. In fact, quantum mechanics sets a minimum level of amplifier noise that can be expressed in terms of this pair of noise generators.

Quantum mechanical noise in an electrical amplifier A paper by Heffner in 1962 derived the quantum mechanical limit on amplifier noise;³⁵ its relevance for the gravitational wave detector problem was discovered by Giffard in 1976.³⁶ What Heffner showed was that, unless an electrical amplifier had a minimum level of noise, it could be used to make measurements of an electrical signal at frequency f that evaded the Uncertainty Principle

$$\Delta n \Delta \phi \geq \frac{1}{2},$$

where Δn is the uncertainty in the number of photons at the frequency f , and $\Delta \phi$ is the uncertainty in the measurement of the phase of the signal.

The amplifier noise that just barely allows measurements at the Uncertainty Principle limit is given by

$$\sqrt{S_v(f)S_i(f)} = \left(\ln \frac{2 - 1/G}{1 - 1/G} \right)^{-1} 2\pi \hbar f.$$

In the limit of large gain G , this limit becomes

$$\sqrt{S_v(f)S_i(f)} = \frac{1}{\ln 2} 2\pi \hbar f. \quad (39)$$

The combination of voltage and current noise power spectra represents yet another pair of conjugate variables governed by an uncertainty relation. This product is proportional to the noise temperature T_n of the amplifier, defined by $k_B T_n \equiv \sqrt{S_v(f)S_i(f)}$.

In the earliest days of the search for gravitational waves, the possible implications of such an amplifier sensitivity limit for the sensitivity of gravitational wave detectors were ignored. Neither Weber's papers nor the canonical theoretical analysis by Gibbons and Hawking mention such a limit. Eventually, cooler heads came to contemplate the fact that gravitational wave detectors ought to obey the Uncertainty Principle.

The electro-mechanical Uncertainty Principle Giffard gave the adaptation of this argument to the electro-mechanical case. His argument is so brief that it is almost hard to state. He points out that the functions of transducer and pre-amplifier together can be thought of as a so-called “mechanical amplifier”, a two-port network whose input terminal receives a mechanical signal, but whose output is electrical.

From this, Giffard shows that the Uncertainty Principle requires that unless a gravitational wave signal has a minimum size, no linear gravitational wave detector will be able to register its arrival. He expressed the minimum size in terms of the energy U_s that the wave would deposit in a resonant detector initially at rest. The quantum mechanical limiting sensitivity is

$$U_s > 4\pi\hbar f.$$

As worded above, this argument can seem rather abstract. A heuristic description makes it as vivid as any of Bohr’s *gedanken* experiments. In a mechanical amplifier, a crucial quantum mechanical role is played by the back action from the noise source that the Helmholtz Theorem places at the amplifier input. The force noise generator at the mechanical amplifier input (caused by electrical noise acting backwards through the transducer) perturbs the delicate mechanical system, here the resonant-mass system itself. Just as in the Heisenberg microscope, any design trade-off made in an attempt to reduce the position noise ends up increasing the momentum impulse applied to the system being measured.

5 History of resonant-mass detectors

We now turn from a discussion of physics *per se* to a review of the way in which one assembles working gravitational wave detectors in light of the physical principles governing them. We will take a quasi-historical framework for this discussion, as a pedagogically sensible way of grappling with the issues involved. In this section, we will take the chronologically-motivated choice of treating resonant-mass detectors first; then we will start from scratch the overlapping history of interferometric detectors.

By 1966, Joseph Weber had constructed a complete working detector, and by 1968 was reporting coincident observations between detectors separated by 1000 km. The detector contained versions of every essential feature in resonant-mass gravitational wave detectors today, except for the facts that it operated at room temperature and that it used non-resonant strain transducers for its readout. The story of the development of

the field since then can be seen as embodying a few key accomplishments: replication of Weber's detectors accompanied by a failure to confirm his claimed detection, clarification of the optimum way to detect gravitational wave signals in a noisy detector and of the sorts of technological developments that could lead to improved detector sensitivity, and the staged implementation of new generations of detectors embodying the improved technology.

5.1 Weber's detectors as gravitational-wave detection systems

All of the important elements that make up a working gravitational wave detector are described in Weber's 1966 *Physical Review Letter*.²¹ Looking at the signal chain from the front end, we see first the large $1\frac{1}{2}$ ton aluminum cylinder whose fundamental longitudinal mode at 1657 Hz interacts with any incoming gravitational wave. Around its midsection are glued the quartz transducers that give, through the piezoelectric effect, electrical signals proportional to the strain in the aluminum cylinder. Signal leads from those transducers pass through acoustic filters and through the wall of the vacuum chamber, then are connected via another acoustic filter to a superconducting inductance that serves as a "tank circuit" at the input of the low-noise pre-amplifier (whose noise temperature is 50 K.) The output of the pre-amp is connected to further amplification. There follows a rectifier for generating a positive-definite signal proportional to the power out of the amplifier. The end of the signal chain is a recording device, which in 1966 consisted of a pen-and-ink chart recorder.

Another aspect of the detector is the means used to prevent its being excited by influences other than gravitational waves. Isolation against mechanical influences in the form of acoustic or seismic noise is shown clearly in the diagram. Direct acoustic excitation is prevented by the placement of the key parts of the experiment inside a vacuum chamber. Transmission of vibration through the signal leads is attenuated by the acoustic filters mentioned above. The path for vibrations from the floor must pass through a pair of isolation stacks each consisting of three stages of rubber pad / steel block isolators; the aluminum bar is further isolated by a pendulum suspension consisting of a single wire sling that supports the bar about its middle. The top ends of the wire are attached to a beam that spans the space between the isolation stacks.

Further progress in reducing the sensitivity of his bar to spurious external influences enabled Weber to make his 1969 claim of "Evidence for discovery of gravitational radiation".⁸ One aspect of this progress consisted of augmenting the electromagnetic

shielding of his devices, after tests revealed some sensitivity. A seismometer array was also used to check for correlations between strong vibration of the ground and large detector outputs. But by far the most important system element in this regard was the construction of multiple copies of the complete detector system, and their deployment at spatially separated locations. The network in 1969 consisted of one bar of 66 cm diameter and 153 cm length (for a resonant frequency of 1657 Hz) located at the Argonne National Laboratory in Illinois, and five other resonant-mass detectors located at the University of Maryland. One bar at Maryland, whose properties matched closely the Argonne bar, was used together with it to look for coincident excitation. Some use of the outputs of the additional bars was made, but the procedure is poorly described.

5.2 Weber's observational program

Weber's ongoing research program was concerned with looking for further evidence that the coincident events were real (i.e. not statistical accidents) and that they were in fact due to gravitational radiation. A Physical Review Letter of 9 February 1970³⁷ discusses the statistics from several interesting points of view. The claim that the events are real is buttressed by calculation of the rate of accidental coincidences. For the whole range of threshold levels considered, the number of coincidences exceeds the expected accidental rate by about an order of magnitude. Another even more convincing piece of evidence comes from carrying out a search for coincidences between the output of the two detectors using a scheme in which one of the detectors' outputs was delayed by two seconds, enough to remove any correlation due to excitation by gravitational wave impulses. Just as one would hope, only a small number of coincidences occurred between the offset data streams, at a level consistent with accidentals.

Still another convincing piece of evidence was revealed in a Phys. Rev. Letter of 20 July 1970.³⁸ In it, Weber uses the classic astronomical test of testing for correlation of his event rate with sidereal time. Jansky's claim for the extraterrestrial origin of his observed radio noise had been buttressed in just this way; more recently, Jocelyn Bell had convinced her reluctant thesis advisor Hewish of the extraterrestrial nature of her pulsar signals by a similar test. Weber took advantage of the fact that the response of a cylindrical bar is anisotropic, and that the axes of his bars were oriented East-West, so that their sensitivity pattern was swept across the sky by the rotation of the Earth. The histogram of events vs. sidereal time reveals a substantial anisotropy (of order a factor of two) that peaks when the right ascension of the galactic center crosses the meridian

at the mid-point between Maryland and Argonne, and again 12 hours later (as would be expected from the symmetry of the antenna pattern and the transparency of the Earth to gravitational waves.) A similar histogram plotting coincidences against the solar time of their occurrence is flat within statistical errors.

One disturbing consequence follows from this observation, if one adopts the natural hypothesis that the sidereal anisotropy indicates that gravitational wave events are originating in the galactic center. Making other reasonable assumptions about the bandwidth of the signals, Weber is led to the conclusion that perhaps as much as $1000 M_{\odot}$ per year is being converted into gravitational waves. It is not clear what to make of the inference that the galaxy would be entirely consumed in much less than a Hubble time at such a rate of gravitational luminosity. Weber mentions as possible ways out anisotropic emission from the sources (or focussing of the waves) in such a way that we see higher than average flux, or the possibility that his detector is not working in a linear regime, but is instead being stimulated by very weak gravitational waves to release energy stored in metastable states.

5.3 Early response to Weber's claims

Weber's claims attracted a great deal of attention. The experimental evidence appeared very strong. The problems with the energetics of the events could be taken as a strong counter-argument, but they could also be interpreted as a demonstration that a truly remarkable discovery was being made. The review "Gravitational-Wave Astronomy" by Press and Thorne in 1972's *Annual Reviews of Astronomy and Astrophysics*³⁹ gives testimony to the significance that was attributed to Weber's claims, with its extensive bibliography (completed in December 1971) of papers grappling both with the theoretical consequences of Weber's claims and with experimental ways to improve upon the sensitivity of Weber's detectors. The perceived stakes in the controversy are shown by the three-paragraph introductory section, which is mostly devoted to balancing the possibility of breakthroughs in the making against the alternative that Weber's results are mistaken. This first section concludes with a paragraph, remarkable in a review article, questioning the very urgency of its subject:

We (the authors) find Weber's experimental evidence for gravitational waves fairly convincing. But we also recognize that there are as yet no plausible theoretical explanations of the waves' source and observed strength. Thus, we feel we must protect this review against being made irrelevant by a possi-

ble “disproof” of Weber’s results. We have done this by relegating to the end of the article (Section 6) all ideas, issues, and discussions that hinge upon Weber’s observations.

Both the theoretical speculation about sources and the quest for better ways to detect the waves are in evidence in one of the most influential papers of this or any other epoch in the search for gravitational waves. Gibbons and Hawking, both renowned for work rather far removed from experimental physics, wrote in late 1970 the very practical “Theory of the Detection of Short Bursts of Gravitational Radiation”.²⁵ The introduction presents Weber’s results as established facts. Section II of the paper discusses possible sources, discussing with equanimity but at some length the extreme gravitational luminosities required. The rest of the paper is devoted to the theory of detecting weak gravitational wave bursts in the presence of noise, and to a clear and original set of proposals for maximizing the signal-to-noise ratio of detectors. Some of one’s surprise at the authorship of this paper may be alleviated upon reading the thanks for insights and ideas given (at two places in the text and in the Acknowledgment) to P. Aplin of Bristol University, a very original experimentalist who published little on this subject under his own name.⁴⁰

Gibbons and Hawking pointed out that Weber’s own treatment of the theory of gravitational wave detectors, written before he started his observations, had been aimed at their response to steady sinusoidal signals. As such, it gives a misleading idea of the value of the high- Q resonance that characterizes Weber-style detectors. This lack was remedied by Gibbons and Hawking, who (with thanks to Aplin) point out that the low dissipation of a high- Q system means that the level of thermal noise power is low. They go on to show that the high- Q resonance is also of crucial importance in minimizing the effect of Johnson noise in the transducer, here playing the role we would generally call amplifier noise. (A weakness of this light treatment of amplifier noise is that it leaves out the back action effects that enforce the Uncertainty Principle.)

As we saw previously, Gibbons and Hawking noted that there is in fact a competition between these two benefits of low dissipation. To minimize thermal noise, one wants to integrate the output for as short a time as possible, to give the random walk of the resonator’s complex amplitude the least opportunity to mask a signal. On the other hand, the importance of transducer/amplifier noise is minimized by integrating for as long as practicable, so that the gravitational wave signal competes with as small a bandwidth of the broadband noise as possible. Gibbons and Hawking showed how

to derive the optimum averaging time that minimizes the total noise from these two sources. In so doing, they noted that the averaging time depends on the dimensionless coupling parameter they called β , the definition of which we gave above in Section 4. For Weber's detector they give an estimate of $\beta \approx 5 \times 10^{-6}$.

Gibbons and Hawking go on to note that a large value for β would have two benefits: improving the signal-to-noise ratio by making the gravitational wave signal appear as a larger electrical signal, while simultaneously changing the balance between and thermal noise and electrical noise in the direction that causes the optimum sensitivity to be obtained with shorter integration times. In other words, a larger β would yield better sensitivity and high bandwidth. To obtain these benefits, they discuss a novel configuration, proposed by Aplin, that has come to be known as a "split bar". It consists of two large masses (two "ends" of a bar split in half) joined to each other by connection to either face of a layer of piezoelectric material. The benefit comes from the fact that, in this configuration, the piezo is actually functioning as the dominant spring in the system; by storing the bulk of the elastic energy, it is able to produce a larger amount of electrical energy. (In many ways this harks back to Weber's original proposal to make the bar entirely of piezoelectric material.)

Gibbons and Hawking sketch the details of a detector of this sort, in which lead zirconate titanate (PZT) is substituted for crystalline quartz (used by Weber) because of its larger piezoelectric coupling constant. Then, in spite of the fact that the thermal noise power is increased because the piezo is a rather lossy spring, the sensitivity should be increased by more than a factor of 10 in energy compared with Weber's detector. At the same time, the optimum sampling time is shortened to 1 msec, so that more detailed information can be extracted from the signal.

In passing, Gibbons and Hawking also note that Weber uses a less than optimal way of searching for gravitational wave events. His definition of an event is a noticeable increase in the energy in the bar's fundamental mode. But a gravitational wave impulse will only increase the energy if it arrives with a particular phase relationship to the bar's previous excitation. If the wave arrives with a different phase, the bar's energy may be decreased, or the effect may instead primarily change the phase of the bar's vibration. They estimate that this means Weber saw only about 1/4 of the events exciting a given bar. And, since the two bars being used for a coincidence have independent phases, only $(1/4)^2 = 1/16$ of the detectable coincidences would have been registered by Weber's technique. This makes the question of the source of the gravitational luminosity that much more difficult to resolve. But it also means that, if Weber's results were real, even

more events should be detectable.

Whatever mysteries there may have been regarding Weber's claims that he was detecting pulses of gravitational waves, if they were true they represented one of the most important astronomical and physical discoveries of the 20th century. So it is no surprise that a number of other workers decided to construct gravitational wave detectors. And quite naturally given Weber's apparent success, most of these detectors were built quite a bit like Weber's. Success looked as if it should come quickly. Although it had taken Weber about a decade, working alone, to design, build, debug, and operate his detectors, those who wanted to follow the recipe he had developed needed much less time. As Weber himself described it:⁴¹

The scheme that works is not very difficult to set up and costs about \$25 000, excluding pay for the senior physicists involved. Once set up, the instrumentation has run without problems for a little longer than a year and a half. Furthermore, the instrumentation requires a skilled technician about a month to construct. It requires a physicist about two days, starting with an open vacuum chamber to put crystals on the apparatus and make the necessary adjustments to see coincidences. In view of the relative simplicity of the working instrumentation, it seems reasonable to suggest that others start in this way.

A group at Frascati⁴² built a detector as close to Weber's as possible, including a close match with his resonant frequency of 1660 Hz. The Munich group of Billing and Winkler⁴³ also built a quite similar bar. At Moscow State University, a group led by Braginsky constructed another bar that matched Weber's rather closely. At Bell Labs, Tyson⁴⁴ began a program of construction along Weber's lines, with less concern to match all of his parameters exactly — the resonant frequency of his largest bar was 709 Hz. At IBM Labs, Garwin and Levine⁴⁵ built a small bar of Weber's style; they were convinced that they could improve upon Weber's statistical methods sufficiently to make up for poorer noise levels. Aplin,⁴⁰ on the other hand, began to construct a split bar along the lines he had suggested to Gibbons and Hawking. Although he did not succeed in carrying that work through to completion, the idea (and some of the equipment) was taken up by Drever's group in Glasgow.³⁴ There were also efforts started at Reading and Regina, and in addition, the second generation detectors of much greater sensitivity were planned by groups at Stanford, LSU, and Rome. (More about these later.)

As Weber had predicted, results began to become available very quickly. Unfortunately, it also soon became apparent that no one else was seeing results that looked anything like Weber's. By the time of the 6th Texas Symposium on Relativistic Astrophysics (held in New York December 18-22 1972),⁴¹ several groups were ready to come forward with claims of null results at sensitivities comparable to or better than Weber's. Tyson made the strongest claims for the unreality of Weber's signals, based both on his own failure to find them in his single detector (at sensitivities better than Weber's) as well as his claims that Weber's electronics was too noisy even to record Brownian motion in his bar. Kafka, representing the Frascati and Munich groups (who performed observations in coincidence), was able to report only preliminary results (delivered to him by telegram) of five days of observations, but the failure to find any statistically significant number of coincidences was in strong contradiction to their expectations if Weber's claims were correct. Drever also reported negative results from the high-bandwidth split bar at Glasgow; he, however, tempered his claims of conflict with Weber by noting that his detector would only be expected to see Weber's events if they were of a few milliseconds duration (an assumption that was plausible but by no means certain.)

5.4 Resolution of the Weber controversy

Over the next year and a half, there was an intensive concentration of effort to attempt to resolve the controversy. The groups listed above continued to accumulate data, none of which confirmed Weber's claim of a substantial flux of strong gravitational-wave pulses. New negative results from Garwin and Levine of IBM Labs were reported in a strongly-worded series of articles in *Physical Review Letters*.⁴⁵ Their work was carried out in the explicit belief that Weber's results were spurious, and could be shown to be so by the use of a single detector of well-characterized performance, even if that detector was small. (The titles of the three articles are miniature masterpieces of polemical style: "Absence of Gravity-Wave Signals in a Bar at 1695 Hz", "Single Gravity-Wave Detector Results Contrasted with Previous Coincidence Detections", and "New Negative Result for Gravitational Wave Detection, and Comparison with Reported Detection.") The first results to be reported came from a bar with a mass of 118 kg, the second from a 500 kg bar. Compare with the mass of Weber's principal detectors, 1500 kg.

The letters of the IBM group present the statistics of the noise output of their detectors, along with a careful tutorial on the theory of extracting impulsive signals from

noise. This latter theme can be thought of as an explication of the signal processing scheme proposed (in rather telegraphic style) in Gibbons and Hawking's 1971 paper. The key idea was not to rely on net increase in the energy of the bar, but to look for sudden changes, of either sign, in either the magnitude or phase of the detector's complex excitation. The thrust of the papers is that if Weber's results were correct, then even their less massive single detector ought to show substantial departures from the Gaussian distribution of excitation expected on the basis of thermal and amplifier noise alone. The near-perfect Gaussian fit to their data then constitutes an apparent contradiction of Weber's results.

An important argument used to buttress the claim that the IBM detector was well understood was the application of electrostatic calibration forces to one end of the bar, and the successful detection of those events (within the statistical limits set by the signal-to-noise ratio) by the data processing system. Tyson's 1972 presentation to the Texas meeting had previously emphasized the importance of this fundamental practice of experimental physics, as did the remarks of both Kafka and Drever. Levine and Garwin take Weber to task for having failed to use any calibration method, either as a check of his instruments' front ends or of his data analysis procedure.

A more subtle implicit argument against Weber's work is suggested to the reader of these papers by their admirable clarity, as contrasted with the rather Delphic pronouncements that fill Weber's own contributions to *Physical Review Letters*. Levine and Garwin make this explicit at one point when they compare their results with their best guess at how Weber's would be expressed in similar (sensible) units, complaining "We are thus forced to estimate these quantities, while noting that such information is easily obtained by the experimenter and is normally provided in the publication of a detection experiment."⁴⁶

Garwin led a crusade against Weber's claims at the Fifth Cambridge Conference on Relativity (CCR-5), held at MIT on 10 June 1974.⁴⁷ Among the topics discussed was 1) an error in the computer program used by Weber to identify coincidences, shown to generate nearly all of the coincidences in the one data tape shared by Weber with other researchers, and 2) the puzzling feature of Weber's histogram of coincidences versus time delay showing a peak at zero delay in only the central 0.1 second wide bin, in spite of the fact that a 1.6 Hz wide bandpass filter was said to be part of the signal processing chain. But the most spectacular event of the discussion was what even those sympathetic to Garwin's cause might have felt was a trick that bordered on unsportsmanlike conduct. Weber had been given data from the detector of Douglass's group

at the University of Rochester, to search for excitations in coincidence with Weber's own detectors; Weber reported at previous meetings that he had detected an excess of coincident events at a level of 2.6 standard deviations above the expected chance rate. According to Garwin's account in a letter to the editor of *Physics Today*,⁴⁷ "At CCR-5 Douglass revealed, and Weber agreed, that the Maryland Group had mistakenly assumed that the two antennas used the same time reference, whereas one was on Eastern Daylight Time and the other on Greenwich Mean Time." No stronger way can be imagined of impressing the community with the possibility that Weber was able, by some means, to find coincidences among any two data streams, whether the coincidences actually existed or not.

A panel discussion with almost precisely the same cast of characters as that of the 1972 Texas Symposium was staged at the 7th International Conference on General Relativity and Gravitation in Tel Aviv, June 23-28, 1974.⁴⁸ The plot, Weber's lonely claims of detections contradicted by the null results of the others, was also unchanged — the only substantial difference is that Weber's critics had had time to carry out more extensive searches and more careful data analysis. By this time, the Bell Labs group had carried out a coincidence run with an identical bar at the University of Rochester, operated by Douglass. The Munich group (which had by then incorporated the previously independent Frascati group) reported on the results of 150 days of coincident observations. Drever gave a report of a more extensive data run, seven months that had concluded in April 1973, yielding only one candidate coincidence; although this event could not be ruled out as a possible gravitational wave detection, neither could it be positively established as such in spite of the low probability that was estimated for it to have occurred by chance. (The detectors were only 50 m apart, and so may have both been driven by some other kind of influence.) In any event, Drever was able to show that the Glasgow experiment did not show the sort of event rate predicted by Weber's experiment, except under rather implausible assumptions about the nature of the individual gravitational wave pulses. Tyson also briefly reported on the negative results from Garwin and from Braginsky.

How did the physics community deal with these contradictory results? This is an almost classic example of attempted replication of an important claim, but with both opposing camps standing firm in their beliefs that their own results were correct. Valuable insight into the difficulties this situation posed to scientists can be found in the work of sociologist of science Harry Collins, who interviewed many of the principal actors during this period. His results are well worth consulting, even though the quotes

from the interviews are reported without identifying the individual speakers.⁴⁹

The other key resource in the written record is the transcripts of the open discussions at the 1972 and 1974 panels. Both Kafka and Tyson point out strongly that Weber (usually) uses a far-from-optimal statistical method to look for signals. Tyson also comes close to accusing Weber of fraud; the method by which Weber has deluded himself and others is said to be continual “tuning” of the statistics used to search for coincidences, with choice of algorithm and threshold being chosen for each data set in such a way as to maximize the apparent statistical significance. (A similar suggestion was also made by Levine and Garwin.⁴⁷) Weber denies this, but in some of his remarks appears to support the accusation by using *ex post facto* reasoning to justify particular choices of pulse-detection algorithms: his test of which method is optimal is which gives a larger number of coincidences, and the choice can vary from one data set to another.

For his part, Weber appears to have believed that the results that contradicted his own did not constitute fair tests of his work, since they were not carried out in an identical way. This may strike some readers as disingenuous, since several of the other detectors were quite close copies indeed of Weber’s apparatus. But it appears to be an honest reflection of Weber’s belief that he was in fact detecting gravitational waves, and if others couldn’t see them there must be something subtly wrong with their detectors. To this day, he continues to claim ongoing detections of gravitational wave pulses with his apparatus.

5.5 Beyond the Weber era

One of the most interesting features of the Panel Discussion at GR7 was the time spent predicting the future of the field. Both Tyson and Drever gave optimistic predictions for future progress; both have been borne out faithfully, although at slower rates than either would have hoped to see. Tyson described the efforts already begun in 1974 (by groups at Stanford, Louisiana State University, and the University of Rome) to construct Weber-style detectors that were cooled by liquid helium to temperatures of a few degrees Kelvin. The obvious benefit, to reduce the Brownian motion noise (with power proportional to $k_B T$), is important. So, too, is the less obvious benefit that much quieter amplifiers are available at low temperature — these are the Superconducting QUantum Interference Devices, or SQUIDS.

Drever’s prediction for future progress focused primarily on inteferometry, the other

direction that subsequent history has in fact proven fruitful. It is a brief sketch, without any details or attribution, but still remarkably prescient. Drever starts from the premise that Weber's claimed detection of gravitational wave signals is most likely wrong. Then, he says, the point is no longer to try to verify or extend Weber's results, but instead to ask from first principles what might be the best way to probe the possible existence of gravitational waves, over the widest possible range of properties. Not only is improved sensitivity important, but the ability to look for a variety of signal types over a broad range of frequencies. Drever's own belief in this strategy can be inferred from his having adopted the wide-bandwidth Aplin-style split bar, and from having used the Glasgow detectors not only to search for brief pulses but also for a stochastic background of gravitational waves.

But it was difficult to push this strategy much farther, since the thermal noise in this kind of detector was very large; the losses came predominantly from the piezoelectric material that here serves not only as a transducer but as the primary "spring" for the resonant system, and hopes for reducing them would depend on a program of materials research with uncertain prospects at best. (Note that in the original Gibbons and Hawking paper, the split bar is argued for as the quickest way to give a substantial step in sensitivity, with the explicit assumption that since Weber was already detecting gravitational waves in a sub-optimal way, any sizeable increment in sensitivity would immediately yield important dividends.) Instead, Drever recognized the kindred broadband sensitivity inherent in the proposal to build interferometric detectors and, with the prospect of placing the test masses very far apart, the possibility of substantially improved sensitivity as well.

Drever expanded on the themes mentioned briefly at GR7 in a graceful review first given as a talk to the Royal Astronomical Society in 1976, published as an article in 1977.⁵⁰ By 1978, when *Annual Reviews of Astronomy and Astrophysics* published its second review of the subject "Gravitational-Wave Astronomy", the authors Tyson and Giffard could write a much more mature piece than could Press and Thorne in 1972.⁵¹ The style is more formal and less heuristic. There is less discussion of rather far-fetched possible sources of gravitational waves, but in its place a much more complete treatment of the theory of extracting weak impulsive signals from the output of a resonant detector. After a summary of the history of the work of Weber and of those who followed him, the authors write

It must be concluded that the interpretation of the Weber events as gravita-

tional wave pulses is erroneous, since there is no corroborated evidence to date either for an excess number of coincident events or any sidereal correlation.

Similar thoughts, more precisely focused, were expressed in a 1978 paper (written too late to be mentioned by Tyson and Giffard) by Kafka and Schnupp, giving the “Final Result of the Munich-Frascati Gravitational Radiation Experiment.”⁵² They write that “Although the non-existence [of Weber’s pulses] became obvious a long time ago, it still seems appropriate to publish our final negative result, because our experiment was as similar to Weber’s as possible, whereas all other coincidence experiments deviated in one way or the other.... Moreover, we think we have set the lowest upper limits obtained by Weber-type experiments over a reasonable long period of observation”, spanning 580 useful days of common observations of the two detectors. The main result of this paper is the null result that the statistics of the coincident excitation of the two detectors was just what would be expected from the laws of chance, given the noise levels in the detectors. Without mentioning Weber specifically, Kafka and Schnupp do remark that

Scanning our whole data, we could, of course, find periods of a few days, for which at some pair of thresholds the number of coincidences was up to more than 3 standard deviations higher than the average over the various time delays. However, the same was true for arbitrary delays, and zero delay did not seem to be distinguished in any obvious way. However, one should not forget: If one searches long enough in our finite sample of data, one must find some complicated property which distinguishes zero delay significantly from the others. (Again this is true for an arbitrary delay, but with a different property.)

The paper goes on to pay special attention to two periods, totaling 67 days in length, when the operation of the Munich-Frascati experiment overlapped with times for which the Weber group claimed to have detected substantial rates of coincidences with its own detectors. The authors write: “These results do not give the slightest hint of a simultaneous influence on both detectors. If the significant observations reported by Weber’s group for these two periods had been due to gravitational radiation of any kind, they should have shown even more significantly in our experiment.” The mention of “any kind” of signals refers to the fact that the present authors used not only the vector-difference algorithm that is optimal for short pulses, but also used for these 67 days

the algorithm preferred by Weber, which would be more sensitive for very long wave trains that gradually excited the antenna. Kafka and Schnupp conclude this section by remarking that “we do not have an explanation for Weber’s observations”, although they suggest the possibility that there might have been some undiagnosed electrical feedback from signals on the telephone line from Argonne into the Maryland bar itself.

The final section of the paper compares the likely strengths and rates of gravitational wave signals from core collapse in supernovae with the then current and possible future sensitivities of gravitational wave detectors. In a dramatic figure, they superpose a model of the rate of supernovae at various distances from the Earth on the natural phase space for gravitational wave searches, event rate versus event strength. The authors point out that, even if one were able to improve the performance of gravitational wave detectors of the Weber type to the limit set by the Uncertainty Principle (by cooling, improving Q , or whatever other trick), one would still not have the sensitivity to detect events at the rate of several per year or greater. They conclude, “Because of the difficulties arising from this problem and because one would certainly like to measure more details than just the spectral density of pulses, the Munich group decided not to continue with (low temperature/high quality) Weber-type experiments, but rather with a Weiss-Forward type experiment, i.e. a laser-lighted Michelson interferometer.”

In spite of the considerations that moved the Munich group to abandon resonant-mass detectors, the groups that had decided in the early 1970s to build cryogenic versions of the Weber bar pushed ahead. A number of strong reasons can be given to justify this strategy, including the dubious value of relying (as the Munich group did) on signal-strength predictions which necessarily must be ignorant of truly novel astronomical phenomena, as well as the belief that evolutionary development is often a more rapid and reliable strategy for progress than a revolutionary approach. And, although progress was slower than the hopes expressed for it in Tyson’s 1974 remarks in Tel Aviv, this route did in fact lead to substantial increases in sensitivity well before the interferometric detectors began to catch up.

The first complete operating cryogenic resonant-mass detector was the one built at Stanford University by the group led by William Fairbank.⁵³ In addition to the obvious reduction of thermal noise by cooling with liquid helium to a temperature of 4.3 K, and the use of the Josephson junction SQUID as a low noise preamp, there was another technical innovation that helped the Stanford bar reach a new level of sensitivity. This was the introduction by Paik²⁶ of a resonant transducer, tuned to the same frequency as the bar’s resonance, mounted on the end of the bar. Both Tyson and Garwin had

used end-mounted transducers, but neither realized the advantages that would accrue to the tuned configuration — the ability to better “impedance-match” the mechanical excitation of the bar to the electrical system, thus increasing the coupling parameter β . (See the discussion above.) The Paik transducer represented a new generation in another sense — it made no use of the piezoelectric effect, but instead used the motion of the resonant proof mass in the transducer to modulate the value of an inductance in the circuit that carried the persistent current through the Josephson junction.

As the first detector to operate at this new level of sensitivity, no coincidence observations were possible, so the first paper contains only the results of single-detector operation.⁵³ (The group at LSU, led by former Stanfordian W.O. Hamilton, was collaborating with the Stanford group, but was developing several subsystems independently, including an alternative transducer design.) The 1982 paper in *Astrophysical Journal Letters* included a histogram of excitations of the Stanford detector, showing that even without coincidences it set a new upper limit that, at least at large event rates (greater than of order 10^{-2} per day), was orders of magnitude more stringent than that achieved by the Munich group. An even better result was predicted once a second comparable detector would operate in coincidence.

The noise temperature of 20 mK was certainly a milestone, but doesn't entirely characterize the performance of the bar as a detector of rare events. The histogram of excitations recorded during the 74 days of data presented in the paper show a substantial excess of large excitations, beyond what would be expected from purely Gaussian statistics. The cause was unclear, but one possible explanation was acoustic emission within the bar from sudden stress relaxations. Without coincident operation with a comparable detector, gravitational wave pulses could not be ruled out either.

It wasn't until 1986 that coincident operation of all three cryogenic detectors started in the 1970s (Stanford, LSU, and Rome) was finally achieved. The results of that run were less than spectacular, because none of the detectors was operating as well as it might. Indeed, the event rate - event strength plot that characterized this coincidence run was hardly better than the single-detector plot from the Stanford 1981 solo paper.²⁴

The problems with the LSU and Rome detectors were soon sorted out; the rms noise levels in these detectors have now fallen below 10^{-18} . Meanwhile, the Stanford bar met an untimely demise when it was irreparably damaged in the Loma Prieto earthquake of 1989. The LSU-Rome axis has carried out coincident observations since 1991. A first look gave new upper limit on the flux of gravitational wave pulses that was presented in an otherwise unpublished conference report.⁵⁴ Another cryogenic detector that had




Fig. 3. Upper limits set by various experiments on the rate of gravitational wave impulse arrivals, as a function of the characteristic amplitude of the impulse.

been under development for some time, the niobium bar of Blair's group in Perth, recently achieved a comparable sensitivity. Coincidence observations continue as this review is being written.

The 1986 coincidence run was a consummation of years of work, whose occurrence had been devoutly wished for by many friends of the field for some time. Aside from the fact that it may have been somewhat too late (from the point of view of Stanford, whose detector wasn't working as well as in 1981) or somewhat too early (from the point of view of LSU or Rome, who had not yet shaken all of the bugs out of their systems), there was another accidental side effect of its timing. That was the complete coordination of the time when all three systems went off the air to fix the problems that running together had made obvious. This is the reason that none of the state-of-the-art detectors was on the air on February 23, 1987, when Supernova 1987A appeared. The closest observed supernova in centuries was a chance no one would have chosen to miss, although in fairness at a distance of order 50 kpc it is unlikely, according to standard estimates of the gravitational luminosity, that it would have been seen.

There were, however, non-state-of-the-art gravitational wave detectors observing at the time. Weber has kept a room temperature bar in operation nearly continuously since the '70s, as has the Rome group. An unusual chain of reasoning was constructed, involving a suspect time for the supernova collapse, an unorthodox signature for the gravitational wave event, *ad hoc* assumptions about neutrino physics, and tremendous gravitational luminosity, but leading to a claim of significant detections of a large flux of gravitational wave pulses.⁵⁵ This claim has attracted much less attention than did the original claims of Weber in the early 1970s. A serious effort has been made to demonstrate that the statistical significance of the analysis has been overstated, due to construction of the signature to match the data stream.⁵⁶

6 History of interferometers

6.1 The work of Gertsenshtein and Pustovoit

Almost as soon as Weber had begun work on the first gravitational wave detector or the resonant-mass style, the idea arose to use interferometry to sense the motions induced by a gravitational wave. Weber and a student, Robert Forward, considered the idea in 1964.¹⁰ We will discuss below how Forward later went about implementing the idea. But the first discussion of the idea is actually due to two Soviet physicists, M.E.

Gertsenshtein and V.I. Pustovoit. They wrote in 1962⁵⁷ a criticism of Weber's 1960 *Physical Review* article, claiming (incorrectly) that resonant gravitational wave detectors would be very insensitive. Then, they make a remarkable statement justified only by intuition, that "Since the reception of gravitational waves is a relativistic effect, one should expect that the use of an ultrarelativistic body — light — can lead to a more effective indication of the field of the gravitational wave."

Gertsenshtein and Pustovoit followed up this imaginative leap by noting that a Michelson interferometer has the appropriate symmetry to be sensitive to the strain pattern produced by gravitational waves. They give a simple and clear derivation of the arm length difference caused by a wave of amplitude h . Next, they note that L.L. Bernshtein had with ordinary light measured a path length differences of 10^{-11} cm in a 1 sec integration time. The newly invented laser, they claim, would "make it possible to decrease this factor by at least three orders of magnitude." (The concept of shot noise never appears explicitly here, so it is not clear what power levels are being anticipated.) They assume that one might make an interferometer with arm length of 10 m, thus leading to a sensitivity estimate of $10^{-14}/\sqrt{\text{Hz}}$ for "ordinary" light, or as good as $10^{-17}/\sqrt{\text{Hz}}$ for a laser-illuminated interferometer. This, Gertsenshtein and Pustovoit claim, is 10^7 to 10^{10} times better (it isn't clear whether they mean in amplitude or in power) than what would be possible with Weber-style detector. Putting aside their unjustified pessimism about resonant-mass detectors, their arguments about interferometric sensing are right on the mark, even conservative.

For improvements beyond the quoted level, they make suggestions that are somewhat misguided. They say that observation time could be lengthened beyond 1 sec, which would be obvious for some sources (such as "monochromatic sinusoidal signals" or signals of long period) and hopeless for short bursts. Their other suggestion is to use "known methods for the separation of a weak signal from the noise background"; this suggestion is curious because known methods appear to be already built into their estimates that are referenced to a specific observing time. The other lack that is obvious in hindsight is any mention of mechanical noise sources. Still, the gist of the idea of interferometric detection of gravitational waves is clearly present, as is a demonstration that the idea can have interesting sensitivity.

6.2 The origins of today's interferometric detectors

For a variety of reasons, not least of which must have been the fact that it was written too early (before Weber's work had progressed beyond design studies), the proposal of Gertsenshtein and Pustovoit had little influence. The activity that began the by-now flourishing field of interferometric gravitational wave detection started independently in the West. In fact, it began semi-independently at several places in the United States at around the same time. The roots of this work can be seen in a pair of papers, written in 1971-2, by two teams linked in an unusual collaboration that is acknowledged in the bodies of the papers, although not in the author lists. The first to be published was that of the Hughes Research Lab team, whose most committed member was Robert L. Forward, the former Weber student mentioned above. Later to appear, and not in a refereed journal, was the work of Rainer Weiss, an MIT physicist who had spent an influential postdoctoral stint with Robert H. Dicke at Princeton. Linking the two groups was someone who never published anything on the subject under his own name, but whose activity is mentioned in both papers — Philip K. Chapman, who had earned a doctorate in Instrumentation at MIT's Department of Aeronautics and Astronautics before joining NASA as a scientist-astronaut.

6.2.1 Interferometer studies at Hughes Research Lab

An account of the idea for an interferometric detector of gravitational waves, and of the performance of an early-model prototype, is found in the 1971 paper of Moss, Miller, and Forward.¹⁰ The authors cite a program to develop “long wideband” gravitational wave detectors that had started at Hughes in 1966, around the time of Weber's first account of a working resonant detector. The motivations for a wideband detector were 1) to allow detailed measurement of waveforms which would in turn give insight into the nature of the sources, 2) “to allow the phasing of spaced antennas to form a phased array” (in other words to allow good temporal resolution so that the direction of the wave can be determined by arrival time differences), and 3) to allow matched filters to be used to optimize the signal to noise ratio of a complex waveform “in addition to the use of standard narrowband frequency filtering for sinusoidal signals, which is the natural filtering action of a resonant antenna.” The motivation for the use of a long detector is the larger test mass displacement, which, all else being equal, should directly translate into improved signal to noise ratio.

The authors credit the original idea for this way to achieve a long wideband de-

tor to P.K. Chapman, and go on to state that “Our work has benefited from many discussions with Dr. Chapman as well as R. Weiss, who is involved in the design and construction of his own design at MIT.”

The interferometer described by Moss *et al.* was “constructed to set experimental limits on the various noise sources in the laser transducer.” It is a classic one-bounce Michelson interferometer, in which both output beams are detected “in a balanced bridge to reduce sensitivity to laser amplitude noise.” The operating point for this arrangement was equal photocurrents from the photodetectors at the two output ports of the interferometer. (This is to be distinguished from the use of a photodetector at a single output port of the interferometer that is dithered about the dark fringe. See our discussion of this alternative below.) The interferometer is to be held at this balanced operating point by “slowly acting servo loops ... so that the effects of laser amplitude and phase noise are minimized.” The flat mirrors were rigidly mounted to an optical table, which was in turn supported on air-filled rubber tubes to give a resonant frequency of 2 Hz. (Other isolation schemes for the rigid interferometer were tried without success, causing the authors to lament that “vibration isolation is still an art rather than a science.”) One of the mirrors was mounted on piezoelectric elements, which provided control of the operating point as well as a means of calibration.

The main result presented in the paper is the noise level that was achieved in this prototype interferometer, equivalent to a mirror displacement sensitivity of 1.3×10^{-14} m/ $\sqrt{\text{Hz}}$ at a signal frequency of 5 kHz. This was about a factor of $\sqrt{2}$ larger than the calculated shot noise sensitivity, which the authors state is consistent with other indications that “the sensitivity limits were set by acoustic and ground noise.” This noise level was “to date ... the smallest vibrational displacement directly measured with a laser”. No translation of the sensitivity into strain units was given, either directly or by specification of the arm length. This is perhaps appropriate, since the rigid mirror mounts made this test instrument ill-suited for actually searching for gravitational waves.

The last section of the paper lists the improvements intended to follow this initial work. Firstly, a more powerful laser was proposed; at the then impressive power level of 75 mW, the displacement sensitivity due to shot noise would be “close to that obtained in the present resonant antennas” that were at the date of writing appearing to give significant detections. A final paragraph listed the other proposed improvements: mirrors attached to masses that were large (to reduce thermal noise) and independently suspended from vibration isolation mounts, placed in a vacuum system whose initial length of several meters could be extended “to several kilometers by adding additional

evacuated tubes.” This section can be read as a telegraphic summary of the plans described at greater length by Weiss in his report written the following year.

6.2.2 The vision of Rainer Weiss

The other paper that gave birth to the massive worldwide effort to detect gravitational waves using interferometers, Rainer Weiss’ 1972 “Electromagnetically Coupled Broadband Gravitational Antenna”, appeared only as an unpublished research progress report of the organization at MIT that administered the umbrella research grant supporting his work.¹¹ Weber’s claimed detection of gravitational waves was very much on Weiss’ mind in 1972, reported as possibly correct but with the recognition that the energy flux the waves appeared to carry would dominate the luminosity of the Galaxy. Weiss states that he had been inspired by a 1956 paper by F.A.E. Pirani (that discussed the identification of measurable quantities in general relativity)⁹ to consider the possibility that measurements of the light travel time between freely-falling test masses would make the best probes of spacetime structure. He further states that he had realized several years prior to writing (while teaching an undergraduate seminar) that the newly developed lasers could turn Pirani’s *gedanken* experiment into a practical measurement strategy. Weiss also notes that the idea “has been independently discovered by Dr. Philip Chapman of the National Aeronautics and Space Administration, Houston.”

Many of the ideas that appear in the breathless final paragraph of Moss *et al.* are elaborated at substantially greater length in Weiss’ report, which should be considered the first serious design study of the concept of interferometric gravitational wave detection. After the review of Weber’s claims, Weiss continues with a clear summary of the physical meaning of gravitational waves in general relativity, and an examination of the possible strength of gravitational waves from the then newly discovered pulsars. He then gives a summary of the key ideas of the proposed system:

- a Michelson interferometer used as a sensor of “differential strain induced in the arms”,
- operated “on a fixed fringe by a servo system” in a modulated system very much in the tradition of Dicke’s improved Eötvös experiment⁵⁸
- “mirrors and beam splitter mounted on horizontal seismometer suspensions” that “must have resonant frequencies far below the frequencies in the gravitational wave” and “a high Q ”

- arms that “can be made as large as is consistent with the condition that the travel time of light in the arm is less than one-half the period of the gravitational wave”, in part by being arranged as “optical delay lines” of the style described by Herriott.

Weiss is quite clear about the advantage that accrues from the last point. He says

This points out the principal feature of electromagnetically coupled antennas relative to acoustically coupled ones such as bars; that an electromagnetic antenna can be longer than its acoustic counterpart in the ratio of the speed of light to the speed of sound in materials, a factor of 10^5 . Since it is not the strain but rather the differential displacement that is measured in these gravitational antennas, the proposed antenna can offer a distinct advantage in sensitivity relative to detecting both broadband and single-frequency gravitational radiation. A significant improvement in thermal noise can also be realized.

This last sentence points out one of the key insights of this report, expanded upon at much greater length in the remainder of the text. As a sensitive mechanical measurement, the interferometric detection of gravitational waves is prey to a host of mechanical noise sources whose strengths need to be minimized if success is to be achieved. By far the largest section of the paper is devoted to estimates of the magnitudes of a long list of noise sources of various kinds. They include: amplitude noise in the laser (the only place where the work of the Hughes group is cited, as an example of a shot noise limited measurement), phase noise in the laser, mechanical thermal noise, radiation pressure noise, seismic noise, thermal gradient (“radiometer effect”) noise, cosmic ray impacts, “gravitational-gradient” noise, and fluctuating forces from electric and magnetic fields. This looks almost (with a few omissions) like the list of noise sources that contemporary workers are grappling with as they strive to make the new kilometer scale interferometers work; by contrast, the other earlier treatments of the subject look myopic and unbalanced. And this insight is what led to the recognition that interferometers of the greatest practical length, with the resulting dilution of displacement noise terms as compared with a strain signal, would be the way to achieve the promise of good gravitational wave sensitivity, and would be worth the substantial investments needed to build them.

6.3 Interferometer as an active null instrument

The agreement between Weiss and the Hughes group on the basic features of an interferometric detector must have something to do with the fact that they and Chapman were engaged in a remote three-way collaboration. But the fact that the key features of the design remain current to this day (with a few important additions) is evidence that they responded thoughtfully to an inherent logic of experimental design. Interferometric gravitational wave detection represents an extreme example of the application of design principles of wide validity in experimental physics. It is worthwhile to examine those principles here.

6.3.1 How to maximize the signal to noise ratio

Firstly, it is important to recognize where, in the spectrum of physics experiments, this one falls. To successfully detect gravitational waves, it will be necessary to attain AC strain sensitivity that is completely unprecedented. The concept of sensitivity is the key one — the signal to noise ratio for small strains is (essentially) the only figure of merit of interest here. Precision is primary, while accuracy of calibration or absence of other kinds of systematic errors definitely takes a back seat at this stage in the development of the field. Also, it is important to remember that one is perfectly content to measure signals only above some cut-off frequency; no absolute measurements of lengths or even of differences in length between two interferometer arms are necessary.

In experiments where precision is the primary desideratum, certain general principles apply. In particular, there are two fundamental strategies for maximizing a signal to noise ratio: one can make the response of the system large, and one can make the noise small. To make the response large, one can try to “capture” the largest possible effect from an external source. Here we want to make the largest possible apparatus, since relative displacements of two masses caused by a gravitational wave are proportional to the separation of the masses. This strategy is quite common — large telescopes can be more sensitive than small telescopes, for example. Another example is the improvement Michelson and Morley achieved in 1887 over Michelson’s solo result of 1881, achieved by increasing the expected ether drift fringe shift through the addition of mirrors to lengthen the interferometer’s optical path length.⁵⁹

Another way to make a large response is to arrange for the external influence to drive an indicator that changes dramatically in response to a small effect. The implementation of that strategy here is to illuminate the interferometer with visible light,

whose wavelength of order $1 \mu\text{m}$ sets the scale for motions that change the output port from dark to bright. This strategy too is common, as in such simple choices as making the indicator needle on an ammeter as narrow as practicable, or constructing a galvanometer with a fine fiber so that it will swing as much as possible or in using the longest possible lever arm for its optical lever.

Not all of the measures listed above are guaranteed to improve the signal to noise ratio; that depends on the nature of the noise. But one always improves the signal to noise ratio by reducing the magnitude of the noise. The noise sources in mechanical experiments can be loosely grouped in two classes. One class is noise in the measurement of the response of the test system. For interferometers, this is the shot noise in the fringe readout, or whatever other effect swamps it (excess amplifier noise, for example.) In resonant mass detectors this class is represented by noise in the preamplifier that responds to the transducer output, or by excess transducer noise such as Johnson noise. We saw above that there may be quantum mechanical limits to the reduction of this kind of noise.

The other class of noise sources are those that also affect the test system in a way that mimics the effect being sought. This includes all of the noise forces on the test masses, like seismic noise and thermal noise. (This is the class of noise effects usually called, when it wouldn't cause confusion with the principle of an interferometer's operation, "interference".) Over a large range of frequencies, these are the dominant limit to sensitivity of a gravitational wave interferometer. Where that is true, measurement strategies that maximize the strength of the external effect on the test system (such as, here, the physical separation of test masses) can be helpful, but those that just maximize the response of the measuring instrument to any external effect just magnify the response to the noise as well. Reducing the strength of these kinds of noise is always a good idea, whenever it is possible.

6.3.2 What to do when $1/f$ noise dominates

The considerations listed above are mostly obvious enough to be considered common sense. But there are some subtle aspects to consider as well. The most important non-obvious fact to consider is that almost every noise source has a pronounced $1/f$ character to its spectrum, at least at low frequencies. A laser whose power stability is limited at high frequencies by fundamental processes like shot noise almost invariably will show dramatically enhanced levels of noise at low frequencies. And, in many

situations even such a fundamental process as thermal noise shows a $1/f$ or steeper power spectrum, as we saw above. Furthermore, seismic noise almost invariably has a very steep displacement power spectrum.

The difficulties caused by $1/f$ noise can come in several different forms. Sometimes the difficulty is simply that the noise has a larger magnitude than the minimum level it might have (laser power noise in excess of shot noise, for example), or that the noise is just inconveniently large (such as seismic noise at any frequency!) A more subtle kind of difficulty is the large integrated magnitude of the noise at frequencies that are low compared with the signal frequency. Many measuring devices have only a limited dynamic range over which they respond linearly to external influences; it seems a shame to waste it dealing with noise outside the band in which one expects to find signals.

Measures to deal with $1/f$ noise often dominate the design of a high-sensitivity experiment. No one explored these measures more systematically than did Robert H. Dicke, who was for a few years in the early 1960s Weiss' mentor. Dicke was moved to think deeply about these problems while working on the development of microwave radar at the Radiation Laboratory at MIT during World War II. Devices called radiometers, receivers that measure the total power emitted by a broadband (often thermal) source of microwaves, would have had a variety of uses, if they hadn't been rendered so insensitive by the large amount of $1/f$ noise in the RF preamps. Dicke invented what came to be called the "Dicke radiometer" specifically to solve this problem.⁶⁰ The heart of the scheme was a device to periodically (at 30 Hz in the original case) interrupt the flow of RF power from the antenna to the preamp, replacing it instead with a thermal source of radiation. At the "back end" of the instrument, the electronics were arranged to give a measure of the difference between the detected power from the antenna and from the reference load. The reason this defeats the $1/f$ noise in the amplifier is that the comparison between measurand and reference is made rapidly enough that the preamp's output can't wander much in the interval. Or, described in the frequency domain, the signal has been translated from DC up to a high enough frequency that the preamp's noise is not dominated by excess noise with a $1/f$ character.

Dicke's invention had the immediate effect that microwave radiometry became practical even for sources with rather low antenna temperatures; this made a substantial contribution to the Rad Lab's mission⁶¹ as well as to the practice of radio astronomy.⁶² But the greatest impact came from Dicke's realization that this modulation technique would have broad applicability, wherever $1/f$ noise was a problem. This insight led him to invent the lock-in amplifier, a universal back end that can control the chopping

of an experiment, calculate the difference in output between the “on” and “off” states, and average the result to further reduce the noise. By now, “lock-in amplification” (also referred to as “phase sensitive detection”) has become a nearly universal practice in the fight against $1/f$ noise.

A second classic measurement carried out by Dicke illustrates further insights in the battle against $1/f$ noise. The test of the equivalence of inertial and gravitational mass carried out by Roll, Krotkov, and Dicke⁵⁸ is considered one of the great examples of a *null experiment*. As championed by Dicke,⁶³ this term refers to a measurement where an answer of zero carries tremendous meaning. Precise equivalence of inertial and gravitational mass (or in other words a zero value for their difference) means that gravity can be described by a metric theory.

Null experiments play a special role for experimentalists as well as theorists, because an instrument that reads zero is immune to many of the sorts of problems that plague non-null measurements. Among these are calibration drifts and limited dynamic range of an instrument (whether from noise or from non-linear response.) Of course, turning a theoretical zero into an idea for an instrument that yields a zero output takes deep insight. One could argue that the torsion balance used in the improved Eötvös experiment, whose motion would track the Sun’s if the aluminum and gold masses on opposite sides had differing ratios of inertial to gravitational mass, is among the most elegant instruments ever invented.

Maintaining the integrity of a null measurement takes insight that goes beyond the design of the front end of the experiment. For example, it would be a good idea for the null position of the test masses to be arranged to correspond to a null response from the sensor. Then, one can ignore (to first order) fluctuations in the drive level of the sensor (such as the light power in the optical lever), since zero is still zero even if it is multiplied by, say, 1.01 instead of 1.00. There are a variety of ways to create a null output from an optical lever at one particular operating point. One way would be to use a matched pair of photodetectors, placed so that the light beam falls equally on each detector when the balance is at the null position; as the beam moves to follow the balance’s motion, one photodetector receives more light while the other receives less, and a differential amplifier will reveal the motion. This method is essentially a DC technique.

Dicke’s team implemented a clever variation that let them make use of the advantages of a lock-in amplifier. A narrow light beam fell on a single photodetector, after passing by a wire of comparable width that cast a shadow on the photodetector. The

wire was caused to vibrate from side to side by driving a current through it at the frequency of one of its “violin” resonances; as it did so, its shadow also moved from side to side across the light beam. If the beam were centered on the wire’s position, then the light received by the photodetector would increase equally due to the wire’s vibration to the left or the right. But if the beam were off center, then one direction of wire vibration lets more light pass than the other. So in the centered case the photocurrent varies only at twice the frequency of the wire’s vibration, while in the off-center case the current contains a component at the wire’s vibration frequency, whose amplitude and phase carries the information of the position of the light beam with respect to the wire. A lock-in amplifier converts the modulated signal into one at DC. The wire vibration can easily be arranged to be at a frequency high enough to avoid $1/f$ noise.

Noise will always cause a sensitive instrument to depart from the precise null reading, and noise of a $1/f$ character will do so in an especially vexing way. Once it has drifted from the null, the instrument is once again sensitive to drive level fluctuations because its output has a non-zero value. The especially elegant feature of the Dicke torsion balance was the provision to apply a correction torque to hold it at the null position. This was accomplished by means of a servo loop that fed back a torque to null the output reading of the sensor. The greater the gain of this loop, the more tightly was the balance constrained near the null position, and the smaller was the sensitivity to light level fluctuations. Of course, the output has to be recalibrated for the effect of the loop, but the same information is present. One convenient place to read the output is to measure the control torque needed to hold the balance at null, which will just be equal to the external torque applied to the balance.

6.3.3 Application of these principles in an interferometer

Maximization of response in an interferometer is achieved by the obvious choices: placing the far mirrors as far away as possible from the beam splitter, and by using the shortest practicable wavelength for the illumination of the interferometer. Weiss also describes increasing the optical path length by use of a delay line that causes the light to make many trips through an arm; this is effective against sensing noise (like shot noise), but is just a wash for noise effects that cause actual mirror motions since N encounters with mirrors necessary import a factor N larger amount of these kinds of noise along with the extra signal.

Minimization of the noise starts with obvious choices as well: largest possible light

power to make the shot noise small, and the minimization of the multitude of mechanical noises as discussed in Weiss' report. But it also involves replicating many of the features of the Roll *et al.* experiment to minimize the deleterious effects of $1/f$ noise of various kinds. This is the reason for the application of high frequency modulation of the fringe phase (by PZT transducer at Hughes, or by Pockels cell according to Weiss), for the arrangement of the measurement to give a null reading (by differential measurement with two photodetectors at the mid-point of a fringe in the Hughes case, and by modulation about the dark fringe at MIT), and by the provision for actively holding the instrument at the null state (by PZT again at Hughes, and by a combination of Pockels cell and force applied to test masses at MIT.)

The fringe modulation and locking techniques mentioned just above have as their goal elimination of excess noise from low frequency fluctuations of the laser's output power. Other ways to make the instrument null are used to make it insensitive to other sorts of fluctuations. For example, laser wavelength fluctuations can be rendered harmless if the interferometer is operated at or near the "white light fringe", that is with well matched arm lengths. If the light travels through arms of equal length, then the phase relationship between them is hardly altered as the wavelength varies. But if the arms have a substantial difference in their lengths, wavelength fluctuations cause spurious relative phase shifts at the output, even without fluctuations in arm length difference. Note that this sets a different condition on declaring the instrument to be null — against laser power noise, it is the operating point within a fringe that matters, but for laser wavelength noise, it is the choice of which fringe on which to sit that is relevant.

6.4 Wrap-up of the Hughes program

A summary of the results eventually achieved by the Hughes group was reported in 1978 in a paper in *Physical Review D* whose sole author was R.L. Forward.⁶⁴ It represents a retrospective analysis of a completed experiment, somewhat in the same style as Kafka and Schnupp's paper of the same year. But there are also strong stylistic differences between the two papers — while Kafka and Schnupp want to make the strongest possible point with the data they analyzed (concerning whether Weber's events could be gravitational waves) with hardly a pause to describe the measurement apparatus, Forward's paper is primarily concerned with explicating the basic physics of the detector, and is somewhat cavalier about the observational data that is presented. The contrast is due in part, of course, to the distinction between publication about a mature tech-

nology (bars at room temperature) and one that was clearly immature, although with great promise. It is also a reflection of two facts about the Hughes interferometer as a scientific instrument: it was not as sensitive to bursts as were the bars of 1972, and its data stream was also much harder to analyze because of its broadband nature.

The first section of the 1978 paper is a detailed derivation of the antenna pattern (sensitivity *vs.* angle) of an interferometer. Next comes a quite detailed description of the apparatus, with a strong emphasis on the optical aspects of the interferometer that determine the noise above 1 kHz: circuit diagrams of the photodiode biasing network and of the 1-20 kHz bandpass filter, part numbers for the photodiodes and the front-end amplifier, and a painstaking derivation of the shot noise. Mechanical aspects of the interferometer, which mainly determine performance at lower frequencies, get shorter shrift: test mass suspensions are described in a single paragraph, as neoprene and brass stacks of “the desired height” with “typical frequency of 10 Hz”, without any discussion of the mechanical transfer function or of the thermal noise of the suspension. The three paragraph section devoted to the “isolation system” gives information on both seismic isolation tables and the vacuum system enclosing the interferometer, and includes the following remark, almost in passing: “The vacuum system and isolation tables were designed so that after an initial checkout and operation with 2-m sections of aluminum irrigation pipe (8.5 m total interferometer pathlength), those sections could be replaced with longer sections (up to 1 km) with a substantial increase in interferometer-gravitational radiation-strain sensitivity for the same photon-noise-limited displacement sensitivity.”

A careful discussion of the calibration of the instrument and of its linearity is provided, although without including any but the most cursory details about the servo system (whose actuator was a PZT stack on which one of the mirrors was mounted) used to keep the interferometer in lock. One presumes that ignoring the behavior of the servo was justifiable on the assumption that its bandwidth was smaller than 1 kHz. Indeed, given the strategic decision only to consider the output of the interferometer at frequencies above 1 kHz, most of the omissions that strike a modern eye as surprising can be seen to make sense.

The discussion of the operation of the interferometer as a gravitational wave detector begins with a paragraph that will evoke much sympathy from present-day readers. It repeats the “ultimate plan” of operation at a remote site with long arms, but concludes with the remark, “The funding for this next move proved to be unavailable so we concluded the program by operating the system as it was, despite the high level of acoustic,

electromagnetic and vibrational noise from the other activities in the building.” Operation was evidently difficult, since as the Abstract notes, “The laser interferometer was operated as a detector for gravitational radiation for 150 h during the nights and weekends from the period 4 October through 3 December 1972,” a duty cycle of a bit over 10%. Environmental noise was a serious problem, and was taken seriously: a set of monitors of seismic, acoustic, optical, and electrical noises was installed, and a measure of their outputs was recorded along with the interferometer output.

Part of what made taking data so difficult was the decision to take advantage of the high bandwidth available; although the band below 1 kHz was abandoned as useless because of high noise levels, the upper frequency cut-off was taken to be 20 kHz. This choice was never discussed in the paper — one might have expected some sort of argument on astrophysical grounds that such high frequencies might contain signals, but it is just as likely that the cut-off was chosen to match the bandwidth of the “high quality stereo tape recorder” that was used as the primary data storage medium. Dealing with this much data was a tremendous burden, given the state of computer technology in the early '70s. In fact, the data processing was performed almost entirely by listening to the audio tape — one section of the paper is called “Calibration of Ear”. (One 10 msec digitized chunk of data is shown in the paper, both in the time and the frequency domain.)

This method of data analysis was a clever solution to a vexing problem, and indeed continues to be a model for qualitative analysis and debugging of interferometers today. But it showed its weaknesses in what might otherwise have been the most interesting section of the paper, “Comparison of Data with Other Observers”. Here, Forward looks for coincidences between the unexplained events in his data set (not coincident with environmental signals in the monitor channel) and events in the resonant mass detectors that were in operation at the same time, at Frascati, Glasgow, and the Maryland group’s detectors at College Park and Argonne. In every case, Forward found no event in his detector at the time of a candidate event from another detector. He notes ruefully that “The one ‘distinctive signal’ reported by the Glasgow group occurred at 13 h 07 min 29 sec GMT 5 September 1972, which was prior to the start of the Malibu data collection period.”

The data were of course most interesting for their comparison to the results reported by Forward’s former mentor Weber, since the latter was continuing to report coincident events between his various detectors. Forward notes that there were 7 time blocks during which unexplained events in the interferometer occurred in close proxim-

ity to Weber coincidences. However, he further states “Both raw power and derivative power-squared digitized data plots digitized to 0.1-sec accuracy were obtained from the Maryland group and compared with the 0.2-sec accuracy Malibu data. None of the audible Malibu signals fell within 0.6 sec of a Maryland-Argonne coincidence.”

Fair enough, but what can be concluded from this lack of coincidences? Not much, according to Forward, since “It is difficult to compare the relative detection capabilities of the various antennas since their amplitude sensitivities, bandwidths, and signal processing techniques differ widely.” He goes on to state that “at the time one of the bar-antenna systems produced an event or coincidence corresponding to a gravitational-radiation signal with an amplitude of 0.1 fm/m [10^{-16}] due to spectral components in a narrow band around the bar resonance, the amplitude of the gravitational-radiation spectral components in the entire band from 1-20 kHz was definitely less than 10 fm/m and was probably less than 1 fm/m.”

6.5 System designs for more sensitive interferometers

6.5.1 The magnitude of the challenge

Forward’s paper describing the state of the art of interferometric gravitational wave detectors in 1972 appeared in 1978. It was not until ten years later still that the next improvement in the state of the art was considered significant enough by its authors to warrant another comparable paper in the *Physical Review*. It is worth understanding what factors might have contributed to this slow pace of progress. Certainly the collapse of the credibility of Weber’s “events” and the consequent redirecting of the effort at the much smaller signals predicted by astrophysical theory removed a lot of the motivation for trying to achieve incremental improvements in sensitivity. Instead, ultimate success came to be seen to require heroic improvements; neither the 10^{-16} of the room temperature bars nor the 10^{-18} sensitivity of the cryogenic bars would guarantee that gravitational wave astronomy could be established. It looked like frequent signals weren’t likely to appear with strengths in excess of 10^{-21} , and perhaps not even much above 10^{-22} . If that were truly the case, then every possible advantage that could be squeezed out of the ideas detailed in Weiss’ report would be required. And to achieve them, a great deal more effort was required than could be obtained from the Hughes interferometer, with its sensitivity in the range of 10^{-14} to 10^{-15} . Even the planned but never funded lengthening of the Hughes interferometer’s arms from 2 meters to 1 km would hardly have begun to meet the need.

A sober look at the prospects for the field pushed its practitioners to even greater ambitions than simple improvement of sensitivity at or above 1 kHz. Much of the hope for detectable signals near 1 kHz had come to be focused on the radiation from the “bounce” at the end of the gravitational collapse of a stellar core at the onset of a supernova of Type II. But the theoretical predictions of the strength of such events were very uncertain. If one wanted to maximize the potential for discoveries, one had to imagine building instruments sensitive to the widest possible varieties of signals. And, since very few of the imaginable signals had frequencies above 1 kHz, the best way to improve one’s chances was to improve the sensitivity to low frequency signals. This meant minimizing the magnitudes of many of the noise sources that Weiss had listed, a task that the Hughes group had chosen (for sensible reasons) to defer.

- Improved isolation from seismic noise is straightforward in principle, but very demanding in practice. The essential idea was employed by Weber: a cascade of mass-spring oscillators can provide a very steep slope to the frequency dependence of the isolation, making it acceptable for frequencies higher (by of order a decade or more) than the characteristic resonance frequency. It is a real trick to move the whole set of resonances to low enough frequencies (a few Hz) to extend the useful band down as low as 10 Hz or so.
- On the assumption that seismic noise can be controlled, another difficult noise source looms at low frequencies. The thermal noise of the test mass about its equilibrium position can become the dominant noise source, unless very specific measures are undertaken. In place of Forward’s rubber mounts for the test masses, one needs to use what Weiss described as “horizontal seismometer suspensions”. By this he meant suspensions that had two attributes: low resonant frequency and high Q . The latter was to be achieved by an arrangement whereby most of the restoring force on the test mass comes from gravity (which is nearly dissipationless), as in a pendulum. His system diagram is marked with the compliant directions for the seismometer suspensions, on the assumption that they would be relatively rigid in the orthogonal directions. Present thinking has moved to simple pendulums, partly because of worries about alignment but mostly because the rigid members of single d.o.f. seismometer suspensions tend to have internal resonant modes at inconveniently low frequencies.
- Shot noise minimization needs the whole bag of tricks, including a laser whose power was rated in tens of Watts (not tens of milliWatts), and an optical path length

comparable to the gravitational wavelength. The latter would require Forward's desired kilometer-scale separation plus folding of the optical path, such as by the delay line described in Weiss' report. The Herriott delay line has served well in meter-scale prototypes, but most of the large projects have adopted long Fabry-Perot cavities, proposed for this purpose by Drever. (See the next section.) These have the great advantage of allowing the use of the smallest possible test masses, and taking up correspondingly small cross-sections in the vacuum pipes. But their operation is substantially trickier than corner reflectors or delay lines, since each Fabry-Perot cavity is itself an interferometer that only performs like a beam-folding element when it is locked to the laser wavelength, using a servo of some subtlety. Fabry-Perot cavities also appear to be less subject to excess noise from light scattered into unanticipated paths from mirror imperfections, a problem not suspected by either Weiss or Forward.

- Achieving the high sensitivities to which we now aspire requires vacuum of a quality much better than the Hughes interferometer. Pressures of 10^{-6} torr or better are required. The vacuum pipes are themselves much larger in diameter, due partly to the great care needed to keep scattered light effects at low levels. Scattered light also demands that baffles be properly placed in the interior of the pipes.

So it was probably going to take more than adding a few kilometers of irrigation pipe to the Hughes interferometer to detect gravitational waves with an interferometer. The realization that all of these features would be necessary was daunting, and caused the character of work on interferometers to change. Instead of quick demonstrations, it was considered necessary to try to engineer the variety of subsystems that high sensitivity would require. Instead of a device that Forward could honestly describe as a "gravitational-radiation experiment", workers conceived of their apparatus as "prototype gravitational-wave detectors".

6.5.2 Ron Drever's bag of tricks

Ronald W.P. Drever was one of the leaders of the generation of experimenters who followed Weber, only to find no signals that matched his claims. Rather than build a faithful copy of Weber's original bar, he chose to follow the path invented by Aplin (and publicized by Gibbons and Hawking) of the split bar, which maximized the bandwidth of the detector. When it became clear that much greater sensitivity would likely be

required, he (like the German group) chose to switch to work on interferometers. His work in this period is again marked by an enthusiastic exploration of clever ideas. It is not marked, however, with many conventional papers in refereed journals. Instead, his most stimulating work is to be found in conference proceedings and lectures at physics summer schools.

Several of Drever's most important contributions are described in the text of the lectures he gave at the NATO Advanced Study Institute on Gravitational Waves held at the Les Houches Center of Physics in 1982.⁶⁵ Cast as an overview of the interferometric method of gravitational wave detection, it is dominated by an account of three crucial improvements on the basic scheme of Weiss, Forward *et al.* Each of these variations has come to play an important role in the design of the large detectors now under construction.

The Introduction gives an astoundingly brief account of the history of the field:

An obvious way one might consider detecting gravity waves is through the changes in separation of free test particles, and the idea of using optical interferometers for observing this has certainly occurred to many physicists: indeed one might wonder why so few searches for gravity waves have been made this way.

The work of the Hughes group is mentioned in passing as demonstrating that a simple gravitational wave interferometer could achieve the shot noise limit. Weiss' work is referred to later as having contributed the idea of the delay line as an "important practical method for improving photon-noise limited sensitivity."

Drever goes on to describe the optimization of the parameters of a delay line, from the point of view of shot noise reduction. He then remarks on a "practical difficulty" that "became apparent in early experiments at Munich and at Glasgow — the potentially serious effect of incoherent scattering of light at the multireflection mirrors or elsewhere in the system." The interference between scattered light and light following the intended paths (which is non-stationary because the path followed by the scattered light can vary in length both on long and short time scales) proved to be a very troubling noise source in delay lines. The German group, Drever notes, proposed a way of modulating the laser light that would minimize the problem. Drever then suggests that "another approach would be to make the path traveled by scattered light equal to that of the main beam, and this may in fact be achieved if another type of optical system, a Fabry-Perot cavity, is used instead of a Michelson interferometer with many discrete

reflections in each arm.”

The basic idea was that light traveling between parallel mirrors can be, in effect, trapped for many round trips, until it is either absorbed, scattered, or leaked out by transmission through one of the mirrors. Thus, such a cavity can play the same role as a delay line with its many spatially separate reflections. The classic Fabry-Perot cavity used flat mirrors, usually equivalent to one another, usually closely spaced compared with their diameters or with the diameter of the beam of light, and usually operated in transmission (that is with the interesting light emerging from the mirror opposite to the one into which the light was injected.) What Drever proposed was rather different: a pair of small mirrors (no larger than necessary to keep diffraction losses small), spaced apart by kilometers. The distant mirror has as nearly perfect a reflectivity as possible; a finite transmission is used on the near mirror, which functions both as an input and an output coupler for the light. Thus modified, a Fabry-Perot cavity can serve as an arm for a Michelson interferometer.

Drever is explicit about both the advantages and the drawbacks of this beam-folding scheme.

The diameter of the cavity mirrors can be considerably smaller than that of delay-line mirrors.... This reduces the diameter of the vacuum pipe required, and also may make it easier to keep mechanical resonances in the mirrors and their mountings high compared with the frequency of the gravity waves, thus minimizing thermal noise. The Fabry-Perot system has however, some obvious disadvantages too — particularly the requirement for the very precise control of the wavelength of the laser and of the lengths of the cavities. Indeed with long cavities of the high finesse desirable here exceptional short-term wavelength stability is required from the laser.

The heart of the difficulty is that, unlike a delay line, a Fabry-Perot cavity stores light because it is in itself an interferometer — the trapping of the light for many round trips comes about only by careful adjustment of the phases of the superposed beams. This can only occur when the wavelength of the light and the length of the cavity are in resonance, that is matched so that an integer number of waves fits into the cavity. Very near the resonance condition, the phase of the output light varies with mirror separation in the same way as the light that has traveled through a delay line. To achieve this condition, the light and the arm have to be locked together by a servo system. Drever’s lecture goes on to describe the style of servo required, one that he and his group

developed in conjunction with John Hall's group at the Joint Institute for Laboratory Astrophysics in Boulder, Colorado.⁶⁶ This servo design has its roots in an analogous microwave device developed by Robert Pound.⁶⁷

While the essence of the difficulty was thus solved, in practice the use of Fabry-Perot cavities has additional complications. One is due to the fact that when a cavity is not very close to resonance, the phase of the output light has almost no dependence at all on the separation of the mirrors, thus making it very hard to generate the sort of signal necessary to acquire the lock on resonance in the first place. An additional level of complication comes when the arm cavities are assembled into a complete Michelson interferometer, since the interferometers within the interferometer need to be separately controlled without degrading the function of the main instrument. Solving these sorts of problems robustly has proved to be challenging work.

As a stopgap measure until those challenges could be met, Drever proposed a kind of interferometer that functioned without the light from the two arms being recombined at the beam splitter for the comparison between their phases. In the context of an ordinary Michelson interferometer this may seem impossible; but, since Fabry-Perot cavities are themselves interferometers, they can each be used to make an independent measurement of the difference between the wavelength of the light and the length of the cavity. A laser illuminates the two orthogonal arms of an interferometer containing Fabry-Perot cavities. Arm 1 is read out by the Pound-Drever-Hall method to generate an error signal reflecting the mismatch between the laser light and the length of the arm. This error signal is used in a servo loop to cause the wavelength of the laser to resonate with Arm 1. The other half of the laser's light is directed by the main beam splitter to Arm 2. There, the mismatch between the light and the arm generates another error signal, reflecting the difference in length (modulo N wavelengths) between Arm 2 and Arm 1. Since a fluctuating arm length difference is the signature of a gravitational wave, this second error signal constitutes the scientific output of the interferometer. (It also of course contains the various noise sources that cause or mimic arm length differences, but in that sense it is no different from the dark fringe output of a more conventional interferometer.) Drever included the use of that error signal being used to close a second servo loop that forces the length of Arm 2 to follow the wavelength of the light. This is necessary to keep the arm at a functional operating point; it means that the error signal has to be calibrated to take the servo action into account, which sounds more complicated at the heuristic level than it actually is in practice.

The scheme described in the previous paragraph formed the basis for almost all

of the work on Fabry-Perot-based gravitational wave interferometers until well into the 1990s. But none of its proponents ever expected it to play more than a stopgap role. This is mainly because, without recombination of the light from the two arms to generate “dark” and “bright” output ports, the system can not be used as the basis of what came to be known as *power recycling*, described for the first time in this lecture, featured there as one of the “possibilities for future enhancement in sensitivity”.

Drever introduces the idea of recycling (modestly referred to as a “possibility for more efficient use of light”) in the context of a delay-line Michelson interferometer, for pedagogical simplicity. The key idea is as follows. If an interferometer has long arms and if it is constructed from mirrors with high enough reflectivity, then the light exiting from the bright port may be nearly as bright as the light entering the interferometer from the laser. (This insight represents a profoundly different “take” on the issue than can be found in Weiss’ work; he instead worried about optimizing the shot noise versus number of bounces on the assumption, good for short arms and poor mirrors, that substantial losses would eventually occur.) The light exiting the bright port is every bit as good as “fresh” light from the laser, so it seems a shame to waste it. Drever’s proposal is to arrange by an appropriate set of mirrors to redirect the used light into the interferometer, in coherent superposition with light arriving directly from the laser. (This has to be done using a beam splitter or other partially reflecting mirror of a carefully chosen reflectivity.) This arrangement has in effect made the whole interferometer into a single Fabry-Perot resonant cavity, whose back mirror is the Michelson interferometer, and whose input/output coupler is the partially-reflecting recycling mirror.

In principle, the advantages that could be achieved with this technique are quite large. Drever quotes rms shot noise in a search for 1 msec pulses of 10^{-22} , far superior to what could be achieved without recycling. He also gives a diagram showing how the technique could be applied to an interferometer whose arms were made of Fabry-Perot cavities. The components necessary to sense and control the various internal degrees of freedom are drawn in with dashed lines, as an indication of the provisional nature of the design. In fact, more subtle schemes have had to be developed to implement such a system. But, given the quality of the mirrors available today (and the lack of commensurate progress in the power levels available from stabilized lasers), power recycling has been adopted as an essential feature of every large interferometer under construction today.

The other “possibility” described here is one “for enhancing sensitivity for periodic signals”. This one is again introduced in the pedagogically simpler delay line interfer-

ometer. And again, the aim is to find a way to make use of the fact that, with good mirrors, the light would not be significantly attenuated after it has spent one half of a gravitational wave period in an interferometer arm. A periodic gravitational wave persists (by definition) for much longer than one half period; why not find a way to accumulate a phase shift on the interferometer's light for a much longer interval? The scheme proposed here does just that, by arranging for light that exits one arm after one half cycle of the gravitational wave to enter the other arm, where it stays for another half cycle. The light changes arms at the same time that the gravitational wave changes sign, at least for the signal frequency that matches the length of the interferometer. A partially reflecting mirror governs how long the light repeats this cycle before finally exiting the interferometer. As with power recycling, Drever goes on to show how a similar effect can be achieved in an interferometer that uses Fabry-Perot cavities.

It has been shown recently that the scheme can actually be implemented in a much more elegant way, using a single partially reflecting mirror at the nominally dark port. In analogy with power recycling, this scheme (called *signal recycling*) can be thought of as forming a single large Fabry-Perot resonant cavity out of the interferometer, this one resonant at the frequency of the signal sidebands on the laser light that have been created by the action of the gravitational wave.⁶⁸ This version of the idea will almost certainly also find application in the next generation of large interferometers.

6.6 The Garching 30-meter prototype gravitational-wave detector

The 1988 paper to which we referred above was the account by the group at the Max-Planck-Institut für Quantenoptik, the successor to the bar group of the early '70s. Shoemaker *et al.*⁶⁹ provided a beautifully detailed account of the best-characterized interferometer prototype yet built. It can be thought of as the work that brought to fruition, on the meter scale at least, the ideas embodied in Weiss' 1972 design study. Through the '70s and '80s, a number of groups (including Weiss' at MIT, Drever's at Glasgow and at Caltech, and Brillet's at Orsay) worked in parallel with the MPQ group to develop prototypes of kilometer-scale working interferometric detectors.⁷⁰ The MPQ paper makes a nice example, though, since it is an especially complete account of a well-functioning instrument. So for pedagogical purposes we let it here stand for the large body of work done worldwide through the 1980's.

The interferometer described here had test masses 30 meters from the beam splitter; light made 45 round trips, for a total light travel time in an arm of $9 \mu\text{s}$. The folding of

the optical path was achieved with a Herriott delay line. The interferometer was illuminated with an Argon-ion laser at $\lambda = 514.5$ nm, capable of supplying up to 0.23 W to the photodetector (at a bright fringe) after all optical losses in the interferometer are included. The test masses consisted of simple glass mirrors with a radius of curvature 31.6 m; they were suspended from single-wire slings of free length 0.72 m, giving a resonant frequency of about 0.6 Hz. Each of these was in turn suspended from a metal plate hung from coil springs. This upper level of the suspension not only added isolation along the optic axis, but gave isolation in the other degrees of freedom that might cross-couple into the sensitive direction.

The many compliant degrees of freedom of such a system needed damping, but damping of a sort that would not add substantial amounts of noise, in particular thermal noise. The solution was a set of optical shadow sensors that detected the positions of small vanes attached to the mirrors; the outputs of these sensors, suitably filtered, drove currents through coils that were in turn positioned near magnets integrally mounted with the vanes. This is a very robust kind of servo, and it can be made sufficiently noiseless, at least at intermediate and high frequencies. In the Garching 30-meter interferometer, 16 degrees of freedom were damped using servos of this kind.

The Garching group paid careful attention to the influence of fluctuations in laser power, wavelength, position, and angle. Laser power fluctuations are dealt with primarily by implementation of the modulated dark-fringe servo system. Sensitivity to variations in the input beam's transverse position and injection angle was minimized by using an optical fiber as a spatial filter for the laser, an idea the authors credit to Weiss. Frequency fluctuations enter in two ways:

- Mismatches in the curvature of the mirrors cause the two interferometer arms to differ in length by an amount ΔL , when the mirrors are spaced so as to give the same number of round trips N through the arms. The spectral density of effective arm length noise $x(f)$ due to a frequency fluctuation spectrum $\delta\nu(f)$ is

$$x(f) = \frac{\Delta L}{N} \frac{\delta\nu(f)}{\nu}.$$

- Light that scatters out of the intended path can nevertheless find its way to the beam splitter again, where it interferes with the rest of the light. Although good mirror surfaces and coatings minimize the fraction of the light scattered, the very large mismatches in path length that can result made this a comparable mechanism for conversion of laser frequency noise into apparent mirror motion.

In order to make laser frequency noise small enough, the Garching group stabilized the laser using a combination of two servo loops. In the first loop, a rigid Fabry-Perot resonant cavity serves as a length reference; the light's wavelength is held to resonance in the cavity, by inspection of the transmitted light intensity. A second error signal is derived by interfering the light that exits the bright port of the interferometer (whose phase depends on the average of the lengths of the two arms) with some of the new light entering. Feedback was applied to a mirror at the end of the laser cavity, to a Pockels cell within the laser cavity, and to the common mode positions of the two end mirrors of the interferometer.

The noise spectrum of the system was in reasonable agreement with a noise budget prepared from estimates of the noise sources described above. The rms noise in a 1 kHz bandwidth near 1 kHz was about 3×10^{-18} , only a factor of three poorer than the best that had been achieved by a resonant-mass detector. This was one of the great triumphs of the German work. The other was the robustness of the rather elaborate active system that this interferometer had become, of order two dozen servo loops. It typically stayed in lock for 30 minutes to an hour, and upon losing lock would shortly reacquire lock automatically.

The 30-meter interferometer was run for 100 hours in March, 1989, in coincidence with the 10-meter interferometer at Glasgow that had achieved comparable sensitivity. Even then, the enthusiasm for looking for gravitational waves at "low" sensitivity was such that an analysis of the results of the run was not published until 1996.⁷¹

6.7 Designs for kilometer-class interferometers

As noted above, laboratory work on interferometers was almost from the beginning considered an engineering exercise preparatory to the construction of instruments with arms of kilometer scale. With several such devices now under construction, it is worth reviewing their distinctive features. Here, even more so than for the other cases we have been discussing, the refereed literature is a poor source of information, and so are conference proceedings. For most projects the only detailed descriptions are those contained in funding proposals. (The one redeeming feature of this form of publication is that, since the reviewers of such documents were typically not expected to be experts in the field, they contain an abundance of carefully written tutorial material, and well-reasoned justifications for most design choices.)

The three largest approved projects today, (LIGO,⁷² VIRGO,⁷³ and GEO⁷⁴) all went

through similar parallel processes of design study, proposal, and now construction. This was a fruitful period, with a rich interchange of ideas. For pedagogical purposes, we choose to focus in this review on a single line of development, that of the U.S. LIGO Project.

6.7.1 The “Blue Book”

In almost the same sense as the early table-top interferometers were prototypes of larger instruments, so too did the proposals for kilometer-scale interferometers have a prototype. This was the report called “A Study of a Long Baseline Gravitational Wave Antenna System”, submitted to the U.S. National Science Foundation in October 1983.⁷⁵ (It has since its presentation been called the “Blue Book” because of the color of the cheap paper cover in which it was bound.) It was prepared primarily by Weiss and two colleagues at MIT (Paul S. Linsay and the present author), as the product of a planning exercise funded by the NSF starting in 1981. The report also contained a section by Stan Whitcomb of Caltech on Fabry-Perot systems (as a partial counter to Weiss’ emphasis on Herriott delay lines), as well as extensive sections written by industrial consultants from Stone & Webster Engineering Corporation and from Arthur D. Little, Inc. These latter contributors were essential, because this document contains, for the first time anywhere, an extensive discussion of the engineering details specific to the problems of the construction and siting of a large interferometer. The report was presented, by both Weiss’ MIT group and that of Drever at Caltech, at a meeting of the NSF’s Advisory Council for Physics late in 1983. While not a formal proposal, it served as a sort of “white paper”, suggesting the directions that subsequent proposals might (and in large measure did) take.

The first half of the report is devoted to the physics of gravitational wave interferometers. This section reads much like Weiss’ 1972 design study, except that many issues only touched on briefly in the first paper are here discussed at substantially greater length. In the eleven years that elapsed between the two documents there had been real progress on several fronts. There are chapters on sources of gravitational waves, the basic physics of the response of a free-mass interferometer to a gravitational wave, a discussion of beam-folding schemes and a summary of the current prototype interferometers, and another extensive discussion of noise sources. The report is bracketed by an introductory section outlining a history of the field to 1983 and by a pair of appendices, one of which compares the quantum limits of bars and interferometers and the

other showing why the interferometer beams must travel through an evacuated space instead of through optical fibers.

The main emphasis of the Blue Book was less a discussion of physics *per se* than it was a consideration of the practical aspects of the experiment as an engineering and construction project. The completely new material appears in the second half of the Blue Book, in the chapters summarizing the work of the industrial consultants. Weiss believed that the only significant impediment to achieving astrophysically interesting sensitivity was the expense of building an interferometer with long arms (the issue that had brought the Hughes group's progress to a halt.) The industrial study was undertaken with the aim of identifying what design trade-offs would allow for a large system to be built at minimum cost, and to establish a rough estimate of that cost (along with cost scaling laws) so that the NSF could consider whether it might be feasible to proceed with a full-scale project.

Before such an engineering exercise could be meaningful, though, it was necessary to define what was meant by "full-scale". The Blue Book approaches this question by first modeling the total noise budget as a function of frequency, then evaluating the model as a function of arm lengths ranging from 50 meters (not much longer than the Caltech prototype) to 50 km. The design space embodied in this model was then explored in a process guided by three principles:

- "The antenna should not be so small that the fundamental limits of performance can not be attained with realistic estimates of technical capability." This was taken to mean that the length ought to be long enough that one could achieve shot noise limited performance for laser power of 100 W, without being limited instead by displacement noise sources, over a band of interesting frequencies. The length resulting from this criterion strongly depended on whether one took that band to begin around 1 kHz (in which case $L = 500$ m was adequate), 100 Hz (where $L = 5$ km was only approaching the required length), or lower still (in which case even $L = 50$ km would not suffice.) Evidently, this strictly physics-based criterion was too elastic to be definitive.
- "The scale of the system should be large enough so that further improvement of the performance by a significant factor requires cost increments by a substantial factor." In other words, the system should be long enough so that the cost is not dominated by the length-independent costs of the remote installation.
- "Within reason no choice in external parameters of the present antenna design

should preclude future internal design changes which, with advances in technology, will substantially improve performance.” This was a justification for investing in a large-diameter beam tube, and for making sure that the vacuum system could achieve pressures as low as 10^{-8} torr.

In an iterative process, rough application of these principles was used to set the scope of options explored by the industrial consultants. Then at the end of the process, the principles were used again to select a preferred design. Arm lengths as long as 10 km were explored, and tube diameters as large as 48 inches. An extensive site survey was also carried out by the consultants. It was aimed at establishing that sites existed that were suitable for a trenched installation (which put stringent requirements on flatness of the ground) of a 5 km interferometer. The survey covered Federal land across the United States, and a study of maps of all land in the Northeastern United States, along with North Carolina, Colorado, and Nebraska. Thirteen “suitable” sites were identified. Evaluation criteria also included land use (specifically that the site not be crossed by roads, railroads, or oil and gas pipelines), earthquake risk, drainage, and accessibility.

The site survey also attempted to identify possibilities of locating an interferometer in a subsurface mine, which would give a more stable thermal environment and perhaps also reduced seismic noise (if it were located deep enough, and if it were inactive.) No mines were found in the United States with two straight orthogonal tunnels even 2 km in length.

The conclusion of the exercise was a “proposed design” with the following features:

- Two interferometer installations separated by “continental” distances.
- Interferometer arm length of $L = 5$ km.
- Beam tubes of 48 inch diameter made of aluminum (chosen for an expected cost savings over stainless steel) pumped by a combination of Roots-blowers for roughing and ion-pumps for achieving and maintaining the high vacuum. A delay line interferometer would require a diameter of almost the proposed size. Drever’s beam-interchange scheme for improved narrow-band sensitivity was also listed as one justification for preferring large tubes, as was the possibility of multiple interferometers (presumably based on Fabry-Perot cavities) side by side.
- The proposed installation method was to enclose the tube in a 7’ by 12’ cover constructed of a “multi-plate pipe-arch”, in turn installed 4 feet below grade in a trench that was subsequently back-filled with soil.

The total estimated cost for such a system was given as \$58M.

Note that there were no specific recommendations for the design of the interferometers themselves, beyond the “straw man” used for estimating the noise budget.

The Blue Book was received respectfully by the NSF’s Advisory Committee for Physics. As a result, the MIT and Caltech research groups were encouraged to combine their forces to develop a complete specific design. Subsequently, both groups received funding with the eventual goal of a joint proposal for construction of a large interferometer system.

6.7.2 The LIGO proposal of December 1987

By 1987, substantial progress had been made on lab-scale interferometers by research groups around the world. And, encouraged by the NSF’s reception of the Blue Book, more thinking had gone into the best way to construct and exploit large interferometers. Much of this progress is evident in the proposal submitted to the U.S. National Science Foundation in December of 1987 by a formal Caltech-MIT collaboration that had adopted the name of LIGO, for Laser Interferometer Gravitational wave Observatory.⁷⁶ Since September 1987 it had been led by Rochus E. (“Robbie”) Vogt as Project Director, with Drever and Weiss as science team leaders. The proposal requested funds for a three-year program of R&D and engineering studies, the outcome of which was intended to be another proposal (to be submitted in 1989) requesting authorization to build a pair of 4 km long interferometers.

Prototype interferometers were functioning at respectable sensitivities, after years of assembly, debugging, analysis, and redesign. The Caltech 40-meter interferometer was the showpiece of the proposal. It employed high-finesse Fabry-Perot cavities, arranged in the simplified non-recombined configuration for ease of testing. An impressive graph shows the improvement in strain sensitivity since its first operation in May 1983, by a factor of over 10^3 in amplitude. In that interval, ultra-low loss “supermirrors” were installed, first on an early optical-bench style of test mass and then on separated compact test masses (eventually ones made of fused silica), and a variety of improvements were made to the Argon laser and to the locking servos. The noise spectrum above 1 kHz was nearly white, with a level of $h(f) \approx 2 \times 10^{-19} / \sqrt{\text{Hz}}$. This was consistent with the expected level of shot noise.

Results were also presented from the table-top (1.5 meter arm length) prototype interferometer at MIT. It employed Herriott delay lines of 56 bounces between con-

ventional high quality mirrors that were clamped to aluminum test masses. Unlike the Caltech instrument which could not function without sophisticated frequency stabilization of its laser, MIT used an unstabilized Argon laser to which phase noise was actually added to help suppress scattered light. Pointing, damping, and slow feedback were accomplished with electrostatic actuators. Strain sensitivity could of course not compete with the much longer Caltech instrument, but even the displacement noise was nearly an order of magnitude worse, given as $4.6 \times 10^{-17} \text{ m}/\sqrt{\text{Hz}}$, for frequencies above 4 kHz. That level was a factor of 2 in excess of the expected shot noise in the 60 mW of light, diagnosed as insufficiently suppressed noise from scattered light. At lower frequencies acoustic noise drove the interferometer via a variety of coupling paths through the injection optics as well as the test mass suspensions.

The proposal records substantial progress toward design of a full-scale interferometer. It states that the collaboration had adopted the Fabry-Perot beam-folding system. A preliminary design is presented in an appendix of the proposal. It envisioned use of 5 to 6 W of light at 514 nm from an Argon laser employed in a power recycled configuration. An elaborate schematic diagram gave a hint of the complexity of the servos necessary to control the large number degrees of freedom that need to be kept locked for such an instrument to function. These include lengths of the arm cavities, the separation of their input mirrors from the beam splitter, the location of the power recycling mirror, and the lengths of various “mode cleaning” resonant cavities used for spatial filtering of the laser beam. In addition to these lengths, control of a number of angular degrees of freedom also needs to be included. Four separate RF modulation frequencies are specified to drive these servos. Special features are designed into the main cavity locking servo so that the phase modulation can be injected with a small Pockels cell without the inevitable losses dominating the performance of the recycling system.

Another appendix describes an alternate optical configuration based on Herriott delay lines. It employed 86 cm diameter silicon test masses of 450 kg. The simplicity of the servos was listed as one of its major advantages. A “closed-path” variation of this design was also presented, in which light leaving one arm is injected into the other. This is like a single-interchange version of Drever’s system for improving sensitivity to periodic waves. Here it was employed mainly to relax the tolerances on matching the curvature of the large mirrors. (The virtues of this design have recently been explored again by the Stanford group.⁷⁷)

On the engineering and site issues there had also been some progress since the Blue

Book study, mostly made by engineers at Caltech's Jet Propulsion Laboratory, but this was not considered complete enough to highlight in the proposal. Instead, one of the first proposed tasks was to complete a preliminary engineering design. Nevertheless, a mature understanding had been achieved of what LIGO ought to *be*. This insight was expressed in a list of "Essential Features of the LIGO":

1. "Two widely separated sites under common management." Two sites had been a feature of Weiss' earliest thinking, to allow coincidence observations to search for transient signals. The new feature was the commitment to truly have them managed as a single entity, "to guarantee that two receivers of nearly equal sensitivity are on line simultaneously at two sites, with a high live time."
2. "Arm lengths of order 4 kilometers at each site," a slight scaling back of the 5 km considered previously, but still long enough to strongly dilute the effects of displacement noise.
3. "The ability to operate simultaneously several receiver systems at each site." In a way, this was the most ambitious feature of the LIGO concept. In part it grew out of a kind of conservatism that was not clearly spelled out, but that was nevertheless real. The early LIGO interferometers, if they were not to be extremely risky extrapolations from known technology, were unlikely to have sufficient sensitivity to be assured of detecting astrophysical signals. Even if that weren't so, the project would have had to wrestle with the competition between time devoted to observation and time devoted to improving the performance of the instrument. This competition had bedeviled workers on resonant-mass detectors. The key new idea for LIGO was that the precious commodity, an evacuated beam pipe, might be available with abundant cross-sectional area since the Fabry-Perot geometry had been adopted. All that was required was an arrangement of tanks at the ends of the pipe to install the test masses of various interferometers, both operational and experimental. This actually called for substantial cleverness in developing an airlock system, so that installation and operation could take place with "a minimum of mutual interference".
4. "The capability for receivers of two different arm lengths." Drever urged the adoption of this feature, to allow a clean test of the gravitational origin of candidate signals, which should show up as the tidal signature that a longer interferometer sees twice the signal.
5. "A vacuum tube diameter of order 48 inches." This had the conservative justifica-

tion that it would be necessary if one had to switch from Fabry-Perot cavities to delay lines, and the great benefit of allowing multiple Fabry-Perot interferometers, as mentioned above.

6. “The capability of a vacuum level of 10^{-8} torr.” This would be needed, not for the first LIGO instrument, but to avoid having fluctuations in the index of refraction of the residual gas dominate shot noise in a more sensitive “advanced” receiver.
7. “A minimum lifetime of the facilities of 20 years.” This was to be not just a one-shot discovery experiment, but a laboratory to exploit the gravitational wave window in astronomy.
8. “Adequate support instrumentation.”

The heritage of the Blue Book should be evident in the above list, but so too should be the progress in thinking beyond that point.

Because of a Federal budget crisis, this proposal was not funded. However, the two groups were encouraged to continue their work, and to submit a more complete proposal in a subsequent year.

6.7.3 The LIGO proposal of December 1989

Many of the features only hinted out in the 1987 proposal are spelled out in much greater detail in the proposal for engineering design and construction of LIGO (now with a hyphen in Laser Interferometer Gravitational-Wave Observatory) that was submitted to the NSF in December 1989.⁷⁸ It fleshes out the design of a system that would embody the eight Essential Features of LIGO first described in the 1987 proposal. (The only differences are that the vacuum tube diameter is now specified as a “clear optical diameter of approximately 1 meter”, and the vacuum spec is given as “ 10^{-9} torr of hydrogen and 10^{-10} of other gases.”)

A single detector system would require three interferometers — a 4 km interferometer at each of two widely separated remote sites, plus a 2 km interferometer at one of the sites. This shorter interferometer played two related roles: a check that a candidate signal had the tidal signature of a gravitational wave, and the simpler but crucial requirement that a real signal should appear in all three interferometers. A calculation presented here shows that an accidental event rate of around 100/hour/interferometer can be tolerated without accidental 3-way coincidences occurring more frequently than once in ten years, an improvement of about two orders of magnitude over what could be tolerated with only a single interferometer at each site.

The features described above are part of a plan that is aimed at accomplishing “three primary objectives”:

- “observation”, or a continuous “gravitational-wave watch”,
- “development”, or “full functional testing of new and advanced interferometer-based detector concepts”, and
- “special investigations” using detectors optimized for “particular phenomena”.

These missions are “to be conducted without mutual interference.”

It would take a substantial investment (of money, ideas, and energy of scientists) to accomplish all of these goals, and so for this reason full implementation of this strategy was to be accomplished in a series of phases.

- “Phase A, The Exploration/Discovery Phase”, with one three-interferometer detector system, suitable for observation or development, but not both simultaneously.
- “Phase B, The Discovery/Observation Phase”, with two three-interferometer detector systems, allowing “concurrent observation *and* development or specialized search.”
- “Phase C, The Observatory Phase”, room for three full detector systems, “allows concurrent observation, development, special investigations, and optimal access for the scientific community at large. It completes the LIGO evolution to its presently conceived full-design capability.”

Because of the cost involved in elaborate vacuum chambers with airlocks, the 1989 proposal asked only for the funds to complete Phase A. The single important investment in the capability to upgrade to Phases B and C was the design of buildings large enough to accommodate all of the vacuum tanks that would be eventually required.

It should be emphasized that, to a large degree, this aggressive planning for an elaborate facility was a necessary consequence of a simple fact — that it looked difficult to build an interferometer that would have sufficient sensitivity to assure detection of gravitational waves. Hence the need to plan for ongoing interferometer development and specially optimized instruments. Of course, these activities would also be useful even if some signals proved easier to detect than expected, since carrying out gravitational wave astronomy would call for the highest achievable signal to noise ratios. For example, angular position errors are inversely proportional to the signal to noise ratio,

and are as large as 10 arcmin or more when the SNR= 10, even when observations are made with a three-detector U.S.-Europe network.

The 1989 proposal is much more explicit about the details of the design of the first interferometer. The design is based on the Fabry-Perot interferometer of the 1987 proposal's appendix. It has been fleshed out with specifications of laser power, finesse, test mass parameters and vibration isolation performance, so that a specific noise budget could be presented. The 1989 proposal also contains a preliminary discussion of what sorts of improvements would be necessary to push the noise to levels low enough to guarantee detection of signals. This includes laser power of 60 W recycled by a factor of 100, a much more aggressive vibration isolation system, and final pendulum suspensions with a quality factor of 10^9 carrying 1-ton fused silica mirrors.

6.7.4 The situation today

Construction of LIGO was approved in 1991. By mid-1998 (the time of the writing of this review), construction of the two facilities in Hanford WA and Livingston LA was over three-quarters complete. The schedule calls for construction to be completed soon. Roughly speaking, 1999 is to be devoted to installation of the scientific equipment in the completed facilities, 2000 to shakedown of the interferometers, and 2001 to engineering activities to bring the performance up to the design specifications. Then, data will be collected during 2002-3. Beginning in 2004, upgrades to improve the performance will be carried out, interspersed with additional periods of observation.

The first instrument to be installed is expected to have a noise spectrum like that shown in Figure 4. The high frequency noise spectrum should be dominated by shot noise, as determined from an input power of 6 W, multiplied by a power recycling gain of 30. Thermal noise from the 1 Hz pendulum mode will dominate the intermediate frequency band; the oscillations of the 10 kg test masses should achieve a quality factor of 1.6×10^5 . (Internal thermal noise will dominate the spectrum only in a narrow band, due to test mass modal quality factors of about 10^6 .) Low frequency noise will be governed of course by seismic noise that passes through the multi-layer stack.

Performance of the VIRGO 3 km interferometer will be similar at medium and high frequencies. At low frequencies, seismic noise should be much lower in VIRGO than in LIGO, since a much more aggressive filter has been designed. This should allow the noise to be dominated by pendulum thermal noise down to 10 Hz or a bit lower.

The GEO 600 meter interferometer is not expected to reach quite such low levels,




Fig. 4. An estimate of the noise spectrum of the LIGO I interferometers. The four most important noise sources are shown: seismic noise, pendulum mode thermal noise, thermal noise of internal vibrations of the mirror, and shot noise.

but it will be surprisingly close. To make up for the shorter length, advanced technologies (including signal recycling) will be pursued aggressively from an early date. Thus this instrument will play a dual role as part of the global network of interferometers and as a prototype for features that will later be incorporated into other interferometers.

References

- [1] E. M. Purcell, *Electricity and Magnetism*, (McGraw-Hill, New York, 1965).
- [2] L. D. Landau and E. M. Lifschitz, *The Classical Theory of Fields*, (Pergamon, Oxford, 1975).
- [3] P. Kafka, in *Space Science and Fundamental Physics*, Proceedings of Summer School, Alpbach, Austria, 28 July - 7 August 1987 (ESA SP-283, May 1988).
- [4] A. P. Cowley, *Ann. Rev. Astron. Astrophys.* **30**, 287 (1992).
- [5] J. A. Wheeler, cited in Weber (1961).
- [6] J. Weber, *Phys. Rev.* **117**, 306 (1960).
- [7] J. Weber, *General Relativity and Gravitational Waves* (Interscience, New York, 1961).
- [8] J. Weber, *Phys. Rev. Lett.* **22**, 1320 (1969).
- [9] F. A. E. Pirani *Acta. Phys. Polon.* **15**, 389 (1956).
- [10] G. E. Moss, L. R. Miller, and R. L. Forward, *Appl. Opt.* **10**, 2495 (1971).
- [11] R. Weiss, *Quarterly Progress Report, MIT Research Lab of Electronics* **105**, 54 (1972).
- [12] E. Kappler, *Ann. Phys. (Leipzig)* **11**, 233 (1931); R. B. Barnes and S. Silverman, *Rev. Mod. Phys.* **6**, 162 (1934).
- [13] J. B. Johnson, *Phys. Rev.* **32**, 97 (1928).
- [14] H. Nyquist, *Phys. Rev.* **32**, 110 (1928).
- [15] H. B. Callen and T. A. Welton, *Phys. Rev.* **83**, 34 (1951); H. B. Callen and R. F. Greene, *Phys. Rev.* **86**, 702 (1952).
- [16] N. Bohr, *Nature* **121**, 580 (1928).
- [17] N. Bohr, in *Albert Einstein: Philosopher-Scientist* (Library of Living Philosophers, Evanston, Ill., 1949).

- [18] R. Weiss, in *Sources of Gravitational Radiation*, ed. L. Smarr (Cambridge University Press, Cambridge, 1979) p. 7.
- [19] P. A. M. Dirac, *The Principles of Quantum Mechanics* (Clarendon Press, Oxford, 1958).
- [20] C. M. Caves, *Phys. Rev. Lett.* **45**, 75 (1980).
- [21] J. Weber, *Phys. Rev. Lett.* **17**, 1228 (1966).
- [22] R. Del Fabbro, A. diVirgilio, A. Giazotto, H. Kautzky, V. Montelatici, and D. Passuello, *Phys. Lett. A* **132**, 237 (1988).
- [23] J. L. Levine and R. L. Garwin, *Phys. Rev. Lett.* **31**, 173 (1973).
- [24] E. Amaldi, O. Aguiar, M. Bassan, P. Bonifazi, P. Carelli, M. G. Castellano, G. Cavallari, E. Coccia, C. Cosmelli, W. M. Fairbank, S. Frasca, V. Foglietti, R. Habel, W. O. Hamilton, J. Henderson, W. Johnson, K. R. Lane, A. G. Mann, M. S. McAshan, P. F. Michelson, I. Modena, G. V. Pallottino, G. Pizzella, J. C. Price, R. Rapagnani, F. Ricci, N. Solomonson, T. R. Stevenson, R. C. Taber, and B.-X. Xu, *Astron. Astrophys.* **216**, 325 (1989).
- [25] G. W. Gibbons and S. W. Hawking, *Phys. Rev. D* **4**, 2191 (1971).
- [26] H. J. Paik, *J. Appl. Phys.* **47**, 1168 (1976).
- [27] J. P. Richard and W. M. Folkner, in *The Detection of Gravitational Waves*, ed. D. G. Blair, (Cambridge University Press, Cambridge, 1991).
- [28] V. B. Braginsky and Yu. I. Vorontsov, *Sov. Phys. Uspekhi* **17**, 644 (1974).
- [29] M. E. Tobar and D. G. Blair, *J. Phys. D: Appl. Phys.* **26**, 2276 (1993).
- [30] P. R. Saulson, *Class. Quantum Grav.* **14**, 2435 (1997).
- [31] H. Rothe and W. Dahlke, *Proc. IRE* **44**, 811 (1956).
- [32] W. R. LePage, *Complex Variables and the Laplace Transform for Engineers* (McGraw-Hill, New York, 1961).
- [33] J.-P. Richard, *Phys. Rev. Lett.* **52**, 165 (1984); J. C. Price, *Phys. Rev. D* **36**, 3555 (1987).
- [34] R. W. P. Drever, J. Hough, R. Bland, and G. W. Lessnoff, *Nature* **246**, 340 (1973).
- [35] H. Heffner, *Proc. IRE* **50**, 1604 (1962).
- [36] R. P. Giffard, *Phys. Rev. D* **14**, 2478 (1976).

- [37] J. Weber, *Phys. Rev. Lett.* **24**, 276 (1970).
- [38] J. Weber, *Phys. Rev. Lett.* **25**, 180 (1970).
- [39] W. H. Press and K. S. Thorne, *Ann. Rev. Astron. Astrophys.* **10**, 334 (1972).
- [40] P. S. Aplin, *Gen. Rel. Grav.* **3**, 111 (1972).
- [41] J. Weber, V. Hughes, P. Kafka, R. W. P. Drever, and C. W. Misner *Ann. N.Y. Acad. Sci.* **224**, 101 (1973).
- [42] D. Bramanti and K. Maischberger, *Lett. Nuovo Cimento* **4**, 1007 (1972); D. Bramanti, K. Maischberger, and D. Parkinson, *Lett. Nuovo Cimento* **7**, 665 (1973).
- [43] H. Billing, P. Kafka, K. Maischberger, F. Meyer, and W. Winkler, *Lett. Nuovo Cimento* **12**, 111 (1975).
- [44] J. A. Tyson, *Ann. N.Y. Acad. Sci.* **224**, 74 (1973).
- [45] J. L. Levine and R. L. Garwin, *Phys. Rev. Lett.* **31**, 173 (1973); R. L. Garwin and J. L. Levine, *Phys. Rev. Lett.* **31**, 176 (1973); J. L. Levine and R. L. Garwin, *Phys. Rev. Lett.* **33**, 794 (1974).
- [46] J. L. Levine and R. L. Garwin (1974), cited above.
- [47] R. L. Garwin, *Physics Today*, December 1974, p. 9.
- [48] D. Sciama, J. Weber, P. Kafka, R. W. P. Drever, J. A. Tyson, in *General Relativity and Gravitation*, Proceedings of GR7, Tel Aviv University, June 23-28, 1974, eds. G. Shaviv and J. Rosen (Wiley, New York 1974).
- [49] H. M. Collins, *Changing Order* (Sage Publications, London, 1985). See also this exchange: A. Franklin, *Stud. Hist. Phil. Sci.* **25**, 463 (1994); H. M. Collins, *Stud. Hist. Phil. Sci.* **25**, 493 (1994).
- [50] R. W. P. Drever, *Q. Jl. R. astr. Soc.* **18**, 9 (1977).
- [51] J. A. Tyson and R. P. Giffard, *Ann. Rev. Astron. Astrophys.* **16**, 521 (1978).
- [52] P. Kafka and L. Schnupp, *Astron. Astrophys.* **70**, 97 (1978).
- [53] S. P. Boughn, W. M. Fairbank, R. P. Giffard, J. N. Hollenhorst, E. R. Mapoles, M. S. McAshan, P. F. Michelson, H. J. Paik, and R. C. Taber, *Ap. J. Lett.* **261**, L19 (1982).
- [54] P. Astone *et al.*, Proceedings of the Xth Italian General Relativity Conference, Bardonecchia, September 1-4, 1992, unpublished.

- [55] M. Aglietta, A. Castellina, W. Fulgione, G. Trincherò, S. Vernetto, P. Astone, G. Badino, G. Bologna, M. Bassan, E. Coccia, I. Modena, P. Bonifazi, M. G. Castellano, M. Visco, C. Castagnoli, P. Galeotti, O. Saavedra, C. Cosmelli, S. Frasca, G. V. Pallottino, G. Pizzella, P. Rapagnani, F. Ricci, E. Majorana, D. Gretz, J. Weber, and G. Wilmot, *Nuovo Cimento* **106B**, 1257 (1991); G. Pizzella, in *Develpments in General Relativity, Astrophysics and Quantum Theory: A Jubilee in Honour of Nathan Rosen*, eds. F. Cooperstock, L. P. Horwitz, and J. Rosen, *Annals of the Israel Physical Society* **9**, 195 (1990).
- [56] C. A. Dickson and B. F. Schutz, *Phys. Rev. D* **51**, 2644 (1995).
- [57] M. E. Gertsenshtein and V. I. Pustovoit, *Sov. Phys. JETP* **16**, 433 (1962).
- [58] P. G. Roll, R. Krotkov, and R. H. Dicke, *Ann. Phys. (N.Y.)* **26**, 442 (1964).
- [59] A. A. Michelson and E. W. Morley, *Am. J. Sci.* **34**, 333 (1887).
- [60] R. H. Dicke, *Rev. Sci. Instrum.* **17**, 268 (1946).
- [61] R. Buderì, *The Invention That Changed the World* (Simon and Schuster, New York, 1996).
- [62] J. D. Kraus, *Radio Astronomy* (McGraw-Hill, New York, 1966).
- [63] R. H. Dicke, *The Theoretical Significance of Experimental Relativity* (Gordon and Breach, New York, 1964).
- [64] R. L. Forward, *Phys. Rev. D* **17**, 379 (1978).
- [65] R. W. P. Drever, in *Gravitational Radiation*, eds. N. Deruelle and T. Piran (North Holland, Amsterdam, 1983), p. 321.
- [66] R. W. Drever, J. L. Hall, F. V. Kowalski, J. Hough, G. M. Ford, A. J. Munley, and H. Ward, *Appl. Phys. B* **31**, 97 (1983); see also A. Schenzle, R. DeVoe, and G. Brewer, *Phys. Rev. A* **25**, 2606 (1982).
- [67] R. V. Pound, *Rev. Sci. Instrum.* **17**, 490 (1946).
- [68] B. J. Meers, *Phys. Rev. D* **38**, 2317 (1988); K. A. Strain and B. J. Meers, *Phys. Rev. Lett.* **66**, 1391 (1991).
- [69] D. Shoemaker, R. Schilling, L. Schnupp, W. Winkler, K. Maischberger, and A. Rüdiger, *Phys. Rev. D* **38**, 423 (1988).
- [70] P. F. Michelson, Hu E.-K., and G. Pizzella, eds., *International Symposium on Experimental Gravitational Physics* (World Scientific, Singapore, 1988).

- [71] D. Nicholson, C. A. Dickson, W. J. Watkins, B. F. Schutz, J. Shuttleworth, G. S. Jones, D. I. Robertson, N. L. Mackenzie, K. A. Strain, B. J. Meers, G. P. Newton, H. Ward, C. A. Cantley, N. A. Robertson, J. Hough, K. Danzmann, T. M. Niebauer, A. Rüdiger, R. Schilling, L. Schnupp, and W. Winkler, *Phys. Lett. A* **218**, 175 (1996).
- [72] A. Abramovici, W. E. Althouse, R. W. P. Drever, Y. Gürsel, S. Kawamura, F. J. Raab, D. Shoemaker, L. Sievers, R. E. Spero, K. S. Thorne, R. E. Vogt, R. Weiss, S. E. Whitcomb, and M. E. Zucker, *Science* **256**, 325 (1992).
- [73] C. Bradaschia, R. Del Fabbro, A. Di Virgilio, A. Giazotto, H. Kautzky, V. Montelatici, D. Passuello, A. Brilliet, O. Cregut, P. Hello, C. N. Man, P. T. Manh, A. Marraud, D. Shoemaker, J.-Y. Vinet, F. Barone, L. Di Fiore, L. Milano, G. Russo, S. Solimeno, J. M. Aguirregabiria, H. Bel, J.-P. Duruisseau, G. Le Denmat, P. Tournenc, M. Capozzi, M. Longo, M. Lops, I. Pinto, G. Rotoli, T. Damour, S. Bonazzola, J. A. Marck, Y. Gourghoulon, L. E. Holloway, F. Fuligni, V. Iafolla, G. Natale, *Nucl. Instr. Meth. Phys. Res. A* **289**, 518 (1990).
- [74] J. Hough, G. P. Newton, N. A. Robertson, H. Ward, A. M. Campbell, J. E. Logan, D. I. Robertson, K. A. Strain, K. Danzmann, H. Lück, A. Rüdiger, R. Schilling, M. Schrempel, W. Winkler, J. R. J. Bennett, V. Kose, M. Kühne, B. F. Schutz, D. Nicholson, J. Shuttleworth, H. Welling, P. Aufmuth, R. Rinkleff, A. Tünnermann, and B. Willke, in *Proceedings of the Seventh Marcel Grossmann Meeting on General Relativity*, eds. R. T. Jantzen and G. M. Keiser (World Scientific, Singapore, 1996), p. 1352.
- [75] P. S. Linsay, P. R. Saulson, and R. Weiss, *A Study of a Long Baseline Gravitational Wave Antenna System* (MIT, Cambridge, Mass., 1983), unpublished.
- [76] R. E. Vogt, R. W. P. Drever, K. S. Thorne, and R. Weiss, *Caltech/MIT Project for a Laser Interferometer Gravitational Wave Observatory*, proposal to the National Science Foundation (Caltech, Pasadena, 1987), unpublished.
- [77] K.-X. Sun, M. M. Fejer, E. Gustafson, and R. L. Byer, *Phys. Rev. Lett.* **76**, 3053 (1996).
- [78] R. E. Vogt, R. W. P. Drever, F. J. Raab, K. S. Thorne, and R. Weiss, *The Construction, Operation, and Supporting Research and Development of a Laser Interferometer Gravitational-Wave Observatory*, proposal to the National Science Foundation (Caltech, Pasadena, 1989), unpublished.