

Combination of CDF and D0 measurements of the W boson helicity in top quark decays

T. Aaltonen,¹² V.M. Abazov,⁴⁸ B. Abbott,¹¹³ B.S. Acharya,³¹ M. Adams,⁷⁸ T. Adams,⁷⁴ G.D. Alexeev,⁴⁸ G. Alkhazov,⁵² A. Alton^a,⁹⁶ B. Álvarez González^b,⁵⁷ G. Alverson,⁹² S. Amerio,³⁵ D. Amidei,⁹⁶ A. Anastassov^c,⁷⁶ A. Annovi,³⁴ J. Antos,⁵³ M. Aoki,⁷⁶ G. Apollinari,⁷⁶ J.A. Appel,⁷⁶ T. Arisawa,⁴¹ A. Artikov,⁴⁸ J. Asaadi,¹²⁰ W. Ashmanskas,⁷⁶ A. Askew,⁷⁴ B. Āsman,⁵⁸ S. Atkins,⁸⁹ O. Atramentov,¹⁰³ B. Auerbach,⁷² K. Augsten,⁹ A. Aurisano,¹²⁰ C. Avila,⁷ F. Azfar,⁶⁶ F. Badaud,¹³ W. Badgett,⁷⁶ T. Bae,⁴³ L. Bagby,⁷⁶ B. Baldin,⁷⁶ D.V. Bandurin,⁷⁴ S. Banerjee,³¹ A. Barbaro-Galtieri,⁶⁸ E. Barberis,⁹² P. Baringer,⁸⁷ V.E. Barnes,⁸⁵ B.A. Barnett,⁹⁰ J. Barreto,² P. Barria^{pp},³⁶ J.F. Bartlett,⁷⁶ P. Bartos,⁵³ U. Bassler,¹⁸ M. Bauce^{ss},³⁵ V. Bazterra,⁷⁸ A. Bean,⁸⁷ F. Bedeschi,³⁶ M. Begalli,² S. Behari,⁹⁰ C. Belanger-Champagne,⁵⁸ L. Bellantoni,⁷⁶ G. Bellettini^{oo},³⁶ J. Bellinger,¹²⁶ D. Benjamin,¹¹⁰ A. Beretvas,⁷⁶ S.B. Beri,²⁹ G. Bernardi,¹⁷ R. Bernhard,²² I. Bertram,⁶¹ M. Besançon,¹⁸ R. Beuselinck,⁶³ V.A. Bezzubov,⁵¹ S. Bhatia,⁹⁹ V. Bhatnagar,²⁹ A. Bhatti,¹⁰² P.C. Bhat,⁷⁶ D. Bisello^{ss},³⁵ I. Bizjak^{hh},⁶⁴ K.R. Bland,¹²³ G. Blazey,⁷⁹ S. Blessing,⁷⁴ K. Bloom,¹⁰⁰ B. Blumenfeld,⁹⁰ A. Bocci,¹¹⁰ A. Bodek,¹⁰⁷ A. Boehnlein,⁷⁶ D. Boline,¹⁰⁸ E.E. Boos,⁵⁰ G. Borissov,⁶¹ D. Bortoletto,⁸⁵ T. Bose,⁹¹ J. Boudreau,¹¹⁶ A. Boveia,⁷⁷ A. Brandt,¹¹⁹ O. Brandt,²³ L. Brigliadori^{rr},³³ R. Brock,⁹⁸ C. Bromberg,⁹⁸ G. Brooijmans,¹⁰⁶ A. Bross,⁷⁶ D. Brown,¹⁷ J. Brown,¹⁷ E. Brucken,¹² X.B. Bu,⁷⁶ J. Budagov,⁴⁸ H.S. Budd,¹⁰⁷ M. Buehler,⁷⁶ V. Buescher,²⁵ V. Bunichev,⁵⁰ S. Burdin^d,⁶¹ K. Burkett,⁷⁶ P. Bussey,⁶⁰ C.P. Buszello,⁵⁸ A. Buzatu,⁴ A. Calamba,¹¹⁵ C. Calancha,⁵⁶ E. Camacho-Pérez,⁴⁵ S. Camarda,⁵⁴ M. Campanelli,⁶⁴ M. Campbell,⁹⁶ F. Canelli,⁷⁶ B. Carls,⁸¹ D. Carlsmith,¹²⁶ R. Carosi,³⁶ S. Carrillo^e,⁷³ S. Carron,⁷⁶ B. Casal^f,⁵⁷ M. Casarsa,⁷⁶ B.C.K. Casey,⁷⁶ H. Castilla-Valdez,⁴⁵ A. Castro^{rr},³³ P. Catastini,⁹³ S. Caughron,⁹⁸ D. Cauz,¹²⁷ V. Cavaliere,⁸¹ M. Cavalli-Sforza,⁵⁴ A. Cerri^g,⁶⁸ L. Cerrito^h,⁶⁴ S. Chakrabarti,¹⁰⁸ D. Chakraborty,⁷⁹ K.M. Chan,⁸⁴ A. Chandra,¹²² E. Chapon,¹⁸ Y.C. Chen,⁶ G. Chen,⁸⁷ M. Chertok,⁶⁹ S. Chevalier-Théry,¹⁸ G. Chiarelli,³⁶ G. Chlachidze,⁷⁶ F. Chlebana,⁷⁶ S. Choi,⁴⁴ D. Chokheli,⁴⁸ B. Choudhary,³⁰ D.K. Cho,¹¹⁸ K. Cho,⁴³ S.W. Cho,⁴⁴ W.H. Chung,¹²⁶ Y.S. Chung,¹⁰⁷ S. Cihangir,⁷⁶ M.A. Ciocci^{pp},³⁶ D. Claes,¹⁰⁰ C. Clarke,⁹⁷ A. Clark,⁵⁹ J. Clutter,⁸⁷ G. Compostella^{ss},³⁵ M.E. Convery,⁷⁶ J. Conway,⁶⁹ M. Cooke,⁷⁶ W.E. Cooper,⁷⁶ M. Corbo,⁷⁶ M. Corcoran,¹²² M. Cordelli,³⁴ F. Couderc,¹⁸ M.-C. Cousinou,¹⁵ C.A. Cox,⁶⁹ D.J. Cox,⁶⁹ F. Crescioli^{oo},³⁶ A. Croc,¹⁸ J. Cuevas^w,⁵⁷ R. Culbertson,⁷⁶ D. Cutts,¹¹⁸ N. d'Ascenzoⁱ,⁷⁶ M. d'Errico^{ss},³⁵ M. D'Onofrio,⁶² D. Dagenhart,⁷⁶ A. Das,⁶⁷ M. Datta,⁷⁶ G. Davies,⁶³ F. Déliot,¹⁸ M. Dell'Orso^{oo},³⁶ R. Demina,¹⁰⁷ L. Demortier,¹⁰² M. Deninno,³³ D. Denisov,⁷⁶ S.P. Denisov,⁵¹ S. Desai,⁷⁶ C. Deterre,¹⁸ K. DeVaughan,¹⁰⁰ F. Devoto,¹² P. de Barbaro,¹⁰⁷ S.J. de Jong,^{46,128} E. De La Cruz-Burelo,⁴⁵ H.T. Diehl,⁷⁶ M. Diesburg,⁷⁶ P.F. Ding,⁶⁵ J.R. Dittmann,¹²³ A. Di Canto^{oo},³⁶ B. Di Ruzza,⁷⁶ A. Dominguez,¹⁰⁰ S. Donati^{cc},³⁶ P. Dong,⁷⁶ M. Dorigo,¹²⁷ T. Dorigo,³⁵ T. Dorland,¹²⁵ A. Dubey,³⁰ L.V. Dudko,⁵⁰ D. Duggan,¹⁰³ A. Duperrin,¹⁵ S. Dutt,²⁹ A. Dyshkant,⁷⁹ M. Eads,¹⁰⁰ K. Ebina,⁴¹ D. Edmunds,⁹⁸ A. Elagin,¹²⁰ J. Ellison,⁷¹ V.D. Elvira,⁷⁶ Y. Enari,¹⁷ A. Eppig,⁹⁶ R. Erbacher,⁶⁹ S. Errede,⁸¹ N. Ershaidat^j,⁷⁶ R. Eusebi,¹²⁰ H. Evans,⁸² A. Evdokimov,¹⁰⁹ V.N. Evdokimov,⁵¹ G. Facini,⁹² S. Farrington,⁶⁶ M. Feindt,¹²⁹ T. Ferbel,¹⁰⁷ L. Feng,⁷⁹ J.P. Fernandez,⁵⁶ F. Fiedler,²⁵ R. Field,⁷³ F. Filthaut,^{46,128} W. Fisher,⁹⁸ H.E. Fisk,⁷⁶ G. Flanagan^k,⁷⁶ R. Forrest,⁶⁹ M. Fortner,⁷⁹ H. Fox,⁶¹ M. Franklin,⁹³ M.J. Frank,¹²³ J.C. Freeman,⁷⁶ S. Fuess,⁷⁶ Y. Funakoshi,⁴¹ I. Furic,⁷³ M. Gallinaro,¹⁰² J.E. Garcia,⁵⁹ A. Garcia-Bellido,¹⁰⁷ G.A. García-Guerra^l,⁴⁵ A.F. Garfinkel,⁸⁵ P. Garosi^{pp},³⁶ V. Gavrilov,⁴⁹ P. Gay,¹³ W. Geng,^{15,98} D. Gerbaudo,¹⁰⁴ C.E. Gerber,⁷⁸ H. Gerberich,⁸¹ E. Gerchtein,⁷⁶ Y. Gershtein,¹⁰³ S. Giagu^{ff},³⁷ V. Giakoumopoulou,²⁸ P. Giannetti,³⁶ K. Gibson,¹¹⁶ C.M. Ginsburg,⁷⁶ G. Ginther,^{76,107} N. Giokaris,²⁸ P. Giromini,³⁴ G. Giurgiu,⁹⁰ V. Glagolev,⁴⁸ D. Glenzinski,⁷⁶ D. Goldin,¹²⁰ M. Gold,¹⁰¹ N. Goldschmidt,⁷³ A. Golossanov,⁷⁶ G. Golovanov,⁴⁸ G. Gomez-Ceballos,⁹⁴ G. Gomez,⁵⁷ M. Goncharov,⁹⁴ O. González,⁵⁶ I. Gorelov,¹⁰¹ A.T. Goshaw,¹¹⁰ K. Goulios,¹⁰² A. Goussiou,¹²⁵ P.D. Grannis,¹⁰⁸ S. Greder,¹⁹ H. Greenlee,⁷⁶ G. Grenier,²⁰ S. Grinstein,⁵⁴ Ph. Gris,¹³ J.-F. Grivaz,¹⁶ A. Grohsjean^m,¹⁸ C. Grosso-Pilcher,⁷⁷ R.C. Group,⁷⁶ S. Grünendahl,⁷⁶ M.W. Grünewald,³² T. Guillemin,¹⁶ J. Guimaraes da Costa,⁹³ F. Guo,¹⁰⁸ G. Gutierrez,⁷⁶ P. Gutierrez,¹¹³ A. Haasⁿ,¹⁰⁶ S. Hagopian,⁷⁴ S.R. Hahn,⁷⁶ J. Haley,⁹² E. Halkiadakis,¹⁰³ A. Hamaguchi,⁴⁰ J.Y. Han,¹⁰⁷ L. Han,⁵ F. Happacher,³⁴ K. Hara,⁴² K. Harder,⁶⁵ D. Hare,¹⁰³ M. Hare,⁹⁵ A. Harel,¹⁰⁷ R.F. Harr,⁹⁷ K. Hatakeyama,¹²³ J.M. Hauptman,⁸⁶ C. Hays,⁶⁶ J. Hays,⁶³ T. Head,⁶⁵ T. Hebbeker,²¹ M. Heck,¹²⁹ D. Hedin,⁷⁹ H. Hegab,¹¹⁴ J. Heinrich,¹¹⁷ A.P. Heinson,⁷¹ U. Heintz,¹¹⁸ C. Hensel,²³

I. Heredia-De La Cruz,⁴⁵ M. Herndon,¹²⁶ K. Herner,⁹⁶ G. Hesketh^o,⁶⁵ S. Hewamanage,¹²³ M.D. Hildreth,⁸⁴
R. Hirosky,¹²⁴ T. Hoang,⁷⁴ J.D. Hobbs,¹⁰⁸ A. Hocker,⁷⁶ B. Hoeneisen,¹¹ M. Hohlfeld,²⁵ W. Hopkins^p,⁷⁶
D. Horn,¹²⁹ S. Hou,⁶ I. Howley,¹¹⁹ Z. Hubacek,^{9,18} R.E. Hughes,¹¹¹ M. Hurwitz,⁷⁷ U. Husemann,⁷² N. Hussain,⁴
M. Hussein,⁹⁸ J. Huston,⁹⁸ V. Hynek,⁹ I. Iashvili,¹⁰⁵ Y. Ilchenko,¹²¹ R. Illingworth,⁷⁶ G. Introzzi,³⁶ M. Iori^{tt},³⁷
A.S. Ito,⁷⁶ A. Ivanov^q,⁶⁹ S. Jabeen,¹¹⁸ M. Jaffré,¹⁶ E. James,⁷⁶ D. Jamin,¹⁵ D. Jang,¹¹⁵ A. Jayasinghe,¹¹³
B. Jayatilaka,¹¹⁰ E.J. Jeon,⁴³ R. Jesik,⁶³ S. Jindariani,⁷⁶ K. Johns,⁶⁷ M. Johnson,⁷⁶ A. Jonckheere,⁷⁶ M. Jones,⁸⁵
P. Jonsson,⁶³ K.K. Joo,⁴³ J. Joshi,²⁹ S.Y. Jun,¹¹⁵ A.W. Jung,⁷⁶ T.R. Junk,⁷⁶ A. Juste,⁵⁵ K. Kaadze,⁸⁸ E. Kajfasz,¹⁵
T. Kamon,¹²⁰ P.E. Karchin,⁹⁷ D. Karmanov,⁵⁰ A. Kasmi,¹²³ P.A. Kasper,⁷⁶ Y. Kato^r,⁴⁰ I. Katsanos,¹⁰⁰
R. Kehoe,¹²¹ S. Kermiche,¹⁵ W. Ketchum,⁷⁷ J. Keung,¹¹⁷ N. Khalatyan,⁷⁶ A. Khanov,¹¹⁴ A. Kharchilava,¹⁰⁵
Y.N. Khazhchev,⁴⁸ V. Khotilovich,¹²⁰ B. Kilminster,⁷⁶ N. Kimura,⁴¹ D.H. Kim,⁴³ H.S. Kim,⁴³ J.E. Kim,⁴³
M.J. Kim,³⁴ S.B. Kim,⁴³ S.H. Kim,⁴² Y.J. Kim,⁴³ Y.K. Kim,⁷⁷ S. Klimenko,⁷³ K. Knoepfel,⁷⁶ J.M. Kohli,²⁹
K. Kondo[†],⁴¹ D.J. Kong,⁴³ J. Konigsberg,⁷³ A.V. Kotwal,¹¹⁰ A.V. Kozelov,⁵¹ J. Kraus,⁹⁸ M. Kreps,¹²⁹ J. Kroll,¹¹⁷
D. Krop,⁷⁷ M. Kruse,¹¹⁰ V. Krutelyov^s,¹²⁰ T. Kuhr,¹²⁹ S. Kulikov,⁵¹ A. Kumar,¹⁰⁵ A. Kupco,¹⁰ M. Kurata,⁴²
T. Kurča,²⁰ V.A. Kuzmin,⁵⁰ S. Kwang,⁷⁷ A.T. Laasanen,⁸⁵ S. Lami,³⁶ S. Lammel,⁷⁶ S. Lammers,⁸² M. Lancaster,⁶⁴
R.L. Lander,⁶⁹ G. Landsberg,¹¹⁸ K. Lannon^t,¹¹¹ A. Lath,¹⁰³ G. Latino^{pp},³⁶ P. Lebrun,²⁰ T. LeCompte,⁷⁵
E. Lee,¹²⁰ H.S. Lee,⁴⁴ H.S. Lee^u,⁷⁷ J.S. Lee,⁴³ W.M. Lee,⁷⁶ S.W. Lee,⁸⁶ S.W. Lee^v,¹²⁰ J. Lellouch,¹⁷ S. Leo^{oo},³⁶
S. Leone,³⁶ J.D. Lewis,⁷⁶ H. Li,¹⁴ L. Li,⁷¹ Q.Z. Li,⁷⁶ J.K. Lim,⁴⁴ A. Limosani^w,¹¹⁰ C.-J. Lin,⁶⁸ D. Lincoln,⁷⁶
M. Lindgren,⁷⁶ J. Linnemann,⁹⁸ V.V. Lipaev,⁵¹ E. Lipeles,¹¹⁷ R. Lipton,⁷⁶ A. Lister,⁵⁹ D.O. Litvintsev,⁷⁶
C. Liu,¹¹⁶ H. Liu,¹³⁰ H. Liu,¹³¹ T. Liu,⁷⁶ Q. Liu,⁸⁵ Y. Liu,⁵ A. Lobodenko,⁵² S. Lockwitz,⁷² A. Loginov,⁷²
M. Lokajicek,¹⁰ R. Lopes de Sa,¹⁰⁸ H.J. Lubatti,¹²⁵ D. Lucchesi^{ss},³⁵ J. Lueck,¹²⁹ P. Lujan,⁶⁸ P. Lukens,⁷⁶
R. Luna-Garcia^x,⁴⁵ G. Lungu,¹⁰² A.L. Lyon,⁷⁶ R. Lysak^y,⁵³ J. Lys,⁶⁸ A.K.A. Maciel,¹ D. Mackin,¹²²
R. Madar,¹⁸ R. Madrak,⁷⁶ K. Maeshima,⁷⁶ P. Maestro^{pp},¹³² R. Magaña-Villalba,⁴⁵ S. Malik,¹⁰⁰ S. Malik,¹⁰²
V.L. Malyshev,⁴⁸ G. Manca^z,⁶² A. Manousakis-Katsikakis,²⁸ Y. Maravin,⁸⁸ F. Margaroli,³⁷ C. Marino,¹²⁹
M. Martínez,⁵⁴ J. Martínez-Ortega,⁴⁵ P. Mastrandrea,³⁷ K. Matera,⁸¹ M.E. Mattson,⁹⁷ A. Mazzacane,⁷⁶
P. Mazzanti,³³ R. McCarthy,¹⁰⁸ K.S. McFarland,¹⁰⁷ C.L. McGivern,⁸⁷ P. McIntyre,¹²⁰ R. McNulty^a,⁶²
A. Mehta,⁶² P. Mehtala,¹² M.M. Meijer,^{46,128} A. Melnitchouk,⁹⁹ D. Menezes,⁷⁹ P.G. Mercadante,³ M. Merkin,⁵⁰
C. Mesropian,¹⁰² A. Meyer,²¹ J. Meyer,²³ T. Miao,⁷⁶ F. Miconi,¹⁹ D. Mietlicki,⁹⁶ A. Mitra,⁶ H. Miyake,⁴²
S. Moed,⁷⁶ N. Moggi,³³ N.K. Mondal,³¹ M.N. Mondragon^e,⁷⁶ C.S. Moon,⁴³ R. Moore,⁷⁶ M.J. Morello^{qq},¹³²
J. Morlock,¹²⁹ P. Movilla Fernandez,⁷⁶ A. Mukherjee,⁷⁶ M. Mulhearn,¹²⁴ Th. Muller,¹²⁹ P. Murat,⁷⁶ M. Mussini^{rr},³³
J. Nachtman^{bb},⁷⁶ Y. Nagai,⁴² J. Naganoma,⁴¹ E. Nagy,¹⁵ M. Naimuddin,³⁰ I. Nakano,³⁹ A. Napier,⁹⁵ M. Narain,¹¹⁸
R. Nayyar,⁶⁷ H.A. Neal,⁹⁶ J.P. Negret,⁷ J. Nett,¹²⁰ M.S. Neubauer,⁸¹ P. Neustroev,⁵² C. Neu,¹²⁴ J. Nielsen^{cc},⁶⁸
L. Nodulman,⁷⁵ S.Y. Noh,⁴³ O. Norriella,⁸¹ T. Nunnemann,²⁶ L. Oakes,⁶⁶ G. Odrant[‡],⁵² S.H. Oh,¹¹⁰ Y.D. Oh,⁴³
I. Oksuzian,¹²⁴ T. Okusawa,⁴⁰ R. Orava,¹² J. Orduna,¹²² L. Ortolan,⁵⁴ N. Osman,¹⁵ J. Osta,⁸⁴ M. Padilla,⁷¹
S. Pagan Griso^{ss},³⁵ C. Pagliarone,¹²⁷ A. Pal,¹¹⁹ E. Palencia^g,⁵⁷ V. Papadimitriou,⁷⁶ A.A. Paramonov,⁷⁵
N. Parashar,⁸³ V. Parihar,¹¹⁸ S.K. Park,⁴⁴ R. Partridgeⁿ,¹¹⁸ N. Parua,⁸² J. Patrick,⁷⁶ A. Patwa,¹⁰⁹
G. Pauletta^{uu},¹²⁷ M. Paulini,¹¹⁵ C. Paus,⁹⁴ D.E. Pellett,⁶⁹ B. Penning,⁷⁶ A. Penzo,¹²⁷ M. Perfilov,⁵⁰ Y. Peters,⁶⁵
K. Petridis,⁶⁵ G. Petrillo,¹⁰⁷ P. Pétrouff,¹⁶ T.J. Phillips,¹¹⁰ G. Piacentino,³⁶ E. Pianori,¹¹⁷ J. Pilot,¹¹¹ K. Pitts,⁸¹
C. Plager,⁷⁰ M.-A. Pleier,¹⁰⁹ P.L.M. Podesta-Lerma^{dd},⁴⁵ V.M. Podstavkov,⁷⁶ P. Polozov,⁴⁹ L. Pondrom,¹²⁶
A.V. Popov,⁵¹ S. Poprocki^p,⁷⁶ K. Potamianos,⁸⁵ M. Prewitt,¹²² D. Price,⁸² N. Prokopenko,⁵¹ F. Prokoshin^{ee},⁴⁸
A. Pranko,⁶⁸ F. Ptohos^{ff},³⁴ G. Punzi^{oo},³⁶ J. Qian,⁹⁶ A. Quadt,²³ B. Quinn,⁹⁹ A. Rahaman,¹¹⁶ V. Ramakrishnan,¹²⁶
M.S. Rangel,¹ K. Ranjan,³⁰ N. Ranjan,⁸⁵ P.N. Ratoff,⁶¹ I. Razumov,⁵¹ I. Redondo,⁵⁶ P. Renkel,¹²¹ P. Renton,⁶⁶
M. Rescigno,³⁷ T. Riddick,⁶⁴ F. Rimondi^{rr},³³ I. Ripp-Baudot,¹⁹ L. Ristori⁴⁵,⁷⁶ F. Rizatdinova,¹¹⁴ A. Robson,⁶⁰
T. Rodrigo,⁵⁷ T. Rodriguez,¹¹⁷ E. Rogers,⁸¹ S. Rolli^{gg},⁹⁵ M. Rominsky,⁷⁶ R. Roser,⁷⁶ A. Ross,⁶¹ C. Royon,¹⁸
P. Rubinov,⁷⁶ R. Ruchti,⁸⁴ F. Ruffini^{pp},³⁶ A. Ruiz,⁵⁷ J. Russ,¹¹⁵ V. Rusu,⁷⁶ A. Safonov,¹²⁰ G. Safronov,⁴⁹
G. Sajot,¹⁴ W.K. Sakumoto,¹⁰⁷ Y. Sakurai,⁴¹ P. Salcido,⁷⁹ A. Sánchez-Hernández,⁴⁵ M.P. Sanders,²⁶ B. Sanghi,⁷⁶
L. Santi^{uu},¹²⁷ A.S. Santosⁿⁿ,¹ K. Sato,⁴² G. Savage,⁷⁶ V. Savelievⁱ,⁷⁶ A. Savoy-Navarro^{hh},⁷⁶ L. Sawyer,⁸⁹
T. Scanlon,⁶³ R.D. Schamberger,¹⁰⁸ Y. Scheglov,⁵² H. Schellman,⁸⁰ P. Schlabach,⁷⁶ S. Schlobohm,¹²⁵ A. Schmidt,¹²⁹
E.E. Schmidt,⁷⁶ C. Schwanenberger,⁶⁵ T. Schwarz,⁷⁶ R. Schwienhorst,⁹⁸ L. Scodellaro,⁵⁷ A. Scribano^{dd},³⁶ F. Scuri,³⁶
S. Seidel,¹⁰¹ Y. Seiya,⁴⁰ J. Sekaric,⁸⁷ A. Semenov,⁴⁸ H. Severini,¹¹³ F. Sforza^{pp},³⁶ E. Shabalina,²³ S.Z. Shalhout,⁶⁹
V. Shary,¹⁸ S. Shaw,⁹⁸ A.A. Shchukin,⁵¹ T. Shears,⁶² P.F. Shepard,¹¹⁶ M. Shimojimaⁱⁱ,⁴² R.K. Shivpuri,³⁰
M. Shochet,⁷⁷ I. Shreyber-Tecker,⁴⁹ V. Simak,⁹ A. Simonenko,⁴⁸ P. Sinervo,⁴ P. Skubic,¹¹³ P. Slattery,¹⁰⁷ K. Sliwa,⁹⁵

D. Smirnov,⁸⁴ J.R. Smith,⁶⁹ K.J. Smith,¹⁰⁵ F.D. Snider,⁷⁶ G.R. Snow,¹⁰⁰ J. Snow,¹¹² S. Snyder,¹⁰⁹ A. Soha,⁷⁶ S. Söldner-Rembold,⁶⁵ H. Song,¹¹⁶ L. Sonnenschein,²¹ V. Sorin,⁵⁴ K. Soustruznik,⁸ P. Squillacioti^{pp},³⁶ R. St. Denis,⁶⁰ M. Stancari,⁷⁶ J. Stark,¹⁴ B. Stelzer,⁴ O. Stelzer-Chilton,⁴ D. Stentz^c,⁷⁶ V. Stolin,⁴⁹ D.A. Stoyanova,⁵¹ M. Strauss,¹¹³ J. Strologas,¹⁰¹ G.L. Strycker,⁹⁶ L. Stutte,⁷⁶ Y. Sudo,⁴² A. Sukhanov,⁷⁶ I. Suslov,⁴⁸ L. Suter,⁶⁵ P. Svoisky,¹¹³ M. Takahashi,⁶⁵ K. Takemasa,⁴² Y. Takeuchi,⁴² J. Tang,⁷⁷ M. Tecchio,⁹⁶ P.K. Teng,⁶ J. Thom^p,⁷⁶ J. Thome,¹¹⁵ G.A. Thompson,⁸¹ E. Thomson,¹¹⁷ M. Titov,¹⁸ D. Toback,¹²⁰ S. Tokar,⁵³ V.V. Tokmenin,⁴⁸ K. Tollefson,⁹⁸ T. Tomura,⁴² D. Tonelli,⁷⁶ D. Torretta,⁷⁶ S. Torre,³⁴ P. Totaro,³⁵ M. Trovato^{qq},³⁶ Y.-T. Tsai,¹⁰⁷ K. Tschann-Grimm,¹⁰⁸ D. Tsybychev,¹⁰⁸ B. Tuchming,¹⁸ C. Tully,¹⁰⁴ F. Ukegawa,⁴² S. Uozumi,⁴³ L. Uvarov,⁵² S. Uvarov,⁵² S. Uzunyan,⁷⁹ R. Van Kooten,⁸² W.M. van Leeuwen,⁴⁶ N. Varelas,⁷⁸ A. Varganov,⁹⁶ E.W. Varnes,⁶⁷ I.A. Vasilyev,⁵¹ F. Vázquez^e,⁷³ G. Velev,⁷⁶ C. Vellidis,⁷⁶ P. Verdier,²⁰ A.Y. Verkheev,⁴⁸ L.S. Vertogradov,⁴⁸ M. Verzocchi,⁷⁶ M. Vesterinen,⁶⁵ M. Vidal,⁸⁵ I. Vila,⁵⁷ D. Vilanova,¹⁸ R. Vilar,⁵⁷ J. Vizán,⁵⁷ M. Vogel,¹⁰¹ P. Vokac,⁹ G. Volpi^{cc},³⁶ P. Wagner,¹¹⁷ R.L. Wagner,⁷⁶ H.D. Wahl,⁷⁴ T. Wakisaka,⁴⁰ R. Wallny,⁷⁰ M.H.L.S. Wang,⁷⁶ S.M. Wang,⁶ A. Warburton,⁴ J. Warchol,⁸⁴ D. Waters,⁶⁴ G. Watts,¹²⁵ M. Wayne,⁸⁴ J. Weichert,¹³³ L. Welty-Rieger,⁸⁰ W.C. Wester III,⁷⁶ A. White,¹¹⁹ D. Whiteson^{kk},¹¹⁷ F. Wick,¹²⁹ D. Wicke,²⁷ A.B. Wicklund,⁷⁵ E. Wicklund,⁷⁶ S. Wilbur,⁷⁷ H.H. Williams,¹¹⁷ M.R.J. Williams,⁶¹ G.W. Wilson,⁸⁷ J.S. Wilson,¹¹¹ P. Wilson,⁷⁶ B.L. Winer,¹¹¹ P. Wittich^p,⁷⁶ M. Wobisch,⁸⁹ S. Wolbers,⁷⁶ H. Wolfe,¹¹¹ D.R. Wood,⁹² T. Wright,⁹⁶ X. Wu,⁵⁹ Z. Wu,¹²³ T.R. Wyatt,⁶⁵ Y. Xie,⁷⁶ R. Yamada,⁷⁶ K. Yamamoto,⁴⁰ T. Yang,⁷⁶ U.K. Yang^{ll},⁷⁷ W.-C. Yang,⁶⁵ Y.C. Yang,⁴³ W.-M. Yao,⁶⁸ T. Yasuda,⁷⁶ Y.A. Yatsunenko,⁴⁸ Z. Ye,⁷⁶ G.P. Yeh,⁷⁶ K. Yi^{bb},⁷⁶ H. Yin,⁷⁶ K. Yip,¹⁰⁹ J. Yoh,⁷⁶ K. Yorita,⁴¹ T. Yoshida^{mm},⁴⁰ S.W. Youn,⁷⁶ I. Yu,⁴³ G.B. Yu,¹¹⁰ S.S. Yu,⁷⁶ J.C. Yun,⁷⁶ A. Zanetti,¹²⁷ Y. Zeng,¹¹⁰ T. Zhao,¹²⁵ B. Zhou,⁹⁶ J. Zhu,⁹⁶ M. Zielinski,¹⁰⁷ D. Zieminska,⁸² L. Zivkovic,¹¹⁸ and S. Zucchelli^{rr}³³

(CDF and D0 Collaborations*)

The CDF and D0 Collaborations

¹LAFEX, Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

²Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

³Universidade Federal do ABC, Santo André, Brazil

⁴Institute of Particle Physics: McGill University, Montréal, Québec, Canada H3A 2T8; Simon Fraser University, Burnaby, British Columbia, Canada V5A 1S6; University of Toronto, Toronto, Ontario, Canada M5S 1A7; and TRIUMF, Vancouver, British Columbia, Canada V6T 2A3

⁵University of Science and Technology of China, Hefei, People's Republic of China

⁶Institute of Physics, Academia Sinica, Taipei, Taiwan 11529, Republic of China

⁷Universidad de los Andes, Bogotá, Colombia

⁸Charles University, Faculty of Mathematics and Physics, Center for Particle Physics, Prague, Czech Republic

⁹Czech Technical University in Prague, Prague, Czech Republic

¹⁰Center for Particle Physics, Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic

¹¹Universidad San Francisco de Quito, Quito, Ecuador

¹²Division of High Energy Physics, Department of Physics, University of Helsinki and Helsinki Institute of Physics, FIN-00014, Helsinki, Finland

¹³LPC, Université Blaise Pascal, CNRS/IN2P3, Clermont, France

¹⁴LPSC, Université Joseph Fourier Grenoble 1, CNRS/IN2P3, Institut National Polytechnique de Grenoble, Grenoble, France

¹⁵CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France

¹⁶LAL, Université Paris-Sud, CNRS/IN2P3, Orsay, France

¹⁷LPNHE, Universités Paris VI and VII, CNRS/IN2P3, Paris, France

¹⁸CEA, Irfu, SPP, Saclay, France

¹⁹IPHC, Université de Strasbourg, CNRS/IN2P3, Strasbourg, France

²⁰IPNL, Université Lyon 1, CNRS/IN2P3, Villeurbanne, France and Université de Lyon, Lyon, France

²¹III. Physikalisches Institut A, RWTH Aachen University, Aachen, Germany

²²Physikalisches Institut, Universität Freiburg, Freiburg, Germany

²³II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany

²⁴Institut für Experimentelle Kernphysik, Karlsruhe Institute of Technology, D-76131 Karlsruhe, Germany

²⁵Institut für Physik, Universität Mainz, Mainz, Germany

²⁶Ludwig-Maximilians-Universität München, München, Germany

²⁷Fachbereich Physik, Bergische Universität Wuppertal, Wuppertal, Germany

²⁸University of Athens, 157 71 Athens, Greece

- ²⁹Panjab University, Chandigarh, India
³⁰Delhi University, Delhi, India
³¹Tata Institute of Fundamental Research, Mumbai, India
³²University College Dublin, Dublin, Ireland
³³Istituto Nazionale di Fisica Nucleare Bologna, ^{rr}University of Bologna, I-40127 Bologna, Italy
³⁴Laboratori Nazionali di Frascati, Istituto Nazionale di Fisica Nucleare, I-00044 Frascati, Italy
³⁵Istituto Nazionale di Fisica Nucleare, Sezione di Padova-Trento, ^{ss}University of Padova, I-35131 Padova, Italy
³⁶Istituto Nazionale di Fisica Nucleare Pisa, ^{oo}University of Pisa,
^{pp}University of Siena and ^{qq}Scuola Normale Superiore, I-56127 Pisa, Italy
³⁷Istituto Nazionale di Fisica Nucleare, Sezione di Roma 1,
^{tt}Sapienza Università di Roma, I-00185 Roma, Italy
³⁸Istituto Nazionale di Fisica Nucleare Trieste/, I-34100 Trieste, ^{uu}University of Udine, I-33100 Udine, Italy
³⁹Okayama University, Okayama 700-8530, Japan
⁴⁰Osaka City University, Osaka 588, Japan
⁴¹Waseda University, Tokyo 169, Japan
⁴²University of Tsukuba, Tsukuba, Ibaraki 305, Japan
⁴³Center for High Energy Physics: Kyungpook National University,
Daegu 702-701, Korea; Seoul National University, Seoul 151-742,
Korea; Sungkyunkwan University, Suwon 440-746,
Korea; Korea Institute of Science and Technology Information,
Daejeon 305-806, Korea; Chonnam National University, Gwangju 500-757,
Korea; Chonbuk National University, Jeonju 561-756, Korea
⁴⁴Korea Detector Laboratory, Korea University, Seoul, Korea
⁴⁵CINVESTAV, Mexico City, Mexico
⁴⁶Nikhef, Science Park, Amsterdam, the Netherlands
⁴⁷Radboud University Nijmegen, Nijmegen, the Netherlands and Nikhef, Science Park, Amsterdam, the Netherlands
⁴⁸Joint Institute for Nuclear Research, Dubna, Russia
⁴⁹Institute for Theoretical and Experimental Physics, Moscow, Russia
⁵⁰Moscow State University, Moscow, Russia
⁵¹Institute for High Energy Physics, Protvino, Russia
⁵²Petersburg Nuclear Physics Institute, St. Petersburg, Russia
⁵³Comenius University, 842 48 Bratislava, Slovakia; Institute of Experimental Physics, 040 01 Kosice, Slovakia
⁵⁴Institut de Física d'Altes Energies, ICREA, Universitat Autònoma de Barcelona, E-08193, Bellaterra (Barcelona), Spain
⁵⁵Institució Catalana de Recerca i Estudis Avançats (ICREA) and Institut de Física d'Altes Energies (IFAE), Barcelona, Spain
⁵⁶Centro de Investigaciones Energeticas Medioambientales y Tecnológicas, E-28040 Madrid, Spain
⁵⁷Instituto de Física de Cantabria, CSIC-University of Cantabria, 39005 Santander, Spain
⁵⁸Stockholm University, Stockholm and Uppsala University, Uppsala, Sweden
⁵⁹University of Geneva, CH-1211 Geneva 4, Switzerland
⁶⁰Glasgow University, Glasgow G12 8QQ, United Kingdom
⁶¹Lancaster University, Lancaster LA1 4YB, United Kingdom
⁶²University of Liverpool, Liverpool L69 7ZE, United Kingdom
⁶³Imperial College London, London SW7 2AZ, United Kingdom
⁶⁴University College London, London WC1E 6BT, United Kingdom
⁶⁵The University of Manchester, Manchester M13 9PL, United Kingdom
⁶⁶University of Oxford, Oxford OX1 3RH, United Kingdom
⁶⁷University of Arizona, Tucson, Arizona 85721, USA
⁶⁸Ernest Orlando Lawrence Berkeley National Laboratory, Berkeley, California 94720, USA
⁶⁹University of California, Davis, Davis, California 95616, USA
⁷⁰University of California, Los Angeles, Los Angeles, California 90024, USA
⁷¹University of California Riverside, Riverside, California 92521, USA
⁷²Yale University, New Haven, Connecticut 06520, USA
⁷³University of Florida, Gainesville, Florida 32611, USA
⁷⁴Florida State University, Tallahassee, Florida 32306, USA
⁷⁵Argonne National Laboratory, Argonne, Illinois 60439, USA
⁷⁶Fermi National Accelerator Laboratory, Batavia, Illinois 60510, USA
⁷⁷Enrico Fermi Institute, University of Chicago, Chicago, Illinois 60637, USA
⁷⁸University of Illinois at Chicago, Chicago, Illinois 60607, USA
⁷⁹Northern Illinois University, DeKalb, Illinois 60115, USA
⁸⁰Northwestern University, Evanston, Illinois 60208, USA
⁸¹University of Illinois, Urbana, Illinois 61801, USA
⁸²Indiana University, Bloomington, Indiana 47405, USA
⁸³Purdue University Calumet, Hammond, Indiana 46323, USA
⁸⁴University of Notre Dame, Notre Dame, Indiana 46556, USA
⁸⁵Purdue University, West Lafayette, Indiana 47907, USA

- ⁸⁶Iowa State University, Ames, Iowa 50011, USA
⁸⁷University of Kansas, Lawrence, Kansas 66045, USA
⁸⁸Kansas State University, Manhattan, Kansas 66506, USA
⁸⁹Louisiana Tech University, Ruston, Louisiana 71272, USA
⁹⁰The Johns Hopkins University, Baltimore, Maryland 21218, USA
⁹¹Boston University, Boston, Massachusetts 02215, USA
⁹²Northeastern University, Boston, Massachusetts 02115, USA
⁹³Harvard University, Cambridge, Massachusetts 02138, USA
⁹⁴Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA
⁹⁵Tufts University, Medford, Massachusetts 02155, USA
⁹⁶University of Michigan, Ann Arbor, Michigan 48109, USA
⁹⁷Wayne State University, Detroit, Michigan 48201, USA
⁹⁸Michigan State University, East Lansing, Michigan 48824, USA
⁹⁹University of Mississippi, University, Mississippi 38677, USA
¹⁰⁰University of Nebraska, Lincoln, Nebraska 68588, USA
¹⁰¹University of New Mexico, Albuquerque, New Mexico 87131, USA
¹⁰²The Rockefeller University, New York, New York 10065, USA
¹⁰³Rutgers University, Piscataway, New Jersey 08855, USA
¹⁰⁴Princeton University, Princeton, New Jersey 08544, USA
¹⁰⁵State University of New York, Buffalo, New York 14260, USA
¹⁰⁶Columbia University, New York, New York 10027, USA
¹⁰⁷University of Rochester, Rochester, New York 14627, USA
¹⁰⁸State University of New York, Stony Brook, New York 11794, USA
¹⁰⁹Brookhaven National Laboratory, Upton, New York 11973, USA
¹¹⁰Duke University, Durham, North Carolina 27708, USA
¹¹¹The Ohio State University, Columbus, Ohio 43210, USA
¹¹²Langston University, Langston, Oklahoma 73050, USA
¹¹³University of Oklahoma, Norman, Oklahoma 73019, USA
¹¹⁴Oklahoma State University, Stillwater, Oklahoma 74078, USA
¹¹⁵Carnegie Mellon University, Pittsburgh, Pennsylvania 15213, USA
¹¹⁶University of Pittsburgh, Pittsburgh, Pennsylvania 15260, USA
¹¹⁷University of Pennsylvania, Philadelphia, Pennsylvania 19104, USA
¹¹⁸Brown University, Providence, Rhode Island 02912, USA
¹¹⁹University of Texas, Arlington, Texas 76019, USA
¹²⁰Texas A&M University, College Station, Texas 77843, USA
¹²¹Southern Methodist University, Dallas, Texas 75275, USA
¹²²Rice University, Houston, Texas 77005, USA
¹²³Baylor University, Waco, Texas 76798, USA
¹²⁴University of Virginia, Charlottesville, Virginia 22904, USA
¹²⁵University of Washington, Seattle, Washington 98195, USA
¹²⁶University of Wisconsin, Madison, Wisconsin 53706, USA
¹²⁷Istituto Nazionale di Fisica Nucleare Trieste/Udine, I-34100 Trieste, ^{uu}University of Udine, I-33100 Udine, Italy
¹²⁸Radboud University Nijmegen, Nijmegen, the Netherlands
¹²⁹Institut für Experimentelle Kernphysik, Karlsruhe Institute of Technology, D-76131 Karlsruhe, Germany
¹³⁰Southern Methodist University, Dallas, Texas 75275, USA
¹³¹University of Virginia, Charlottesville, Virginia 22906, USA
¹³²Istituto Nazionale di Fisica Nucleare Pisa, ^{gg}University of Pisa,
^{pp}University of Siena and ^{qq}Scuola Normale Superiore, I-56127 Pisa, Italy
¹³³Institut für Physik, Universität Mainz, Mainz, Germany

(Dated: February 22, 2012)

We report the combination of recent measurements of the helicity of the W boson from top quark decay by the CDF and D0 collaborations, based on data samples corresponding to integrated luminosities of $2.7 - 5.4 \text{ fb}^{-1}$ of $p\bar{p}$ collisions collected during Run II of the Fermilab Tevatron Collider. Combining measurements that simultaneously determine the fractions of W bosons with longitudinal (f_0) and right-handed (f_+) helicities, we find $f_0 = 0.722 \pm 0.081 [\pm 0.062 \text{ (stat.)} \pm 0.052 \text{ (syst.)}]$ and $f_+ = -0.033 \pm 0.046 [\pm 0.034 \text{ (stat.)} \pm 0.031 \text{ (syst.)}]$. Combining measurements where one of the helicity fractions is fixed to the value expected in the standard model, we find $f_0 = 0.682 \pm 0.057 [\pm 0.035 \text{ (stat.)} \pm 0.046 \text{ (syst.)}]$ and $f_+ = -0.015 \pm 0.035 [\pm 0.018 \text{ (stat.)} \pm 0.030 \text{ (syst.)}]$. The results are consistent with standard model expectations.

PACS numbers: 14.65.Ha, 14.70.Fm, 12.15.Ji, 12.38.Qk

INTRODUCTION

The study of the properties of the top quark is one of the major topics of the Tevatron proton-antiproton Collider program at Fermilab. Using data samples two orders of magnitude larger than were available when the top quark was first observed [1], the CDF and D0 collaborations have investigated many properties of the top quark, including the helicity of the W bosons produced in the decays $t \rightarrow Wb$. The on-shell W bosons from top quark decays can have three possible helicity states, and we denote the fractions of W^+ bosons produced in these states as f_0 (longitudinal), f_- (left-handed), and f_+ (right-handed). In the standard model (SM), the top quark decays via the $V - A$ weak charged-current interaction, which strongly suppresses right-handed W^+ bosons or left-handed W^- bosons (hermitian conjugation will be assumed throughout the paper). The SM expectation for the helicity fractions depends upon the masses of the top quark (m_t) and the W boson (M_W). For the world average values $m_t = 173.3 \pm 1.1 \text{ GeV}/c^2$ [2] and $M_W = 80.399 \pm 0.023 \text{ GeV}/c^2$ [3], the expected SM values are $f_0 = 0.688 \pm 0.004$, $f_- = 0.310 \pm 0.004$, and $f_+ = 0.0017 \pm 0.0001$ [4]. A measurement that deviates significantly from these expectations would provide strong evidence of physics beyond the SM, indicating ei-

ther a departure from the expected $V - A$ structure of the tWb vertex or the presence of a non-SM contribution to the $t\bar{t}$ candidate sample. We report the combination of recent measurements of f_0 and f_+ from data recorded at the Tevatron $p\bar{p}$ collider by the CDF and D0 collaborations. The measurements are combined accounting for statistical and systematic correlations using the method of Refs. [5, 6].

INPUT MEASUREMENTS

The inputs to the combination are the f_0 and f_+ values extracted from 2.7 fb^{-1} of CDF data in the lepton + jets ($t\bar{t} \rightarrow W^+W^-b\bar{b} \rightarrow \ell\nu q\bar{q}'b\bar{b}$) channel [7] and 5.1 fb^{-1} of CDF data in the dilepton ($t\bar{t} \rightarrow W^+W^-b\bar{b} \rightarrow \ell\nu\ell'\nu b\bar{b}$) channel [8] (where ℓ and ℓ' represent an electron or a muon), and from 5.4 fb^{-1} of D0 data for lepton + jets and dilepton events analyzed jointly [9]. All these measurements use data collected during Run II of the Tevatron. Assuming $f_- + f_0 + f_+ = 1$, two types of measurements are performed: (i) a model-independent approach where f_0 and f_+ are determined simultaneously, and (ii) a model-dependent approach where f_0 (f_+) is fixed to its SM value, and f_+ (f_0) is measured. The model-independent and model-dependent approaches are referred to as “2D” and “1D,” respectively. We label the input measurements as follows:

- CDF’s measurements of f_0 and f_+ in the lepton + jets channel are labeled as $f_{0,\text{CDF}}^{n\text{D},\ell+j}$ and $f_{+,\text{CDF}}^{n\text{D},\ell+j}$, respectively.
- CDF’s measurements of f_0 and f_+ in the dilepton channel are labeled as $f_{0,\text{CDF}}^{n\text{D},\ell\ell}$ and $f_{+,\text{CDF}}^{n\text{D},\ell\ell}$, respectively.
- D0’s measurements of f_0 and f_+ , which use both the lepton + jets and dilepton channels, are labeled as $f_{0,\text{D0}}^{n\text{D}}$ and $f_{+,\text{D0}}^{n\text{D}}$, respectively.

Here $n = 1$ for 1D measurements and $n = 2$ for 2D measurements.

The $f_{0(+),\text{CDF}}^{n\text{D},\ell+j}$ measurements [7] use the “matrix element” method described in Ref. [10], where the distributions of the momenta of measured jets and leptons as well as the missing transverse energy \cancel{E}_T are compared to the expectations for leading-order signal and background matrix elements, convoluted with the detector response to jets and leptons. The $t\bar{t}$ matrix elements are computed as a function of the W boson helicity fractions to determine the values of f_0 and f_+ that are most consistent with the data.

The $f_{0(+),\text{CDF}}^{n\text{D},\ell\ell}$ and $f_{0(+),\text{D0}}^{n\text{D}}$ measurements are based on the distribution of the helicity angle θ^* for each top quark decay, where θ^* is the angle in the W boson rest frame between the direction opposite to the top quark and the

*With visitors from ^aAugustana College, Sioux Falls, SD, USA, ^bUniversidad de Oviedo, E-33007 Oviedo, Spain, ^cNorthwestern University, Evanston, IL 60208, USA, ^dThe University of Liverpool, Liverpool, UK, ^eUniversidad Iberoamericana, Mexico D.F., Mexico, ^fETH, 8092 Zurich, Switzerland, ^gCERN, CH-1211 Geneva, Switzerland, ^hQueen Mary, University of London, London, E1 4NS, England, ⁱNational Research Nuclear University, Moscow, Russia, ^jYarmouk University, Irbid 211-63, Jordan, ^kMuons, Inc., Batavia, IL 60510, ^lUPIITA-IPN, Mexico City, Mexico, ^mDESY, Hamburg, Germany, ⁿSLAC, Menlo Park, CA, USA, ^oUniversity College London, London, UK, ^pCornell University, Ithaca, NY 14853, ^qKansas State University, Manhattan, KS 66506, ^rKinki University, Higashi-Osaka City, Japan 577-8502, ^sUniversity of California Santa Barbara, Santa Barbara, CA 93106 ^tUniversity of Notre Dame, Notre Dame, IN 46556, ^uKorea University, Seoul, 136-713, Korea, ^vTexas Tech University, Lubbock, TX 79609, ^wUniversity of Melbourne, Victoria 3010, Australia, ^xCentro de Investigacion en Computacion - IPN, Mexico City, Mexico, ^yInstitute of Physics, Academy of Sciences of the Czech Republic, Czech Republic, ^zIstituto Nazionale di Fisica Nucleare, Sezione di Cagliari, 09042 Monserrato (Cagliari), Italy, ^{aa}University College Dublin, Dublin 4, Ireland, ^{bb}University of Iowa, Iowa City, IA 52242, ^{cc}University of California Santa Cruz, Santa Cruz, CA 95064, ^{dd}ECFM, Universidad Autonoma de Sinaloa, Culiacán, Mexico, ^{ee}Universidad Tecnica Federico Santa Maria, 110v Valparaiso, Chile, ^{ff}University of Cyprus, Nicosia CY-1678, Cyprus, ^{gg}Office of Science, U.S. Department of Energy, Washington, DC 20585, USA, ^{hh}CNRS-IN2P3, Paris, F-75205 France, ⁱⁱNagasaki Institute of Applied Science, Nagasaki, Japan, ^{jj}Universität Bern, Bern, Switzerland, ^{kk}University of California Irvine, Irvine, CA 92697, ^{ll}University of Manchester, Manchester M13 9PL, England, ^{mm}University of Fukui, Fukui City, Fukui Prefecture, Japan 910-0017, and ⁿⁿUniversidade Estadual Paulista, São Paulo, Brazil. [‡]Deceased.

direction of the down-type fermion (charged lepton or down-type quark) from the decay of the W boson. The probability distribution in $\cos\theta^*$ can be written in terms of the helicity fractions as follows:

$$\omega(\cos\theta^*) \propto 2(1 - \cos^2\theta^*)f_0 + (1 - \cos\theta^*)^2f_- + (1 + \cos\theta^*)^2f_+. \quad (1)$$

The momentum of the neutrino required to determine θ^* is reconstructed in the lepton + jets channel through a constrained kinematic fit of each event to the $t\bar{t}$ hypothesis, while for the dilepton channel θ^* is obtained through an algebraic solution of the kinematics. The distributions in $\cos\theta^*$ are compared to the expectations from background and $t\bar{t}$ Monte Carlo (MC) simulated events, with different admixtures of helicity fractions, to determine f_0 and f_+ .

CDF and D0 treat the top quark mass dependence of the measured helicity fractions differently. CDF assumes a value of $m_t = 175 \text{ GeV}/c^2$ when reporting central values and includes a description of how the values change as a function of m_t . D0 assumes a value of $m_t = 172.5 \text{ GeV}/c^2$ and assigns a systematic uncertainty to cover the m_t dependence of the result. This uncertainty corresponds to a $1.4 \text{ GeV}/c^2$ uncertainty on m_t , accounting for both the difference between D0's assumed m_t and the world average value and the uncertainty on the world average value [2]. To facilitate the combination of results, the CDF helicity fractions are shifted to m_t of $172.5 \text{ GeV}/c^2$, and an uncertainty is assigned to account for the $1.4 \text{ GeV}/c^2$ uncertainty on m_t . CDF and D0 also use slightly different M_W values in their measurements ($80.450 \text{ GeV}/c^2$ for CDF and $80.419 \text{ GeV}/c^2$ for D0), but this difference changes the expected helicity fractions only by $\approx 10^{-4}$. The input measurements are summarized in Table I.

CATEGORIES OF UNCERTAINTY

The uncertainties on the individual measurements are grouped into categories so that the correlations can be treated properly in the combination. The categories are specified as follows:

- **STA** is the statistical uncertainty. In each 2D input measurement, there is a strong anticorrelation between the values of f_0 and f_+ , and values of the correlation coefficients are determined from the simultaneous fit for f_0 and f_+ .
- **JES** is the uncertainty on the jet energy scale. This uncertainty can arise from theoretical uncertainties on the properties of jets, such as the models for gluon radiation and the fragmentation of b quarks (assessed by comparing the default model [18] to an alternative version [19], and from uncertainties

in the calorimeter response. We assume that the theoretical uncertainties common to CDF and D0 dominate, and therefore take this uncertainty as fully correlated between CDF and D0. Details of the jet energy calibration in CDF and D0 can be found in Refs. [11] and [12], respectively.

- **SIG** is the uncertainty on the modeling of $t\bar{t}$ production and decay and has several components. The effect of uncertainties on the parton distribution functions (PDFs) is estimated using the 2×20 uncertainty sets provided for the CTEQ6M [13] PDFs. The uncertainty on the modeling of initial- and final-state gluon radiation is assessed by varying the MC parameters for these processes. Uncertainties from modeling hadron showers are estimated by comparing the expectations from PYTHIA and HERWIG. In addition, D0 estimates the potential impact of next-to-leading order (NLO) effects by comparing the leading-order generators (ALPGEN [14], PYTHIA [15], and HERWIG [16]) with the NLO generator MC@NLO [17], and the uncertainty from color reconnection [20] by comparing PYTHIA models with color reconnection turned on and off. These additional terms increase the $t\bar{t}$ modeling uncertainty by 33% relative to the value that would be determined using only the components considered in the CDF analyses. Signal modeling uncertainties impact the CDF and D0 results in the same manner and therefore are taken as fully correlated among input measurements.
- **BGD** is the uncertainty on the modeling of the background. The procedures used to estimate this uncertainty differ for the separate analyses. In CDF's dilepton measurement, the contribution of each background source is varied within its uncertainty and the resulting effect on the $\cos\theta^*$ distribution is used to gauge the effect on the measured helicity fractions. In the CDF lepton + jets analysis, the change in the result when the background is assumed to come from only one source (e.g. only $W + b\bar{b}$ production or only multijet production), rather than from the expected mixture of sources, is taken as the uncertainty due to the background shape. The uncertainty on the background yield is evaluated by varying the assumed signal-to-background ratio. In the D0 measurement, the $\cos\theta^*$ distributions in data and in the background model are compared in a background-dominated sideband region. The background model in the signal region is then reweighted to reflect any differences observed in the background-dominated region, and the resulting changes in the measured helicity fractions are taken as their systematic uncertainties. The correlations among the background model uncertainties in the input measurements are

TABLE I: Summary of the W boson helicity measurements used in the combination of results. The CDF measurements have been shifted from their published values to reflect a change in the assumed top quark mass from 175 to 172.5 GeV/ c^2 . The first uncertainty in brackets below is statistical and the second is systematic.

CDF lepton + jets, 2.7 fb $^{-1}$ [7]	
$f_{0,\text{CDF}}^{2\text{D},\ell+j}$	$f_0 = 0.903 \pm 0.123 [\pm 0.106 \pm 0.063]$
$f_{+,\text{CDF}}^{2\text{D},\ell+j}$	$f_+ = -0.195 \pm 0.090 [\pm 0.067 \pm 0.060]$
$f_{0,\text{CDF}}^{1\text{D},\ell+j}$	$f_0 = 0.674 \pm 0.081 [\pm 0.069 \pm 0.042]$
$f_{+,\text{CDF}}^{1\text{D},\ell+j}$	$f_+ = -0.044 \pm 0.053 [\pm 0.019 \pm 0.050]$
CDF dilepton, 5.1 fb $^{-1}$ [8]	
$f_{0,\text{CDF}}^{2\text{D},\ell\ell}$	$f_0 = 0.702 \pm 0.186 [\pm 0.175 \pm 0.062]$
$f_{+,\text{CDF}}^{2\text{D},\ell\ell}$	$f_+ = -0.085 \pm 0.096 [\pm 0.089 \pm 0.035]$
$f_{0,\text{CDF}}^{1\text{D},\ell\ell}$	$f_0 = 0.556 \pm 0.106 [\pm 0.088 \pm 0.060]$
$f_{+,\text{CDF}}^{1\text{D},\ell\ell}$	$f_+ = -0.089 \pm 0.052 [\pm 0.041 \pm 0.032]$
D0, lepton + jets and dilepton, 5.4 fb $^{-1}$ [9]	
$f_{0,\text{D0}}^{2\text{D}}$	$f_0 = 0.669 \pm 0.102 [\pm 0.078 \pm 0.065]$
$f_{+,\text{D0}}^{2\text{D}}$	$f_+ = 0.023 \pm 0.053 [\pm 0.041 \pm 0.034]$
$f_{0,\text{D0}}^{1\text{D}}$	$f_0 = 0.708 \pm 0.065 [\pm 0.044 \pm 0.048]$
$f_{+,\text{D0}}^{1\text{D}}$	$f_+ = 0.010 \pm 0.037 [\pm 0.022 \pm 0.030]$

not known, but are presumably large because of the substantial contribution of W/Z + jets events to the background in each measurement. We therefore treat this uncertainty as fully correlated between CDF and D0, and also between measurements using dilepton and lepton + jets events.

- **MTD** are uncertainties that are specific to a given analysis method. Effects such as the limitations from the statistics of the MC and any offsets observed in self-consistency tests of the analysis are included in this category. These uncertainties are fully anticorrelated for 2D measurements of f_0 and f_+ within a given analysis, but not between different analyses.
- **MTOP** is the uncertainty due to m_t and is fully correlated between all measurements.
- **DET** are uncertainties due to the response of the CDF and D0 detectors. The effects considered include uncertainty in jet energy resolution, lepton identification efficiency, and trigger efficiency. These uncertainties are found to be negligible in the CDF measurements, but are larger in the D0 measurements due to discrepancies observed in muon distributions between data control samples and MC. While the cause of these discrepancies was subsequently understood and resolved, D0 assigns a systematic uncertainty to cover the effect rather than reanalyzing the data.
- **MHI** is the uncertainty due to multiple hadronic ($p\bar{p}$) interactions in a single bunch crossing. This uncertainty pertains only to the CDF dilepton measurement. In D0's measurements the distribution in instantaneous luminosity for the simulated

events is reweighted to match that in data, thereby accounting for the impact of multiple interactions. In CDF's lepton + jets measurement this uncertainty is found to be negligible.

The relationships between the uncertainties reported in individual measurements [7–9] and the above categories are given in Table II, and the values of the uncertainties from each input measurement are given in Table III.

COMBINATION PROCEDURE

The results are combined to obtain the best linear unbiased estimators of the correlated observables f_0 and f_+ [5]. The method uses all the measurements and their covariance matrix \mathbf{M} , where \mathbf{M} is the sum of the covariance matrices for each category of uncertainty (for the 1D measurements, only the sub-matrices corresponding to the helicity fraction that is varied are relevant):

$$\mathbf{M} = \mathbf{M}_{\text{STA}} + \mathbf{M}_{\text{JES}} + \mathbf{M}_{\text{SIG}} + \mathbf{M}_{\text{BGD}} + \mathbf{M}_{\text{MTD}} + \mathbf{M}_{\text{MTOP}} + \mathbf{M}_{\text{DET}} + \mathbf{M}_{\text{MHI}}. \quad (2)$$

The correlation coefficients assumed when populating the covariance matrices for each category of uncertainty are given in Tables IV–VII. When there are correlations in systematic uncertainties between measurements of f_0 and f_+ , the correlation coefficients are taken to be -1 , reflecting the large negative statistical correlations observed between measurements of f_0 and f_+ within a given analysis.

TABLE II: Relationship between the individual systematic uncertainties on the input measurements [7–9] and the categories of uncertainty used for the combination.

Uncertainty category	Individual measurement uncertainties		
	CDF lepton + jets	CDF dilepton	D0 lepton + jets and dilepton
JES	Jet energy scale	Jet energy scale	Jet energy scale b fragmentation
SIG	ISR or FSR PDF Parton shower	Generators ISR or FSR PDF	$t\bar{t}$ model PDF
BGD	Background	Background shape	Background model Heavy flavor fraction
MTD	Method-related	Template statistics	Template statistics Analysis consistency
MTOP	Top quark mass	Top quark mass	Top quark mass
DET			Jet energy resolution Jet identification Muon identification Muon trigger
MHI		Instant. luminosity	

TABLE III: Values of the uncertainties from each measurement that are used in the combinations.

Measurement	STA	JES	SIG	BGD	MTD	MTOP	DET	MHI
$f_{0,\text{CDF}}^{2\text{D},\ell+j}$	0.106	0.004	0.038	0.042	0.024	0.011	0.000	0.000
$f_{0,\text{D0}}^{2\text{D}}$	0.078	0.011	0.039	0.032	0.022	0.009	0.031	0.000
$f_{0,\text{CDF}}^{2\text{D},\ell\ell}$	0.175	0.002	0.050	0.023	0.028	0.005	0.000	0.013
$f_{+,\text{CDF}}^{2\text{D},\ell+j}$	0.067	0.012	0.031	0.039	0.024	0.019	0.000	0.000
$f_{+,\text{D0}}^{2\text{D}}$	0.041	0.009	0.024	0.013	0.012	0.012	0.007	0.000
$f_{+,\text{CDF}}^{2\text{D},\ell\ell}$	0.089	0.020	0.022	0.010	0.014	0.005	0.000	0.002
$f_{0,\text{CDF}}^{1\text{D},\ell+j}$	0.069	0.018	0.033	0.009	0.010	0.012	0.000	0.000
$f_{0,\text{D0}}^{1\text{D}}$	0.044	0.016	0.036	0.013	0.021	0.012	0.018	0.000
$f_{0,\text{CDF}}^{1\text{D},\ell\ell}$	0.088	0.033	0.044	0.012	0.012	0.013	0.000	0.016
$f_{+,\text{CDF}}^{1\text{D},\ell+j}$	0.019	0.017	0.024	0.038	0.005	0.015	0.000	0.000
$f_{+,\text{D0}}^{1\text{D}}$	0.022	0.012	0.021	0.008	0.008	0.010	0.010	0.000
$f_{+,\text{CDF}}^{1\text{D},\ell\ell}$	0.041	0.019	0.022	0.005	0.006	0.007	0.000	0.008

TABLE IV: The statistical correlation coefficients among the measurements used in the combination.

	$f_{0,\text{CDF}}^{\ell+j}$	$f_{0,\text{D0}}$	$f_{0,\text{CDF}}^{\ell\ell}$	$f_{+,\text{CDF}}^{\ell+j}$	$f_{+,\text{D0}}$	$f_{+,\text{CDF}}^{\ell\ell}$
$f_{0,\text{CDF}}^{\ell+j}$	1.0	0.0	0.0	-0.6	0.0	0.0
$f_{0,\text{D0}}$	0.0	1.0	0.0	0.0	-0.8	0.0
$f_{0,\text{CDF}}^{\ell\ell}$	0.0	0.0	1.0	0.0	0.0	-0.9
$f_{+,\text{CDF}}^{\ell+j}$	-0.6	0.0	0.0	1.0	0.0	0.0
$f_{+,\text{D0}}$	0.0	-0.8	0.0	0.0	1.0	0.0
$f_{+,\text{CDF}}^{\ell\ell}$	0.0	0.0	-0.9	0.0	0.0	1.0

TABLE V: The correlation coefficients among the measurements used in the combination for the JES, SIG, BGD, and MTOP systematic uncertainties.

	$f_{0,\text{CDF}}^{\ell+j}$	$f_{0,\text{D0}}$	$f_{0,\text{CDF}}^{\ell\ell}$	$f_{+,\text{CDF}}^{\ell+j}$	$f_{+,\text{D0}}$	$f_{+,\text{CDF}}^{\ell\ell}$
$f_{0,\text{CDF}}^{\ell+j}$	1.0	1.0	1.0	-1.0	-1.0	-1.0
$f_{0,\text{D0}}$	1.0	1.0	1.0	-1.0	-1.0	-1.0
$f_{0,\text{CDF}}^{\ell\ell}$	1.0	1.0	1.0	-1.0	-1.0	-1.0
$f_{+,\text{CDF}}^{\ell+j}$	-1.0	-1.0	-1.0	1.0	1.0	1.0
$f_{+,\text{D0}}$	-1.0	-1.0	-1.0	1.0	1.0	1.0
$f_{+,\text{CDF}}^{\ell\ell}$	-1.0	-1.0	-1.0	1.0	1.0	1.0

RESULTS

The result of the combination of the 2D measurements is

$$\begin{aligned}
 f_0 &= 0.722 \pm 0.081 & (3) \\
 &[\pm 0.062 \text{ (stat.)} \pm 0.052 \text{ (syst.)}], \\
 f_+ &= -0.033 \pm 0.046 \\
 &[\pm 0.034 \text{ (stat.)} \pm 0.031 \text{ (syst.)}].
 \end{aligned}$$

TABLE VI: The correlation coefficients among the measurements used in the combination for the MTD systematic uncertainty.

	$f_{0,\text{CDF}}^{\ell+j}$	$f_{0,\text{D}0}$	$f_{0,\text{CDF}}^{\ell\ell}$	$f_{+,\text{CDF}}^{\ell+j}$	$f_{+,\text{D}0}$	$f_{+,\text{CDF}}^{\ell\ell}$
$f_{0,\text{CDF}}^{\ell+j}$	1.0	0.0	0.0	-1.0	0.0	0.0
$f_{0,\text{D}0}$	0.0	1.0	0.0	0.0	-1.0	0.0
$f_{0,\text{CDF}}^{\ell\ell}$	0.0	0.0	1.0	0.0	0.0	-1.0
$f_{+,\text{CDF}}^{\ell+j}$	-1.0	0.0	0.0	1.0	0.0	0.0
$f_{+,\text{D}0}$	0.0	-1.0	0.0	0.0	1.0	0.0
$f_{+,\text{CDF}}^{\ell\ell}$	0.0	0.0	-1.0	0.0	0.0	1.0

TABLE VII: The correlation coefficients among the measurements used in the combination for the DET and MHI systematic uncertainties.

	$f_{0,\text{CDF}}^{\ell+j}$	$f_{0,\text{D}0}$	$f_{0,\text{CDF}}^{\ell\ell}$	$f_{+,\text{CDF}}^{\ell+j}$	$f_{+,\text{D}0}$	$f_{+,\text{CDF}}^{\ell\ell}$
$f_{0,\text{CDF}}^{\ell+j}$	1.0	0.0	1.0	-1.0	0.0	-1.0
$f_{0,\text{D}0}$	0.0	1.0	0.0	0.0	-1.0	0.0
$f_{0,\text{CDF}}^{\ell\ell}$	1.0	0.0	1.0	-1.0	0.0	-1.0
$f_{+,\text{CDF}}^{\ell+j}$	-1.0	0.0	-1.0	1.0	0.0	1.0
$f_{+,\text{D}0}$	0.0	-1.0	0.0	0.0	1.0	0.0
$f_{+,\text{CDF}}^{\ell\ell}$	-1.0	0.0	-1.0	1.0	0.0	1.0

The contribution from each category of systematic uncertainty is shown in Table VIII. The combination has a χ^2 value of 8.86 for four degrees of freedom, corresponding to a p -value of 6% for consistency among the input measurements. The combined values of f_0 and f_+ have a correlation coefficient of -0.86 . The consistency of each input measurement with the combined value and the weight that each input measurement contributes to the combined result are given in Table IX. In some cases, the weights have negative values, which can occur in the presence of correlated uncertainties when the most likely value of the observable lies outside of the range of the input measurements [6] or, in the case of simultaneous measurements of correlated quantities, when negative weights are needed to satisfy the normalization condition that the weights sum to unity [5]. Contours of constant χ^2 in the f_0 and f_+ plane are shown in Fig. 1. The SM values for the helicity fractions lie within the 68% C.L. contour of probability.

TABLE VIII: The contribution from each category of systematic uncertainty in the combined measurements.

Category	2D combination		1D combination	
	δf_0	δf_+	δf_0	δf_+
JES	0.007	0.012	0.018	0.014
SIG	0.038	0.022	0.036	0.021
BGD	0.028	0.013	0.012	0.009
MTD	0.014	0.008	0.007	0.006
MTOP	0.007	0.010	0.012	0.010
DET	0.016	0.003	0.011	0.007
MHI	0.001	0.0004	0.002	0.002

TABLE IX: The number of standard deviations of each 2D measurement from the combined values of f_0 and f_+ , and the relative weight contributed by each to the combination.

Measurement	s.d. from combined values	Weight for	
		f_0 (%)	f_+ (%)
$f_{0,\text{CDF}}^{2\text{D},\ell+j}$	1.96	44.4	-15.4
$f_{0,\text{D}0}^{2\text{D}}$	-0.87	45.6	8.1
$f_{0,\text{CDF}}^{2\text{D},\ell\ell}$	-0.12	10.1	7.2
$f_{+,\text{CDF}}^{2\text{D},\ell+j}$	-2.10	27.9	-3.6
$f_{+,\text{D}0}^{2\text{D}}$	2.06	-22.0	75.9
$f_{+,\text{CDF}}^{2\text{D},\ell\ell}$	-0.62	-5.9	27.7

Combining the 1D measurements yields:

$$\begin{aligned}
 f_0 &= 0.682 \pm 0.057 \\
 &\quad [\pm 0.035 \text{ (stat.)} \pm 0.046 \text{ (syst.)}], \\
 f_+ &= -0.015 \pm 0.035 \\
 &\quad [\pm 0.018 \text{ (stat.)} \pm 0.030 \text{ (syst.)}].
 \end{aligned}
 \tag{4}$$

The contribution of each category of systematic uncertainty is shown in Table VIII. The combination for f_0 (f_+) has a χ^2 of 2.12 (4.44) for two degrees of freedom, corresponding to a p -value of 35% (11%) for consistency among the input measurements. The consistency of each input measurement with the combined value and




FIG. 1: Contours of constant χ^2 for the combination of the 2D helicity measurements. The ellipses indicate the 68% and 95% C.L. contours, the dot shows the best-fit value, and the star marks the expectation from the SM. The input measurements to the combination are represented by the open circle, square, and triangle, with error bars indicating the 1σ uncertainties on f_0 and f_+ . Each of the input measurements uses a central value of $m_t = 172.5 \text{ GeV}/c^2$.

TABLE X: The number of standard deviations of each 1D measurement from the combined values of f_0 and f_+ , and the relative weight contributed by each to the combination.

Measurement	s.d. from combined values	Weight (%)
$f_{0,\text{CDF}}^{\text{1D},\ell+j}$	-0.15	31.3
$f_{0,\text{D0}}^{\text{1D}}$	0.83	58.9
$f_{0,\text{CDF}}^{\text{1D},\ell\ell}$	-1.40	9.9
$f_{+,\text{CDF}}^{\text{1D},\ell+j}$	-0.70	5.2
$f_{+,\text{D0}}^{\text{1D}}$	2.08	72.1
$f_{+,\text{CDF}}^{\text{1D},\ell\ell}$	-1.94	22.7

the weight that each input measurement contributes to the combined result are presented in Table X.

SUMMARY

We have combined measurements of the helicity of W bosons arising from top quark decay in $t\bar{t}$ events from the CDF and D0 collaborations, finding

$$f_0 = 0.722 \pm 0.081 \quad (5)$$

$$[\pm 0.062 \text{ (stat.)} \pm 0.052 \text{ (syst.)}],$$

$$f_+ = -0.033 \pm 0.046$$

$$[\pm 0.034 \text{ (stat.)} \pm 0.031 \text{ (syst.)}]$$

for measurements in which both f_0 and f_+ are varied simultaneously, and

$$f_0 = 0.682 \pm 0.057 \quad (6)$$

$$[\pm 0.035 \text{ (stat.)} \pm 0.046 \text{ (syst.)}],$$

$$f_+ = -0.015 \pm 0.035$$

$$[\pm 0.018 \text{ (stat.)} \pm 0.031 \text{ (syst.)}]$$

when one of the helicity fractions is held fixed at the SM value.

These are the most precise measurements of f_0 and f_+ to date. The results are consistent with expectations from the SM and provide no indication of new physics in the tWb coupling nor of the presence of a non-SM source of events in the selected sample.

ACKNOWLEDGEMENT

We thank the staffs at Fermilab and collaborating institutions, and acknowledge support from the DOE and NSF (USA); CEA and CNRS/IN2P3 (France); FASI, Rosatom and RFBR (Russia); CNPq, FAPERJ, FAPESP and FUNDUNESP (Brazil); DAE and DST

(India); INFN (Italy); Ministry of Education, Culture, Sports, Science and Technology (Japan); Colciencias (Colombia); CONACyT (Mexico); World Class University Program, National Research Foundation, NRF (Korea); CONICET and UBACyT (Argentina); Australian Research Council (Australia); FOM (The Netherlands); STFC and the Royal Society (United Kingdom); MSMT and GACR (Czech Republic); CRC Program and NSERC (Canada); Academy of Finland (Finland); BMBF and DFG (Germany); SFI (Ireland); Slovak R&D Agency (Slovakia); Programa Consolider-Ingenio 2010 (Spain); The Swedish Research Council (Sweden); Swiss National Science Foundation (Switzerland); NSC (Republic of China); CAS and CNSF (China) and the A.P. Sloan Foundation (USA).

-
- [1] F. Abe *et al.* (CDF Collaboration), Phys. Rev. Lett. **74**, 2626 (1995); S. Abachi *et al.* (D0 Collaboration), Phys. Rev. Lett. **74**, 2632 (1995).
 - [2] Tevatron Electroweak Working Group, arXiv:1007.3178[hep-ex] (2010).
 - [3] K. Nakamura *et al.* (Particle Data Group), J. Phys. G **37**, 075021 (2010).
 - [4] A. Czarnecki, J. G. Körner, J. H. Piclum, Phys. Rev. D **81**, 111503 (2010). The helicity fractions for $m_t = 173.3 \pm 1.1 \text{ GeV}/c^2$ and $M_W = 80.399 \pm 0.023 \text{ GeV}/c^2$ were obtained via private communication with the authors.
 - [5] A. Valassi, Nucl. Instrum. Methods in Phys. Res. A **500**, 391 (2003).
 - [6] L. Lyons, D. Gibaut, and P. Clifford, Nucl. Instrum. Methods in Phys. Res. A **270**, 110 (1988).
 - [7] T. Aaltonen *et al.*, (CDF Collaboration), Phys. Rev. Lett. **105**, 042002 (2010).
 - [8] T. Aaltonen *et al.*, (CDF Collaboration), to be submitted.
 - [9] V.M. Abazov *et al.* (D0 Collaboration), Phys. Rev. D **83**, 032009 (2011).
 - [10] V.M. Abazov *et al.* (D0 Collaboration), Nature **429**, 638 (2004).
 - [11] A. Bhattia *et al.*, Nucl. Instrum. Methods in Phys. Res. A **566**, 375 (2006).
 - [12] V.M. Abazov *et al.* (D0 Collaboration), to be published in Phys. Rev. D, arXiv:1110.3771[hep-ex] (2011).
 - [13] J. Pumplin *et al.*, J. High Energy Phys. **07**, 012 (2002).
 - [14] M.L. Mangano, J. High Energy Phys. **07**, 001 (2003).
 - [15] T. Sjöstrand *et al.*, Computer Phys. Commun. **135**, 238 (2001).
 - [16] G. Corcella *et al.*, J. High Energy Phys. **01**, 010 (2001).
 - [17] S. Frixione and B. Webber, J. High Energy Phys. **06**, 29 (2002).
 - [18] M.G. Bowler, Z. Phys. C **11**, 169 (1981).
 - [19] Y. Peters *et al.*, FERMILAB-TM-2425-E (2006).
 - [20] P. Skands and D. Wicke, Eur. Phys. J. C **52**, 133 (2007).